RBB
43(e)

PROVINCE NOVA SCOTIA

REPORT OF THE

Department of Public Health

FOR THE

Year ending November 30th, 1938

AND OF THE

Deputy Registrar General

CONTAINING THE

Vital Statistics of the Province

For the Year ending December 31st, 1937

HALIFAX, N. S.
PROVINCIAL SECRETARY
KING'S PRINTER
1939

22501407625

WELLCOME INSTITUTE LIBRARY

PROVINCE NOVA SCOTIA

REPORT OF THE

Department of Public Health

FOR THE

Year ending November 30th, 1938

AND OF THE

Deputy Registrar General

CONTAINING THE

Vital Statistics of the Province

For the Year ending December 31st, 1937

HALIFAX, N. S.
PROVINCIAL SECRETARY
KING'S PRINTER
1939

WELLCOME INSTITUTE
LIBRARY
Coll. WOMBC
Call
No. Amuk
WA28
GC2
N93
1938

CONTENTS

Table		Page
	Report of Chief Health Officer	9
	Report of Deputy Registrar General	17
	Report of Divisional Medical Health Officer Central Health Division	18
	Report of Divisional Medical Health Officer Western Health Division	20
	Report of Divisional Medical Health Officer Cape Breton Island Health Unit	22
	Report of Director of Public Health Laboratory	31
	Report of Director of Pathological Laboratory	36
	Report of Sanitary Engineer	40
	Report of Statistician and Epidemiologist	41
	Report of Superintendent of the Nursing Service	43
	Table showing cases examined by Divisional Medical Health Officers	46
	Table showing summary of activities of Public Health Nurses	47
A.	Number of births (ex. stillbirths) and birth rates by counties 1937	48
B.	Number of deaths and death rates by counties, 1937	49
C.	Births and deaths and rates by cities and towns 1000 population and over, 1937	50
D.	Number of marriages and marriage rates by counties, 1937	51
E.	Number of marriages and marriage rates by cities and towns, 1937	52
F.	Infant mortality and rates by counties, 1937	53
G.	Infant mortality and rates by cities and towns, 1937	54
H.	Number of deaths and death rates from Tuberculosis by counties, 1937	55
I.	Number of deaths and death rates from Tuberculosis by cities and towns, 1937	56
J.	Five most common causes of death in certain age groups, 1937	57
K.	Number of deaths from certain specified causes by counties, 1937	59
L.	Death rates from certain specified causes by counties, 1937	60
M.	Birth rate, maternal mortality and infant mortality, Nova Scotia, 1921-1937	61
N.	Number of deaths and death rates from Tuberculosis, Nova Scotia 1921-1937	62
O.	Number of deaths and death rates from Cancer, Nova Scotia, 1921-1937	63
1.	General summary of births, deaths and marriages by counties and in cities and towns of 1000 population and over	64
1A.	Births in Nova Scotia by counties, 1937	65a
1B.	Births in Nova Scotia by cities and towns, 1937	65b
2.	Single and multiple confinements, and legitimate and illegitimate births by counties	66
3.	Single and multiple confinements and legitimate and illegitimate births by cities and towns	67
4.	Plural births to show number born alive and stillborn by sex in the province	69

Table **Page**

5. Births (Ex. stillbirths) by months in rural and urban areas, by counties....70
6. Total live births and live births in institutions showing the number of mothers non-resident in N. S....73
7. Births (Ex. stillbirths) to resident and non-resident mothers and births in institutions in cities and towns of 5000 pop. and over....74
8. Births (Ex. stillbirths) by age of parents....75
9. Births (Ex. stillbirths) by racial origin of parents....78
10. Legitimate births (ex. stillbirths) by age and racial origin of mothers....80
11. Births (ex. stillbirths) by birth-place of parents....82
12. Legitimate births (ex. stillbirths) by age and birthplace of mothers....84

Infant Mortality

13. Deaths of children under 1 year (ex. stillbirths) in the province, by rural and urban areas, and by counties....86
14. Total deaths (ex. stillbirths) and deaths in institutions of children under 1 year, showing number non-resident in province....89
15. Total deaths (ex. stillbirths) and deaths in institutions under 1 year by residence of decedents in cities and town of 5000 pop. and over....90
16. Deaths of children under 1 year of age by age at time of death....91
17. Deaths of children under 1 year by racial origin of decedents....93
18. Deaths of children under 1 year (ex. stillbirths) by birth-place of parents....94
19. Deaths of children (ex. stillbirths) from certain specified causes in the first year of life, by sex and by month....96
20. Deaths of children (ex. stillbirths) from certain specified causes, by sex and age at time of death in the first year of life....97

General Mortality

21. Deaths by months in the province by counties....99
22. Deaths in counties by sex and social condition....100
23. Deaths in cities and towns....101
24. Age at which deaths occurred by counties....102
25. Age at which deaths occurred by cities and towns....103
26. Total deaths (ex. stillbirths) and deaths in institutions showing the number non-resident in the province....104
27. Total deaths (ex. stillbirths) and deaths in institutions by residence of decedents in cities and towns of 5000 pop. and over....105
28. Deaths (ex. stillbirths) by single years of age and by age groups in the province....106
29. Deaths (ex. stillbirths) by racial origin of decedents in the province....109
30. Deaths (ex. stillbirths) by birth-place of decedents....110
31. Deaths (ex. stillbirths) by birth-place of parents of decedents in the province....112

Causes of Death

Table		Page
32.	Causes of death by sex and age in the province	114
33.	Causes of death for each sex by conjugal condition, nativity, and month of death, in the province	154
34.	Causes of death by counties	176
35.	Causes of death by cities and towns	194
36.	Causes of death by sex and age, City of Halifax	214
37.	Causes of death for each sex by conjugal condition, nativity, and month of death, for City of Halifax	240

Marriages

38.	Marriages by month in the province	278
39.	Marriages according to age by counties	279
40.	Marriages by rural and urban areas in counties	280
41.	Marriages by conjugal condition of contracting parties in province	281
42.	Marriages—Age of bridegroom and bride	282
43.	Marriages—Birth-place of bridegroom and bride	283
44.	Marriages—Denomination of the contracting parties	285
45.	Literacy of the bridegroom and bride classified by birth-place	287

Digitized by the Internet Archive
in 2019 with funding from
Wellcome Library

https://archive.org/details/b31412233

TO HIS HONOUR,

THE HONOURABLE ROBERT IRWIN,

Lieutenant-Governor of Nova Scotia.

Sir:—

I beg to present herewith the Report of the Department of the Public Health for the year ending November 30th, 1938 and of the Deputy Registrar General containing the Vital Statistics of the Province for the year ending December 31st, 1937.

I have the honour to be,

Sir,

Your most obedient Servant,

F. R. DAVIS,

Minister of Health

REPORT OF THE CHIEF HEALTH OFFICER

TO THE HONOURABLE

FRANK R. DAVIS, M.D., F.A.C.S.,

Minister of Health.

Sir:—

I have the honour to submit my report for the fiscal year ending November 30th, 1938.

At the conclusion of another year, it is a pleasure to report that the general health of the people has been maintained at a favourable level. With the exception of Influenza, Heart and degenerative affections and Cancer, most of the principal causes of death show either a dimunition or a downward tendency. An outstanding feature in mortality is the substantial drop in the tuberculosis death rate, which now stands at 85 per hundred thousand. The decline in maternal mortality has been even greater than that from tuberculosis. The current rate is 3 per one thousand living births, the lowest so far recorded.

In reviewing public health in Nova Scotia during the past year, mention should be made of new demands for service, which have led to expansion of the older programmes and the provision of new ones. Dr. J. S. Robertson returned from Toronto, where he had been taking post graduate study, under a fellowship procured from the Rockefeller Foundation and was placed in charge of the Western Health Division, with headquarters at Yarmouth. Dr. Harold Robertson completed his studies at Baltimore, made possible by a similar fellowship and in September was made Chief of the Division of Statistics and Epidemiology. More specially trained nurses have been attached to the Cape Breton Island Health Unit, which is already doing splendid work, and it is expected that this particular branch of the organization will shortly be brought to full strength. The dissemination of sane knowledge respecting health promotion has been undertaken on a larger scale. A great deal of literature was distributed and a staff of nurses has been carrying health education into the schools and into the homes. All of these activities have created a demand for better health protection and it is hoped the results will be indicated in a still greater improvement in future statistical tables. It takes a complex organization to project and maintain an effective programme, one which may be expected to battle successfully against the forces of disease which appear to be bent upon our destruction.

Heart Disease

In 1937, heart disease was again the leading cause of death. There were 820 fatalities from this cause, representing 13½ per cent. of all deaths. The public is more afraid of heart disease than any other, with the possible exception of cancer. There is, however, some consolation in the fact that, in the past decade, the yearly number of deaths has not increased. The fundamental causes of many common heart conditions appearing in old age are yet unknown, consequently, they are regarded as inevitable. There are, on the other hand, some heart diseases which are the direct outcome of Rheumatic Fever, Syphilis, and other communicable diseases, therefore by avoiding these infections, we can prevent an appreciable number of deaths from heart degenerations in later life.

Cancer

Deaths from Cancer in the past five years were as follows:

1933 - 628; 1934 - 688; 1935 - 617; 1936 - 687; 1937 - 717.

Cancer, ranking as it does, second in importance among the causes of deaths, shows more than a four per cent. rise in its crude death rate in 1937. Even after making adjustments in age distribution, it would appear that this disease will continue to occupy second place among all the causes of death. It has been held that a 30 to 50 per cent. reduction in cancer mortality is possible. While this is desirable, it is felt that such a reduction is too much to expect, especially since we have not yet found a really satisfactory means of dealing with some of the so called "internal cancers."

In no other disease are good will, understanding and cooperation between the people and the medical profession required to a greater degree than in cancer, since, with our present knowledge, any reduction in its incidence will only be brought about by early discovery followed by prompt and efficient treatment. It is not possible for practicing physicians to render the necessary aid unless patients come to them. This simple fact has prompted the profession to emphasize the importance of all persons reporting even the slightest noticeable abnormalities. Many forms of early cancer can be cured and the suffering caused by some of the advanced ones lessened, if discovered and treated promptly. In an attempted control programme then, early recognition of slight departures from the normal, periodic physical examinations and utilization of cancer clinics are recommended.

During the year there was a noticeable increase in the number of tissues sent to the pathological laboratory for diag-

nostic purposes and more people were given special forms of treatment in the Victoria General Hospital Cancer Clinic.

Tuberculosis

A favourable indication through the years is the continued decline in the mortality from tuberculosis. The satisfactory drop in the last statistical year has already been referred to. There were 461 deaths against 485 the year before.

In the control of this disease, we are encouraged to believe that the progress made of recent years will be continued. Our greatest gains appear to have been made by searching out the open cases and placing these where they can do the least harm. By vigorously pursuing a policy of this nature and by attempting to close the open cases through rest and surgical measures, we lessen the infection rate and eventually reduce to a minimum the number infected.

An encouraging feature is the more general use of sputum examinations, in chronic coughers. By this procedure the dangerous cases are found and when they are found a logical step is to sever their contact with well individuals, particularly with children. By referring to the reports of the Divisional Medical Health Officers, who are most actively engaged in projecting the anti-tuberculosis programme, readers may obtain a true picture of the work accomplished in this field.

In the past fiscal year, more persons were given the benefit of institutional care than in any other year; 621 received treatment in the provincial sanatorium and 310 in the general hospitals equipped with tuberculosis sections. All of the institutions performed meritorious service and it is only proper to say that without them our efforts at control would be seriously interfered with.

Whooping Cough

There were 44 deaths from this cause in 1937. In 1936, there were 98 deaths.

Whooping Cough is a disease which must be given serious consideration since it destroys more young lives than any of the other acute infections. The mortality rate from it in children under one year is alarmingly high. Parents do not yet realize that it is highly infectious and dangerous. Often they fail to keep their babies away from those having suspicious symptoms, even when the disease is known to prevail. Most deaths are due to respiratory complications, the chief one being Broncho-Pneumonia. Further research work is needed not

only to improve our diagnostic and treatment methods, but to develop immunizing procedures as well. A recent vaccine known as "Sauers" appears to be valuable as a preventive.

Diphtheria

Eleven persons died of Diphtheria in 1937 and seventeen in 1936. Fortunately, in this province, of recent years, our Diphtheria rate has been comparatively lower, nevertheless it can be made more favourable. Most children suffering from this disease can be saved, if prompt medical attention is sought and antitoxin given immediately. On the other hand if children are protected against it by toxoid the disease does not usually occur. Babies inherit from their mothers a natural immunity to diphtheria. This protection however is soon lost, so that at the age of six months they have become susceptible. If parents would make it a point to have their children toxoided between the ages of six months and a year, fear of the disease might be avoided. On the outbreak of disease they would have the satisfaction of knowing that everything possible had been done for their children's protection. Moreover, all children are entitled to this protection.

Scarlet Fever

In the calendar year 1937, 10 deaths were registered as due to Scarlet Fever. In 1936 there were 9.

For some unknown reason, the virulence of this infection appears to be lessening and numerous cases occur in which the signs and symptoms are not typical. This makes the diagnosis extremely difficult especially of the first patients seen. Missed cases are an important factor in the spread of Scarlet Fever, and a number may be affected before the diagnosis is established. Immunity may be produced by giving five measured doses of a preparation known as toxin. Its use is recommended in susceptible children.

Measles

Measles was responsible for 10 deaths in 1937, four more than in the year 1936.

Efforts for the control of this cyclical disease have been disappointing on account of its very nature. It is one of the most contagious of the communicable diseases and it is particularly infectious before the characteristic eruption appears. Convalescent serum or whole adult blood will prevent or attenuate an attack but the immunity conferred by these is quickly

lost, hence their practical value is limited. Until some sure method of immunization becomes available, measles will continue to take some lives each year.

Infantile Paralysis

Deaths from Infantile Paralysis for the past five years were as follows: 1933 - 1; 1934 - 4; 1935 - 2; 1936 - 1; 1937 - 8. Between July and November, 1937, fifty-seven cases were reported and throughout the year 1938 one only was notified.

While Infantile Paralysis does not rank with the common diseases of childhood either in the number of cases occurring or as a cause of death, nevertheless it is perhaps the most dreaded of all infections. This, no doubt, is due to its crippling effects and the fact that we have, as yet, no satisfactory weapon with which to fight it. During the past year nothing of importance has been added to our knowledge respecting it. Sanitation appears to have little to do in determining when and where it may appear. In the absence of any recognized method of producing immunity we must still depend upon prompt reporting, isolation and careful treatment in attempting to prevent the spread of this infection.

Typhoid Fever

In the last statistical year there were 12 deaths from Typhoid. 4 in Digby Co.; 2 in Cape Breton; 1 in Cumberland; 1 in Halifax; 1 in Inverness; 1 in Kings; 1 in Lunenburg; and 1 in Yarmouth.

As the cases occurred special epidemiological investigations were carried out by our Divisional Health Officers, in cooperation with local health officers and physicians. This procedure has been the means of discovering several sources of infection. Of late years most of our typhoid has been, in this way, traced to Carriers and a few of these have been freed of their carrier state. Community sanitation, adequate sewage disposal and supervision of municipal water supplies have practically eliminated water as a means of carrying typhoid infection, and as pasteurization of milk supplies increases, milk borne outbreaks are becoming rare.

Venereal Diseases

For reasons, which should be apparent to everyone, diseases of this type are exceedingly difficult to stamp out. Their control however is a very important public health problem. This problem cannot be handled by the public health department, but it can be by the public itself. The most impor-

tant factor is adequate treatment, so that infection may not spread from the affected to the well individual. Free treatment clinics have been established for this purpose and drugs are distributed to physicians to assist them in the care of non pay and part pay patients.

Attributable directly to the venereal diseases ~~13~~ 31 deaths were recorded last year.

Small Pox

For some years we have been emphasizing and reemphasizing the importance of vaccination against Small Pox. We ventured the forecast that unless this measure were generally practiced the disease would again find a foothold in the province. It did appear in March, 1938. On the sixth day of that month an East Indian, who was found to be suffering from Small Pox, in its most virulent form, was landed at the port of Halifax from a ship out of the Orient. Vaccination forces were quickly mobilized and other measures instituted, with the result the disease was confined to the original case and two intimate contacts. In the succeeding days it is estimated that 20,000 persons were vaccinated. With all due respect to laws and regulations, it must be conceded that the presence of Small Pox depends upon the recognition of the efficacy of vaccination and the extent to which it is employed.

Maternal Mortality

In 1937 deaths due to puerperal causes in Nova Scotia numbered 35, giving a rate of 3 per 1000 live births, which is the lowest of record. The reduction is not due to a falling birth-rate, which if it did occur, would naturally diminish frequency to the risks of maternity. Our figures do not show a declining tendency in birth rates, consequently we must conclude that there is a real decline in the maternal mortality rate. The gain is probably the result of education; education of the mother herself, the physicians, the midwife and nurse who serves her.

Infant Mortality

In 1937, the last year for which figures have been completed, there were 812 infant deaths with a rate per 1000 living births of 70. A falling infant mortality, such as we have experienced in the province of recent years is most encouraging. It may be accepted, not only as a sign of improvement in child health and care but also as a reliable index of measuring healthfulness generally and a means of assessing the worth of our health endeavours.

Violent Deaths

Accidents were responsible for 385 deaths in 1937. Of

these 88 were due to automobile and cycle operations, 53 to drowning, 30 to mines and quarries, 14 to railways and 24 to water transportation.

The waste of life from accidents of recent years is on the increase. Through the application of Public Health methods in the prevention of diseases, many lives have been saved. These gains are being offset to some extent at least by deaths and injuries from violent causes. Since many of these deaths are definitely preventable the advancement of safety campaigns and obedience to regulations should be given serious consideration by all thoughtful citizens.

Laboratories

Both the bacteriological and pathological laboratories were very busy places during the year just past, owing to the increasing numbers of specimens forwarded for examination and identification. As a means of controlling communicable diseases the dependable laboratory has played a conspicuous part. Extended application of laboratory facilities means better diagnosing and as a consequence better methods of disease control. To gain some notion of the tremendous volume of work passing through, special attention is directed to the directors' reports which appear elsewhere.

Public Health Nursing

It can truly be said that the success of the whole public health movement depends, to a very considerable extent, upon the training, willingness and devotion to duty of the public health nurse. Health authorities are almost unanimous in the opinion that much of the sickess which prevails is preventable by simple means. The remedy advised is education which consists in teaching the public how to avoid infection and how to keep well. The nurse's activities take her not only into the schools but into the homes. In the schools she searches for defects and endeavours to have the evident ones corrected. Here children are taught the injurious effects of disease and the means to be employed in preventing its spread. In the homes she gives a real and lasting contribution. Always under the authority of health officers and practicing physicians she teaches and demonstrates as no other person can teach and demonstrate. Mothers, expectant and actual, are given special attention. The care and feeding of infants receive due consideration and those suffering from communicable diseases are shown what they should do to bring about recovery, and to prevent passing the infection on to others. During the year 44,541 school children were inspected, 8,497 interviews were held with municipal and other officials and 16,240 home visits were made respecting the health of 23,678 individuals.

Sanitation

A very important factor in health improvement has been the activities of the Sanitary Engineer. This official, having received special technical training, devotes his time to the inspection and improvement of water supplies and sewage disposal system, as well as to the supervision of milk plants and pasteurization equipment; the object being to create a wholesome sanitary environment from which communicable diseases cannot arise. One cannot overemphasize the importance of having under proper sanitary control those phases of water, sewage, dairying and milk distribution, which may affect the public health. The services of the sanitary engineer are much sought after. His work has taken him over the province many times from East to West and it is a pleasure to report that his assistance and cooperation are greatly appreciated by town and municipal officials.

In conclusion, it may truthfully be said that the chief objective of public health endeavour is to prevent disease and prolong life. All activities of the Department have this one great aim in view. Future progress in this direction will depend, in no small measure, upon the interest, understanding and cooperation of the public. Already individual members of the medical profession are giving freely of their time and effort, with little or no compensation, to the advancement of health measures. With each individual doing his part, we may look to the future with greater confidence than ever before. If one were to select the first hundred individuals encountered in any large gathering and ask them what is the most necessary fundamental to the full enjoyment of life, it is safe to assume that more than ninety would say "Good Health."

Once again, Sir, I desire to express my appreciation of your personal direction in helping to solve many of the difficult problems, from time to time, placed before me. I wish to publicly thank the Divisional Health Officers, Laboratory Directors, Statistician Epidemiologist and Sanitary Engineer for their advice which was, at all times, consistently sound. Grateful acknowledgement is also given to the loyalty and support of all other members of the Department staff, as well as to the valuable assistance given by the medical profession and voluntary organizations.

I have the honour to be, Sir,

Your obedient servant,

Halifax, N. S.,
November 30th, 1938.

P. S. CAMPBELL, M.D.,
Chief Health Officer

REPORT OF THE DEPUTY REGISTRAR GENERAL

TO THE HONOURABLE

FRANK R. DAVIS, M.D., F.A.C.S.,

Registrar General.

Sir:

I beg to submit the report of the Deputy Registrar General for the calendar year 1937.

In the year 1937 there were 11,572 births and 294 stillbirths, representing a decrease of 236 living and an increase of 2 stillbirths as compared with 1936. The deaths from all causes numbered 6083, being 186 more than in 1936. 812 infant deaths occurred, yieldng a rate of 70. Diseases of childbirth, pregnancy and the puerperal state were responsible for 35 lives, with a rate of 3; the lowest ever recorded in Nova Scotia, and the lowest for all Canada. 4337 marriages were solemnized, 208 more than in 1936.

Recently the section of Vital Statistics was completely reorganized and a trained statistician appointed as chief of the division. Following this appointment an especial effort was made to focus the attention of Division Registrars and householders upon the importance of complete recording of births, deaths and marriages, and on the necessity of transfer of all certificates to the Department office where they are coded, tabulated and filed. While registrations are improving, still there are too many who fail in sending forward the records they are bound, by law, to send. Every birth, death and marriage, occurring in the province, should be recorded with the Bureau of Vital Statistics. By an analysis of the facts contained in such records the Health Department is enabled to intelligently form its policies of health preservation. It is therefore important that every effort be made to promote the completeness of our vital registrations. To this end physicians, undertakers and parents are requested to cooperate to the full extent of their abilities.

In the appendix there will be found tables showing births, deaths and marriages with rates, as well as classifications with the number of deaths assigned to each arranged by months, sex, age, nativity and by counties, cities and towns.

I have the honour to be, Sir,

Your obedient servant,

Halifax, N. S.,
November 30th, 1938.

P. S. CAMPBELL, M.D.,
Deputy Registrar General.

REPORT OF DIVISIONAL MEDICAL HEALTH OFFICER

To the Chief Health Officer:

I beg to submit my report for the fiscal year ended November 30, 1938.

For the year, my activities were mainly directed towards work in the anti-tuberculosis field, supplementing this with other departmental duties. Reflecting on the tuberculosis campaign, cooperative effort in this sphere is undisputably producing results and this is exhibited in the downward curve in the mortality rate, which has reached a new low for this province. To those critics of our conditions, critics who have no understanding of the past or sympathy with the present and are prone to point to other sections for a cue in leadership, I would ask them to closely study comparisons with the accurate statistics and historical facts surrounding them.

I am greatly indebted to the department for placing a portable X-ray unit at my disposal and it has lived up to expectations as a most valuable aid in case finding. This unit is used in sections where the people find it impossible to go where X-ray is available and it brings the most modern methods in field work within their reach. Approximately one thousand films have been taken since the apparatus was commissioned last May.

Apart from anti-tuberculosis work, other departmental duties were executed as per instructions and according to the demands of necessity. The annual inspection of a large number of our provincial Humane and Penal Institutions was carried out and as indicated in reports submitted, the standard in a goodly number is quite satisfactory while in the others there could be considerable improvement.

Last September, I had the pleasure and privilege of attending a meeting of the Maritime tuberculosis workers at Moncton, New Brunswick. It is refreshing to meet co-workers in other fields and learn of their problems, more especially financial, and to carry home the convictions that others have their troubles—probably more—as well as we.

The increase in the Public Health nursing staff the past year is to be commended. Too much stress cannot be laid on the importance and value of this service. It is the big lever in anti-tuberculosis energies.

For the Departments of Agriculture, Education and Child Welfare, a certain amount of work was done.

Below is a summary of chest clinic work for the twelve month period:

Clinical Examinations only

Number of positive cases seen for the first time	139
Number of positive cases re-examined	283
Number of suspected cases seen for the first time	43
Number of suspected cases re-examined	35
Number of negative cases seen for the first time	677
Number of negative cases re-examined	278

Clinical and X-Ray Examinations

Number of positive cases seen for the first time	127
Number of positive cases re-examined	109
Number of suspected cases seen for the first time	52
Number of suspected cases re-examined	29
Number of negative cases seen for the first time	342
Number of negative cases re-examined	99

X-ray Examinations

Number of positive cases X-rayed for the first time	14
Number of positive cases X-rayed for the first time (prev. clinically examined)	30
Number of suspected cases X-rayed for the first time	1
Number of suspected cases X-rayed for the first time (prev. clinically examined)	2
Number of negative cases X-rayed for the first time	49
Number of negative cases X-rayed for the first time (prev. clinically examined)	105
Total number of cases clinically examined	2213
Total number of cases X-rayed	959
Total	3172

X-ray examinations indicate those taken with department unit. In addition, many of above were X-rayed at local hospitals in the division. Attention is also drawn to the fact that one hundred and seventy of the above were Tuberculin Tested and about an equal number Fluoroscoped.

To the Honourable Minister, you Sir, members of the Department staff, medical, engineering, nursing and clerical, also to the members of the medical profession throughout the province and to a kind and understanding public, I owe a debt of gratitude.

Respectfully submitted,

J. J. MacRITCHIE, M.D.,
Divisional Medical Health Officer.

Halifax, Nova Scotia,
November 30, 1938.

REPORT OF DIVISIONAL MEDICAL HEALTH OFFICER

To the Chief Health Officer:

As Divisional Medical Health Officer for the Western Health Division of Nova Scotia I beg to submit my report for the year 1938.

This report covers the Tuberculosis Clinic work in the counties of Lunenburg, Queens, Shelburne and Yarmouth, from January to June, during this time the work was carried on by Drs. Hiltz and Dyer of the Staff of the Nova Scotia Sanatorium. In September a change was made and the Counties of Lunenburg, Shelburne, Queens, Yarmouth, Digby, Annapolis, Kings and East Hants came under the supervision of this office. Consequently this report only covers the work of the complete division from September to November 30, 1938.

Following my appointment in September and the setting up of an office in Yarmouth all the Medical Officers of Health and as many other practitioners as possible were visited and the enlarged scope of work to be undertaken explained. All appeared to be in complete agreement as to the need for increased Public Health facilities, especially increased nursing services and X-ray facilities in certain areas.

The reporting of communicable diseases is still far from satisfactory, though why this should be is hard to understand, especially if the importance of this is properly appreciated. It must be realized that prompt reporting is the basis for control of these diseases. It is useless to attempt to get control of an epidemic if the cases are reported only at the height of the epidemic, control measures at this time are at best of only slight value. In many areas reporting appears to be neglected in order to avoid quarantine, the feeling being that reporting of a case of measles, etc. results in the penalty of quarantine. This unfortunate attitude must be changed if adequate control of communicable disease is to be our goal.

Preventive work in communicable disease is tending more and more to assume its rightful prominent place, especial interest being taken in diphtheria control. The value of a case or two in stimulating interest was well illustrated in the Town of Yarmouth, when attendance at the Diphtheria Toxoid Clinic jumped to a new high following a small outbreak. There has been a noticeable increase in the number of preschool children coming for toxoid. Considerable interest is also being taken in Scarlet Fever and Whooping Cough prevention, but by no means to as great an extent as diphtheria immunization, the reasons for this probably being that the area has of late been comparatively free from these diseases, and the series of inoculations are more tedious.

It would appear that in past years a great many cases of typhoid fever occurred in this area, the end results being now seen in the comparatively large number of typhoid carriers being uncovered. At present in this area there are approximately twelve under supervision of the Department. Fortunately there have been no large outbreaks, the worst being a small outbreak lately in which at least eight cases occurring on a Lightship tied up for repairs have been traced to a carrier—this particular carrier had been known for some months. The question of adequate control of these carriers is a point which appears to be difficult of solution, as in certain cases the only solution would seem to be loss of liberty to the carrier. At present we can control only those engaged in food handling or the dairy business, with others we attempt to educate them so that they may protect their associates.

Tuberculosis is still the major problem in our midst and as a result more time is spent in this work than any other. The number of cases requiring Sanatorium treatment would appear to be a considerable burden to certain municipalities, the poorer municipalities having the greater number requiring treatment in most instances. It is not easy to get these authorities to realize that money spent now in having an open case removed from a home with several children will result in a future saving of both lives and money. It is a matter of great satisfaction to see that the death rate from this disease is steadily decreasing, however we are yet far from our goal.

Several talks were given relating to Tuberculosis and other public Health subjects to interested bodies such as Service Clubs, Women's Institutes and Home-School Associations.

On your instruction, inspections of several Humane and Penal institutions were carried out and reports submitted on same. There would appear to be an improvement in these institutions over past years.

At this time I would like to express my thanks for the opportunity of taking post graduate work in Public Health at the University of Toronto, thus giving a better opportunity to appreciate and assist in our provincial health problems.

The following is a resume of the Tuberculosis work carried out during the year:-

Number of positive cases seen for 1st time....	111	17.9%
Number of suspected cases seen for 1st time..	61	8.7%
Number of negative cases seen for 1st time....	524	73.4%
	696	42.3% of Total examinations

Number of positive cases re-examined	524	55.2%
Number of suspected cases re-examined	51	5.3%
Number of negative cases re-examined	373	39.5%
	948	

Total cases seen during the year.....1644

Respectfully submitted,

J. S. ROBERTSON, M.D., D.P.H.

Divisional Medical Health Officer.

Yarmouth, Nova Scotia,
November 30, 1938.

REPORT OF DIVISIONAL MEDICAL HEALTH OFFICER, DISTRICT HEALTH UNIT OF CAPE BRETON ISLAND

To the Chief Health Officer:

I beg to submit my report for the fiscal year ending November 30th, 1938.

The District Health Unit of Cape Breton Island has developed to a considerable extent during the past year. The work and development will be touched on under separate headings.

Public Health Nursing

It is most gratifying to report an increase in the Public Health Nursing Staff of the Health Unit. In September, 1937, there were 3 full time nurses in the Island. By November, the number had increased to 5 with another nurse spending part time in Guysboro and part time in the southern portion of Inverness County. During 1938, the staff has been increased to 11 full time nurses. These nurses are all qualified by clinical experience and public health education. This number of nurses has made possible the division of the Island into 10 districts, the size of which admits of easier administration with the consequent improved knowledege of public health problems through more intimate and personal contact with families and officers within these areas.

The following is an outline of the nursing districts within the Island:-

North Victoria	Headquarters	Neils Harbour
South Victoria	Headquarters	Baddeck
North Inverness	Headquarters	Margaree Forks
South Inverness	Headquarters	Port Hood
Richmond	Headquarters	L'Ardoise.

There are 5 districts within Cape Breton County with headquarters as follows:-

District No. 1	Headquarters	Sydney
District No. 2	Headquarters	Glace Bay
District No. 3	Headquarters	Louisburg
District No. 4	Headquarters	Sydney Mines
District No. 5	Headquarters	New Waterford.

Cape Breton County has a population of approximately 95,000 and this number of districts places the population in each near the standard ratio for efficient public health nursing.

The nursing service is generalized—that is, each nurse is called on for any public health problem arising within her district. With smaller districts an expansion in service has been made possible during the year and plans and equipment are now completed by which the important fields of pre-natal, maternal, infant and pre-school health will be opened for more intensive work.

This development and plans for the future necessitate a nurse to be in charge locally and responsible to Central Office in Halifax for the proper functioning of the nursing service. The post requires certain qualifications and education in administration. In order to maintain the qualification standard, the Rockefeller Foundation was approached with the result that a fellowship was granted Miss Hazel R. C. MacDonald. Miss MacDonald will pursue her special studies in Toronto and the United States.

Acute Communicable Diseases.

A total of 1287 acute communicable diseases were reported during the year. Among these were 116 cases of diphtheria; 217 cases of measles; 124 cases of mumps; 469 cases of scarlet fever; 6 cases of paratyphoid and 2 cases of typhoid. Reporting of communicable diseases by the practitioner to the local Health Officer and thence to this office has improved but still does not give an accurate picture of this problem within the district. A plan is being evolved which will, I hope, give a truer picture of the communicable diseases within the Health Unit.

Diphtheria was most prevalent in and about New Waterford where a total of 99 cases (not all reported) are on record. A concerted and unified effort to control this disease bore results. An intensive toxoiding campaign was initiated. Routine examination of throat swabs of all contacts and cases before release of quarantine was undertaken and this revealed 42 carriers of the diphtheria germ. This combination of factors, namely quarantine, throat swabbing with subsequent treatment for those with positive swabs and toxoiding, has apparently controlled the spread of the disease.

Immunization Procedures

It is gratifying to report that the public are beginning to accept the various known methods of immunization against certain communicable diseases. Their use is to be encouraged once their efficiency has been proved, for while mortality from these diseases may be low in the majority of instances, it is unnecessary and complications among survivors are frequent and disabling.

Diphtheria Toxoid

The control of diphtheria is largely bound up with administration of this immunizing agent. In the early part of the year, a campaign was launched in several districts within Cape Breton County with the support of the medical profession. The results are tabulated below:-

District	No. of Doses Given		No. Receiving 3 Doses	
	Pre-School	School	Pre-School	School
New Waterford	925	1,489	284	452
Dominion	441		130	
Reserve	263	983	53	189
Sydney	603	4,161	200	1,312
Cape Breton South		267		151
Cape Breton North		349*		
Glace Bay	3,310	13,336	918	4,144
Sydney Mines	1,613	4,543	444	1,392
	7,155	25,128	2,029	7,640

*First doses only given.

Total number of doses given 32,283
Total children starting series ..... 10,994 or 100%
Total children receiving three doses ..... 9,669 or 88%

It is gratifying to note that of those starting the inoculations, 88% received three doses. Regular pre-school clinics

are planned in Glace Bay and New Waterford. It is also planned to approach the primary grades in all schools each year in an attempt to keep a high percentage of the children immunized.

The satisfactory results of this program have only been possible through the full hearted co-operation of the medical practitioners and parents as well as the staff of the Department of Health.

It must be realized of course that a considerable number have been toxoided in private practice. The above figures represent only those who attended "Toxoiding Clinics."

Scarlet Fever Toxin

For some unexplained reason, this active immunization procedure has not been widely used by the profession. The level of resultant immunization is not as high as with diphtheria toxoid and yet is high enough to warrant its use when protection against the disease is desired. A total of 121 school and pre-school children received this treatment. Dick testing after the treatment showed approximately 70% immunized. A practical result should be mentioned: in Louisburg where school children were Dick tested and positive reactors given the toxin, no case of scarlet fever occurred from November 1937 to September of 1938 when 2 cases were reported, neither one of which had received the toxin. There were 5 immunized children in contact with these cases. None of these developed the disease. The fact that several cases of scarlet fever occurred in the district prior to November 1937 only serves to emphasize the value of this immunizing agent. No untoward reactions were observed during treatment.

Vaccination Against Smallpox

The urban districts are on the whole very much alive to the importance of vaccination with the result that a high percentage of school children are vaccinated. Conversely the rural districts are very lax possibly because of difficulty in having the vaccine administered. An effort was made this fall to improve this situation with the result that 2,184 children were vaccinated in Cape Breton County and 272 in Victoria County, giving a total of 2,456 vaccinations. It is planned to further this program during the coming year.

Whooping Cough Vaccine

Reports of the results of immunization with the Sauer vaccine are most encouraging. So far no mass immunization has been attempted although a demand is developing in cer-

tain districts. It is however, being more widely used in general practice.

Immunizaton of the school child against these communicable diseases is important but not as important as immunization of the child of pre-school age, for it is this group which bears the greater proportion of communicable diseases and show the higher mortality from them. Parents are advised to obtain protection for their children during the first and second years of life.

Venereal Diseases

A total of 18 cases of syphilis and 21 cases of gonorrhoea were reported. There is no doubt that reporting of syphilis and gonorrhoea is far below actuality for there are laboratory reports of 238 individuals with blood tests positive for syphilis and 30 individuals with smears positive for gonorrhoea.

One of the first steps in an endeavor to control these diseases lies in an evaluation of its prevalence within the Health Unit. The co-operation of the medical profession is earnestly solicited in this matter.

Sanitation

A qualified Sanitary Inspector is urgently required to further this important branch of public health service. Enough sampling of water and milk supplies has been done throughout the year to indicate the necessity of a wider survey with a service available to improve these important fundamental supplies. This field has not been widely explored because of the inability to efficiently follow up the findings due to the pressure of other work.

Tuberculosis

Clinics have been held in urban and rural districts throughout the year. Such advances as are being made in the control of the disease are attributable to several factors, among which may be mentioned:—1st. An awakening recognition by the public to the fact that the disease is contagious and therefore preventable; that with a case of tuberculosis in the family, the familial contacts must be examined and x-rayed to determine whether the lungs are normal or diseased; that the disease can be diagnosed in the early stages thus assuring early recovery. 2nd. An increased number of public health nurses who will visit homes of the tuberculous more frequently, giving necessary education and observing the contacts, arranging attendance at clinics and following new cases closely. 3rd. An appreciation by hospitals of the importance of the x-ray

in early diagnosis and the great number of contacts requiring x-ray examination. The practical result of this has been the lowering of the cost of fluoroscopic examinations and x-ray plates of the chest so that it is now within the reach of individuals and charitable organizations. 4th. A co-operative and sympathetic medical profession who through their actions show their practical interest in the control of this menace to the public health. These factors working together bid fair to make heavy inroads into this disease as a cause of death and invalidism.

The control of tuberculosis extends beyond the stage of diagnosis into the practical realm of isolation and treatment for those diagnosed. This opens a financial problem which has had close study as to practical solution. The policy of building Tuberculosis Units to general hospitals has been continued in 1938 and such a Unit of 42 beds is nearing completon at St. Joseph's Hospital, Glace Bay. Indications are that the Board of the Glace Bay General will also request the Department of Health to erect such a Unit in connection with that Hospital. When these Units are completed, there will be a total of 150 beds for the treatment of tuberculosis within the Island of Cape Breton.

During the year, a total of 75 days were spent at clinic work during which 73 clinics were held in urban and rural centres. A total of 2,336 chests were examined; 3,185 x-rays of the chest were interpreted in this office and approximately 500 fluoroscopic examinations were done. 3,632 specimens of sputum were examined at the Provincial Laboratory of which 811 were positive for tubercle bacilli. This represents 281 known open cases of tuberculosis within the Health Unit. The following is a report of the findings from chest examinations and x-ray films:-

Physical Examinations of the Chest.

First Examinations.

(a) Adult Tbc	Minimal 58 or 32% Mod. Adv. 56 or 30% Far. Adv. 67 or 37%	181 or 14%
(b) Suspected Adult Tuberculosis		91 or 7%
(c) Primary Disease Type* (including 9 suspected)		90 or 7%
(d) Negative		946 or 72%
Total First Examinations		1,308 or 56%

*Childhood tuberculosis.

Re-Examinations.

(a) Adult Tbc.	Minimal 135 Mod. Adv. 202 Far. Adv.** 340	677 or 66%
(b) Suspected Adult Tuberculosis		56 or 5%
(c) Primary Disease Type* (including 6 suspected)		42 or 4%
(d) Negative		253 or 25%
Total Re-Examinations		1,028 or 44%
Total Physical Examinations		2,336 or 100%

X-Ray Examinations of the Chest

First Examinations.

(a) Adult Tbc	Minimal 85 or 38% Mod. Adv. 66 or 29% Far. Adv. 73 or 33%	224 or 11%
(b) Suspected Adult Tuberculosis		135 or 6%
(c) Primary Disease Type* (including 13 suspected)		263 or 13%
(d) Negative		1,425 or 70%
Total First Examinations		2,047 or 65%

Re-Examinations.

(a) Adult Tbc	Minimal 172 Mod.Adv. 251 Far Adv.** 283	726 or 63%
(b) Suspected Adult Tuberculosis		62 or 5%
(c) Primary Disease*		53 or 5%
(d) Negative		293 or 26%
(e) Diagnosis Delayed		4 or 1%
Total Re-Examinations		1,138 or 35%
Total X-ray Examinations		3,185

In addition to the above, 1307 chest films were interpreted by Dr. H. R. Corbett, Radiologist. Including these, the total of chest films taken in the district was 4,520 of which 2,892 or 64% were first examinations. Of this, 338 or 11.7% showed evidence of adult tuberculosis. A most interesting feature is that of the new positive cases, 44% were minimal; 28% moderately advanced and only 28% far advanced. In the urban districts, approximately 55% of the new positive cases were minimal and only 20% far advanced. These figures fully justify the intensive diagnostic campaign among tuberculosis contacts and the difference noted between rural and urban

*Childhood tuberculosis.
**Pneumothorax patients become automatically far advanced.

districts is an emphatic indication of the necessity for the wider use of the x-ray plate, which is the key to early diagnosis. Such will be possible with the use of a portable x-ray.

There are at least 140 patients receiving pneumothorax within the district. Of these, 90 are at home and go to general hospitals or doctor's offices for refills. 50 received the treatment as patients in the Tuberculosis Units. Approximately 3,000 pneumothorax operations were performed during the year. 22 phrenic nerve operations were performed during the year.

The progress in the control of tuberculosis during the past year, therefore, may be regarded as satisfactory. With smaller nursing districts, continued co-operation of practitioners and education of the public, we should continue to increase the proportion of minimal tuberculosis diagnosed and eventually increase the proportion of negative examinations.

General Remarks

The major portion of my time as will be seen, has been devoted to anti-tuberculosis work. Among other things, the demand for chest clinics is increasing and will continue to grow. To insure the well rounded out public health program which is desired, I feel that I must request qualified medical assistance in this work. I submit this for your earnest consideration.

Several moves were made during the year to effect expansion and co-ordination of local services. Among these the more important were:-

1st. A meeting of local Health Officers within the Health Unit. Nine of the fifteen attended the round table conference and important matters concerning local health problems discussed. Something was accomplished toward adopting a common front in these problems.

2nd. It is not possible for a health program to develop soundly without considering the social welfare factors, nor vice versa. Therefore, during the fall, a meeting was arranged between the health officials and the Social Welfare Workers including the representatives of Mother's Allowance, Old Age Pensions and Children's Aid Society, with the objective of developing an appreciation of and co-operation between these various services.

3rd. There has been an increasing demand for dental services for school children in the rural districts. The Oral

Hygiene Committee of the Nova Scotia Dental Association, has appointed a zone committee for the Island of Cape Breton to work in conjunction with this Department to supply such services. The co-operation of this committee has been very efficient and much appreciated. Dental services have been given to the several districts which requested them. The need of such dental service is apparent to those who work in rural districts. A more widely applicable scheme will undoubtedly be evolved.

4th. A committee was appointed from the medical practitioners of Sydney to study ways and means of expanding the use of immunization procedures within the City.

5th. Some general hospitals within the district are undertaking an immunization program for the protection of student and graduate nurses.

These general remarks cannot be closed without mentioning the co-operation given by the various Municipal Councils. Particularly to be commended is the attitude of the Cape Breton County Municipal Council which, although always alive to the value of preventive measures, has given material support to the general and in particular to the anti-tuberculosis program by granting financial aid for the examination of tuberculosis contacts and for the treatment of many who are unable to meet the cost. Such co-operation is an example of the active leadership which responsible bodies should show in the control of preventable diseases within their jurisdiction.

Finally, sir, I wish to express my sincere thanks to the Honourable Minister and yourself for your constant interest and co-operation, to your office staff for their many courtesies and to Dr. D. J. Mackenzie, Director of Laboratories, for the excellent service provided in spite of ever increasing work from this district.

The development undertaken and work done would not have been possible without an interested and faithful nursing and office staff in this district. I wish to thank and commend them for their work.

Respectfully submitted,

C. J. W. BECKWITH, M.D., D.P.H.,
Divisional Medical Health Officer.

Sydney, N. S.
November 30, 1938.

REPORT ON THE WORK OF THE PUBLIC HEALTH LABORATORY

To the Chief Health Officer:

In the year ended November 30th, 1938, a total of 65,417 examinations were carried out and reported upon by the Public Health Laboratory. This is an increase of 13,697 specimens or 26.5 per cent above the work done during the preceding year, and the increase alone represents a greater volume of work than the entire output of the laboratory nine years ago.

The value of this diagnostic laboratory service to the medical profession of this province and through it to the entire population is shown by the fact that with but one or two exceptions, every practicing physician in Nova Scotia took advantage of this free service during the past year.

An analysis of the nature of the various examinations and the number that were done is given in the following table:

Venereal Diseases

Kahn tests for Syphilis.

Positive	1589
Negative	9724
Unsatisfactory	343

Hinton tests for Syphilis

Positive	1988
Negative	8475
Doubtful	64

Eagle tests for Syphilis

Positive	1267
Negative	1392
Doubtful	22

Smears and dark field for Spirochaetes

Positive	8
Negative	14

Smears of pus for Gonococci

Positive	1419
Negative	4435
Unsatisfactory	39

Eye Smears for Gonococci

Positive	110
Negative	165

Tuberculosis

Sputum for Tubercle bacilli		
	Positive	1952
	Negative	6851
	Unsatisfactory	33
Urine for Tubercle bacilli		
	Positive	56
	Negative	656
Pleural fluid and pus, etc.		
	Positive	74
	Negative	434
Cultures for Tubercle bacilli		
	Positive	26
	Negative	135
	Contaminated	18

Enteric and Undulant Fevers

Blood agglutinations.		
B. typhosus	Positive	47
	Negative	352
B. paratyphosus A.	Positive	1
	Negative	398
B. paratyphosus B.	Positive	12
	Negative	387
Br. abortus	Positive	16
	Negative	1054
Br. melitensis	Positive	14
	Negative	1050
B. proteus 19	Positive	4
	Negative	381
Unsatisfactory		3
Cows blood for Br. abortus		
	Positive	86
	Negative	342
Faeces for Typhoid, etc.		
	Positive	183
	Negative	1365
Urine for Typhoid, etc.		
	Positive	14
	Negative	243

Faeces for dysentery		
	Positive	16
	Negative	13
Blood cultures for Typhoid, etc.		
	Positive	25
	Negative	208
Diphtheria and Scarlet Fever		
Throat Swabs for Diphtheria		
	Positive	531
	Negative	4594
	Virulence tests	39
	Unsatisfactory	94
Haemolytic Streptococci		606
Borrelia Vincenti		36
Spinal Fluid		
Routine examination		490
Colloidal curve		378
Kahn tests:		
	Positive	54
	Negative	381
Water		
Standard Plate Count		885
Coliform examination		1985
Chemical examination		717
Special examination		6
Milk and Cream		
Standard Plate Count		5531
Coliform examination		505
Phosphatase test		417
Butter fat		442
Special examinations		160
Unsatisfactory		41
Miscellaneous		22
Total number of specimens examined		65,417

There has been a slight decrease in the number of direct smears for Gonoccocci as compared with the preceding year, but an increase is noted in all other items; this increase being particularly marked in throat and nasal cultures, water and milk examinations, and to a lesser degree in serological tests for syphilis, sputum examinations for Tubercle bacilli and cerebro-spinal fluid tests.

It may be of some interest to use a scheme of classification in which one or more communicable diseases or a series of specimens having some outstanding common factor are grouped together. Done in this way, it will be found that of the total number of examinations carried out at the laboratory, those directed towards the diagnosis or control of

(a)	Venereal diseases	accounted for	48 %
(b)	Tuberculosis	" "	15.5%
(c)	Enteric and undulant fevers	" "	9.5%
(d)	Diphtheria and scarlet fevers	" "	9 %
(e)	Milk and dairy products	" "	10.9%
(f)	Water	" "	5.5%
(g)	Unclassified	" "	1.6%

It must be remembered that these percentages which are based on the number of examinations done do not give a true picture of the relative amount of work involved. The venereal disease group, which includes almost one half the total number of tests, is over emphasized while the tuberculosis and water groups are equally under emphasized.

The rapid increase in the number of specimens received as well as the elaborate nature of many of the technical procedures has created a heavy demand on the glassware cleaning room for which it is not adequately equipped. During an average day, between one thousand and twelve hundred pieces of glassware are boiled, cleaned, sorted and sterilized in one room containing one usable sink, one table and one sterilizing unit available for this and all other laboratory activities. It is expected that facilities more in keeping with the demand will be provided during the coming year.

The use of suitable diagnostic outfits assembled in the laboratory and supplied on request to all physicians and Public Health nurses has increased rapidly during the year under review. Some of the more elaborate of these outfits are assembled at a cost of twenty-one cents each and while the majority are returned, the loss is higher than one would reasonably expect; and this loss represents a considerable portion of the annual budget. A tabulation is given of the number of the most frequently used types of diagnostic outfits in 1938.

Sputum for Tubercle bacilli	10,448
Blood for Syphilis	8,743
Throat swabs	4,476
Slides for Gonococci	4,546
Faeces and urine for Typhoid	1,884
Milk	5,100
Water	1,470
Combined blood culture and widal	113

The only change in Staff during the year was the appointment of Miss Mabel MacKenzie in June, 1938. As part of her Science course, Miss MacKenzie took classes in Bacteriology, Physiology, Chemistry and Bio-Chemistry and was a voluntary technician at the laboratory for nine months before her appointment and is well trained for the work assigned to her. Miss Helen Jakeman, who for some years has held temporary appointments, gave most valuable services as relief stenographer and assisting in the preparation of diagnostic outfits. The permanent appointment of a full time clerk-stenographer can be no longer postponed.

The total cost per specimen examined has continued to drop and during 1938, had reached the very low figure of slightly under 30 cents. This includes salaries, supplies, cost of diagnostic outfits, rental, etc. Many of the technical procedures carried out are time consuming and require the use of expensive reagents and apparatus. Such a low cost ratio can only be achieved by the use of labor saving equipment, careful economy and an expanding volume of work.

It is the policy of the laboratory to extend and enlarge steadily the diagnostic service rendered. Examination of the classified list of specimens shows the few requests made for dark field examination in the diagnosis of syphilis and the use of cultural methods in the control of Gonorrhoea. This is partly due to the lack of facilities for this work and it is hoped that these examinations will be made as part of the routine in the coming year. A suitable container is being assembled which will enable physicians throughout the province to have darkfield examinations carried out on cases where this procedure is likely to facilitate an early diagnosis of syphilis. More cultural examinations in Tuberculosis would appear to be indicated as this procedure gives a higher percentage of positive results than guinea pig inoculations or direct examinations.

In conclusion, may I express my appreciation of the helpful cooperation which the laboratory has always received from the Honourable the Minister of Public Health, the Chief Health Officer and all Divisional Medical Health Officers, and particularly I wish to acknowledge the efficient service rendered by every member of my staff.

Respectfully submitted,

D. J. MacKENZIE, M. D.,

Halifax, Nova Scotia,
November 30, 1938.

Director of Laboratories,
Department of Public Health.

REPORT OF PROVINCIAL PATHOLOGIST

To the Chief Health Officer:

During the 12 month period, 3239 specimens of tissue were received and reported upon. They have been classified as follows:

Tumours, simple	282	
Tumours, malignant	465	
Tumours, suspicious of malignancy	35	
Other conditions	2074	
Tissues from 95 autopsies	383	
		3239

The monthly average for the year was 270.

For the previous year the monthly average was 246, and for 1931 the year before this service was inaugurated the monthly average was 76.

During the year 38,093 specimens of various kinds were received and reported upon.

They have been classified as follows:

Blood		13,766
Bilirubin–Van den Bergh Qualitative	64	
Van den Bergh Quantitative	2	
Fouchet's Test	86	
Icterus Index	89	
Bleeding Time	48	
Calcium	27	
Chlorides	5	
Cholesterol	9	
Clot retraction Time	13	
Coagulation Time	640	
Compatibility	481	
Counts, Full Blood Pictures	897	
Haemoglobin (alone)	10	
Leucocyte and Red Cell (Alone)	6847	
Platelet	16	
Reticulocyte	20	
Schilling	110	
Films (Differential Count)	269	
Films (Malaria)	9	
Creatinine	798	
Cultures	126	
Fragility Test	10	
Grouping	466	
Kahn Test	3	
Phosphorus	10	
Sedimentation Rate	55	

Serum Proteins	18	
Sodium	3	
Spectrocscopic Test for Solphmethaemoglobin	2	
Stains on garments for Human Blood	2	
Sugar	965	
Sugar Tolerance	33	
Urea Nitrogen	815	
Urea Clearance (Van Slyke)	1	
Uric Acid	705	
Total Lipids	1	
Alcohol	1	
Botelho's Test (for Cancer)	1	
Rauschess Test (for Cancer)	1	
Widal Test	1	
Exudates and Transudates (General Examination and Culture)		127
Abdominal fluid	4	
Fluid from Hydrocoele	2	
Fluid from Knee	4	
Fluid from Neck	1	
Fluid from Pericardial Sac	1	
Fluid from Scrotum	1	
Pleural fluid	28	
Pus, from various sites	82	
Pus for actinomycosis	3	
Pus for B. Welchii	1	
Faeces		1,276
Blood (Occult)	969	
Bile and Urobilin	27	
Cultures and organisms	23	
Microscopic examination, general	19	
Fat	9	
Pancreatic insufficiency	19	
Lead	2	
Parasites	199	
Hair and Skin for Ring Worm Parasites		8
Gastric Contents		282
Alcohol	1	
Fractional Test Meals (Complete examination)	273	
Poisons	6	
Giardia Lamblia	2	

Duodenal Contents		2
Routine and Giardia Lamblia	2	
Smears		6
Urethral	1	
From Vagina for Trinomonas Hominis and Gonococci	3	
Vincent's Angina	2	
Swabs		214
From arm	1	
From abscesses	15	
From ear	5	
From eye	46	
From finger	1	
From leg	3	
From mouth	2	
From nose	7	
From P. M.	1	
From throat	114	
Other Swabs	19	
Sputa		122
Aspergillosis	2	
Curshmann's Spirals	4	
Eosinophiles	3	
General Organisms	59	
Typing for Pneumococci	54	
Tissues		3,236
Examination of Transudates for Tumour Cells (As tissues)		30
Urines		18,976
Acetone	3,037	
Albumen (alone)	3	
Bence Jone Albumoses	6	
Bile	24	
Blood	2	
Calcium	3	
Chlorides	4	
Cultures	117	
Cystoscopic from ureters	415	

Diacetic acid	246	
Hydrogen Ion Concentration	80	
Indican	8	
Lead	20	
Mercury	1	
Microscopic examination (alone)	60	
Phenolsulphthalein Test	13	
Routine	10,841	
Sugar	3,976	
Sugar Tolerance	25	
Urea Concentration	11	
Urea Clearance (Van Slyke)	1	
Urobilin	14	
Uric acid	3	
Ascheim Zondek Pregnancy Tests (Friedmann's Modification)	41	
Specific Gravity	3	
Trichomonas Hominis	9	
Miscellaneous	9	
Vaccines		29
For acne	2	
For boils	11	
For Bronchitis and Asthma	16	
Miscellaneous		50
Culture of teeth	3	
Culture of O. R. Sponges	1	
Culture of Serum	1	
Hairs for comparison	1	
Calculi, chemical analysis	30	
Breast milk	1	
Parasites for diagnosis	5	
Stains on garments for spermatozoa	2	
Water, chemical analysis	3	

Respectfully submitted,

RALPH P. SMITH, M. D., D.P.H.,
Provincial Pathologist.

Halifax, Nova Scotia,
November 30, 1938.

REPORT OF THE SANITARY ENGINEER

To the Chief Health Officer:

During the past year, there were few new developments. The work of this branch of the Department was widened, however, to some extent.

A survey of housing conditions was made in the Town of Yarmouth. It is understood that the Town Council took action to improve conditions disclosed in the report made, following this survey. The water and milk supplies of the Town were reported upon to the Council at the same time.

A general survey of health conditions has been started in the Town of New Waterford. The medical work has been under the direction of the Cape Breton Island Health Unit. The engineering work is including an investigation of the design construction, and condition of the sewerage system; the operation of the water works; the milk supply; the housing situation; nuisance conditions; and if necessary, other matters. It is expected that this survey will be completed early in the coming year.

Milk work has been relatively satisfactory. Several new pasteurizing plants have been established. This branch of the industry seems to be now reaching a point, from which further gains will follow, from its own momentum, and from the general acceptance of the public.

A kit for conducting the "Scharer Field Test," has been purchased. This test is a modified form of the Phosphatase test, and is used to determine the efficiency of pasteurization of milk and related dairy products. While not as sensitive as the laboratory form of the same test, it has certain advantages over the latter. Tests can be made during the processing of the milk, and are complete within a few minutes. The field test will not supplant the laboratory test, but will supplement it.

The use of a sediment tester has been continued. As a result of investigations utilizing these tests, it is felt that the citizens of at least one town will receive better milk during the coming year than in the past.

Improvements in water systems have been made; but the general status of this important field is not yet satisfactory to me. One water system has been added to our list.

It was predicted in the last annual report that at least four or five more systems would install chlorinators. Four

systems did purchase chlorinators; but in one case, the machine was not installed. Those installed were in Amherst, Dartmouth, and Liverpool. Sydney has owned one for about a year, but has made no move to put it into operation.

Kentville has under consideration, plans for a greatly improved water system. The preliminary plans call for a rapid and filtration plant, including coagulation, sedimentation, and chlorination. It is believed that this will be a very great benefit to the Town.

Officials of several other towns have been warned of hazards endangering their water systems, but have taken no action. In many of these towns, the water has been definitely dangerous for some years. It is hoped that these towns may be made to realize their danger, and to take action to protect their citizens against it.

Respectfully submitted,

R. DONALD McKAY,
Sanitary Engineer.

Halifax, N. S.,
November 30th, 1938.

REPORT OF STATISTICIAN AND EPIDEMIOLOGIST

To the Chief Health Officer:—

I have the honor to transmit herewith the report of the activities of the Division of Vital Statistics for the fiscal year ended November 30, 1938, and statistics for the calendar year ended December 31, 1937.

Since assuming the position of Statistician and Epidemiologist on September 1, 1938, the greater part of the time has been spent to date in re-organizing this division and preparing for an enlarged program in 1939.

All the division registrars have been contacted by mail, and an effort made to secure more prompt and complete monthly returns. It is hoped to bring this division, during the coming year, up to acceptable standards.

Registration Activities

During the year 1937 there were registered in the Province 11,572 live births, 294 still births, 6,083 deaths and 4,337 marriages, and copies of these forwarded to the Dominion Bureau of Vital Statistics in Ottawa.

Correcting, Filing and Indexing of Certificates

The original certificates and copies were examined in this office and, where information was inconsistent or incomplete, the certificates were returned to the Division Registrars for supplementary information.

The major causes for inquiry were as follows:

For Birth Certificates:—Residence of Mother; occupation of father; signature of informant.

For Death Certificates:—Residence of deceased; length of stay at place of death; occupation of the deceased; ill-defined cause of death; full particulars of accidental deaths.

A card index of the name of the child whose birth was registered, and the name of the deceased from death certificates was prepared, and the original certificates were arranged successively by year, month, day, county and registration division number. They were then bound and stored in fireproof vaults.

Certified Copies of Records

During the calendar year 1937, 4141 certified copies of birth certificates, and 442 copies of death certificates were issued. The number of birth certificates issued was an increase of 891 over 1936, and 1237 over 1935. This increasing demand for certified copies stresses the growing importance of birth registration.

Testing and Promoting Completeness of Reporting Births and Deaths

As infant mortality rates, maternal mortality rates, and mortality rates for diarrhoea and enteritis under 2 years of age are expressed as deaths per 1000 live births, it is important to have complete registration of births, as incomplete registration will raise these three rates above their true figure.

Completeness Tests

In order to detect unregistered births and deaths two lists were made use of. This testing was started in September and will be made a monthly procedure.

1. **Deaths of infants under 1 year of age obtained from death Certificates:**—
   These were matched with birth certificates received for the same infant. During September 1938, 62 infant

deaths were registered for whom 13 birth certificates had not been received, or 21% were not registered.

During October the figures were 41 and 7 respectively, or 17% not registered. This shows far from satisfactory birth registration.

2. **Lists of Births and deaths from Hospitals:—** These are now being received monthly and checked against birth and death certificates received.

As soon as possible this office will launch a publicity campaign for birth registration, as it has been found that ignorance on the part of the parents regarding their duty to register births is the major cause of this incomplete registration. However, complaints have been received from the Division Registrars stating the failure of physicians to report births which they have attended.

Statistical Tabulation

Beginning January 1, 1939, all information from birth and death certificates will be punched on 80 column cards for mechanical sorting and counting. From these cards provisional monthly reports of births and deaths will be prepared.

The occurrence of births and deaths corrected for place of residence, which gives a more accurate picture of the true situation, will be tabulated as well. These cards will be kept in files and be available for any special tabulation which may be requested at any future date.

Respectfully submitted,

H. ROBERTSON, M.D., C.P.H.,
Statistician and Epidemiologist.

Halifax, N. S.,
November 30th, 1938.

REPORT OF THE SUPERINTENDENT OF NURSING SERVICE

To the Chief Health Officer:

Sir:

I beg to present the report of the Public Health Nursing Service for the year ending November 30, 1938.

Twelve nurses were on duty for the full year and one was absent for several months due to illness. In September, Misses

McIntosh, Francis and Lyttle reported for duty and Misses K. MacNeil and L. Turner were taken on the staff in November. These nurses were on duty for 162 months or 30218 hours this year in comparison to the 134 months or 25015 hours service given by the nurses the previous year.

The appended table, which gives a summary of the outstanding activities of the nurses, reveals that twenty-three and nineteen per cent of their working hours were spent in the homes and in class rooms respectively. The following shows a few of their increased activities over our records for 1937:

	1938	1937	Increase
Cases visited in Homes	23,678	20,323	3,355
Persons interviewed in interest of work	8,497	7,236	1,261
Pupils examined	44,541	40,259	4,282
Tuberculosis cases visited	9,402	8,077	1,325
Children visited in homes	11,859	11,169	690
Other home visits	2,417	1,077	1,340

The nurses assisted the Field Secretary of the Canadian Dental Hygiene Council, Dr. Harry Thomson, with the Educational program, which he conducted very successfully in twenty-two centres in the Province. The interest aroused by these activities has been a source of gratification and it is expected that the results of such work are not completely apparent for many years. The demand for the assistance of the nurses, is steadily increasing.

Several of the nurses have spent considerable time assisting to provide dental, X-ray and immunization services as well as the extra time given in checking the spread of communicable diseases. There has been a marked increase in the number of pupils vaccinated against small-pox in several districts. The reports since 1937, show a decrease of 10% in the number of unvaccinated pupils. With the cooperation of various groups, the nurses have been able to alleviate distress in numerous homes and to protect children from exposure to infection.

The number of requests received for literature on the care of children has increased and the usual number of sputum cups and refills were distributed free to the tuberculous on the request of physicians and the staff nurses.

On the first of June, Miss Hazel MacDonald was appointed supervisor of the nurses working in the Cape Breton Island District Health Unit. The preparation of equipment and guiding the activities of new nurses, requires a good deal of

attention. The service given by a nurse is an important factor in the carrying out of successful public health programs. It is necessary for all workers to share responsibilities to help solve the difficult tasks.

Each nurse was given an opportunity to spend two days at the special public health meetings that were held in Halifax this Summer. This experience should enable them to return to their work better prepared to cope with their daily problems.

In conclusion, may I express my sincere thanks for the help received from individuals and organizations.

Respectfully submitted,

MARGARET E. MacKENZIE, R. N.,
Superintendent of the Nursing Service.

Halifax, N. S.,
November 30, 1938.

CASES EXAMINED BY THE DIVISIONAL MEDICAL HEALTH OFFICERS, DECEMBER 1, 1937 TO NOVEMBER 30, 1938.

COUNTIES	1st. Exams.			Re-Exmas.			Total examinations	Examinations, 20 yrs. and under
PHYSICAL EXAMINATIONS	Positive	Negative	Suspect	Positive	Negative	Suspect		
Annapolis	24	74	16	61	55	8	238	122
Antigonish	16	44	4	111	23	4	202	57
Cape Breton	197	528	58	457	133	33	1406	629
Colchester	29	96	11	41	65	5	247	141
Cumberland	55	156	20	87	68	18	404	156
Digby	51	129	19	86	37	11	333	152
Guysboro	14	33	6	16	5	2	76	21
Halifax County	53	100	10	43	20	7	233	73
Halifax City	8	2	.....	2	.....	.....	12	1
Hants	7	10	1	11	12	3	44	18
Inverness	34	250	18	100	61	11	474	259
Lunenburg	34	254	20	182	168	14	672	45
Pictou	23	25	9	44	48	3	152	62
Queens	9	45	6	42	11	1	114	45
Richmond	9	84	13	23	26	10	165	82
Shelburne	9	20	7	31	8	.....	75	25
Victoria	3	35	5	14	9	4	70	35
Yarmouth	59	205	28	269	186	36	783	314
Normal School Students	.....	332	2	4	29	.....	367	279
Windsor High School	.....	58	.....	3	31	6	98	97
Indian Res. School	4	12	1	2	9	.....	28	28
TOTAL	638	2492	254	1629	1004	176	6193	2641
X-RAY EXAMINATIONS								
Annapolis	7	36	13	18	30	3	107	63
Antigonish	58	250	10	69	25	4	416	137
Cape Breton	385	1113	136	676	260	57	2627	712
Colchester	18	32	4	6	9	1	70	38
Cumberland	20	46	8	13	19	4	110	51
Digby	33	43	10	29	13	10	138	62
Guysboro	15	60	5	9	7	2	98	35
Halifax County	36	90	10	33	19	7	195	99
Hants	.....	3	.....	1	3	2	9	5
Inverness	31	62	2	34	12	1	142	44
Normal College Students	.....	55	2	1	2	.....	60	50
Windsor High School	8	10	.....	.....	2	.....	20	18
Indian Res. School	4	13	1	30	102	2	152	152
TOTAL	615	1813	201	919	503	93	4144	1466

SUMMARY OF NURSE'S ACTIVITIES, DEC. 1st, 1937 to NOV. 30th, 1938

	Months on Duty	Hours Spent on Duty	Clinic Work	Travelled		School Work			Home Visits			Interviews		Office Work	Meetings	Bedside Nursing	Delays	Conferences	Camp. Work
			Hours Spent on Clinic Work	No. of Miles	Hours Spent Travelling	No. of Class Rooms Inspected	No. of Pupils Examined	Hours Spent in Class Room	No. of Homes Visited	No. Cases Given Attention in Homes	Hours Spent in Homes	No. of Interviews	Hours Spent on Interviews	Hours Spent on Office Work	Hours Spent at Meetings	Hours	Hours	Hours	Hours
Miss G. Anderson	12	2223.50	384.30	5960	265.45	108	2724	332.15	916	1251	465.50	608	178.30	531.00	16.00	44.00	3.30	2.30	.....
Miss H. Brophy	12	2232.40	195.05	5618	221.40	56	1867	264.10	1360	2646	681.55	950	258.45	400.10	27.30	13.50	1.10	35.55	132
Miss B. Martell	12	2311.15	188.00	6183	383.10	123	2775	399.15	1314	1554	642.50	456	112.00	366.30	41.30	153.30	3.00	21.30	.....
Miss H. H. MacDonald	12	2178.05	320.00	6026	400.15	120	3057	393.45	1166	1786	533.45	523	198.25	277.25	39.00	14.30	1.00	.....	.....
Miss Hazel MacDonald	12	2535.15	186.20	7306	308.55	67	2310	279.10	1521	1737	578.15	1417	288.55	624.35	47.20	152.45	5.15	63.45	.....
Miss M. T. MacDonald	12	2175.55	125.20	5829	314.05	128	2908	437.40	907	1534	569.05	338	167.20	488.25	37.00	4.30	14.40	17.50	.....
Miss F. MacDougall	12	2367.25	587.30	4867	186.50	108	2761	386.50	1098	1449	505.15	235	124.00	508.30	30.30	38.00	.....	.....	.....
Miss L. MacIntosh	12	2158.40	157.30	5788	276.40	176	4321	599.30	1103	1394	421.05	288	78.45	479.30	85.45	55.25	2.30	2.00	.....
Miss E. Pitts	12	2234.20	106.55	39[illegible]1	296.00	16	337	77.50	1786	2095	556.45	1194	165.10	892.55	19.15	66.35	3.55	49.00	.....
Miss A. Slattery	12	2234.00	183.40	6969	295.25	241	6260	626.10	1338	1935	493.40	577	172.30	407.25	27.45	24.30	2.55	.....	.....
Miss C. Wade	12	2322.40	115.45	4820	292.20	241	6234	867.00	995	2014	481.30	634	211.05	322.20	32.40	.....	.....	.....	.....
Miss P. Francis	2½	500.20	94.15	1442	62.55	12	297	44.00	210	212	126.30	87	53.25	93.00	.....	3.15	2.30	20.30	.....
Miss P. Lyttle	2½	461.15	23.30	1949	91.45	37	546	99.30	123	247	65.50	117	55.25	91.30	19.15	6.00	.....	8.30	.....
Miss M. MacIntosh	3	588.00	30.45	1972	97.05	48	1016	130.25	320	434	134.20	178	72.40	111.15	.....	.....	1.00	10.30	.....
Miss K. Macneil	1	180.25	6.00	767	46.05	10	212	39.35	60	84	23.35	19	4.50	32.45	2.00	25.35	.....	.....	.....
Miss L. Turner	½	104.20	10.00	466	23.40	11	134	17.55	7	14	5.40	14	4.25	40.40	.....	.....	1.00	1.00	.....
Miss E. Hunson } Half Time	7	1094.00	44.15	2361	110.55	53	2303	277.00	389	696	174.55	346	82.40	365.30	3.00	1.55	4.05	29.45	.....
	3½	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Miss M. O. Gray	12	2316.00	237.00	7171	.....	165	4479	.....	1627	2596	.....	516	.....	.....	.....	.....	.....	.....	.....
Full Time	160½	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Half Time	3½	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Total	.....	30218.25	2996.20	79465	3673.30	1720	44541	5272.30	16240	23678	6460.45	8497	2228.50	6033.25	428.30	604.20	46.30	262.45	132

PROVINCE OF NOVA SCOTIA

TABLE A—NUMBER OF BIRTHS IN THE PROVINCE OF NOVA SCOTIA (EXCLUSIVE OF STILLBIRTHS) AND BIRTH RATES BY COUNTIES 1937

County	Population 1931 Census	1937		1936	1927
		No. of Births	Birth Rate*	Birth Rate*	Birth Rate*
Total	512,846	11,572	22.6	23.0	21.2
Annapolis	16,297	309	19.0	19.8	16.9
Antigonish	10,073	271	26.9	25.4	18.0
Cape Breton	92,419	2,459	26.6	26.7	26.4
Colchester	25,051	483	19.3	22.9	21.0
Cumberland	36,366	832	22.9	23.0	18.7
Digby	18,353	445	24.2	23.2	19.1
Guysboro	15,443	318	20.6	21.4	21.4
Halifax	100,204	2,372	23.7	25.0	23.2
Hants	19,393	513	26.5	25.2	24.0
Inverness	21,055	419	19.9	20.3	17.1
Kings	24,357	547	22.5	22.7	22.2
Lunenburg	31,674	579	18.2	17.1	18.8
Pictou	39,018	676	17.3	20.0	17.9
Queens	10,612	261	24.6	23.1	21.3
Richmond	11,098	230	20.7	20.4	18.0
Shelburne	12,485	261	20.9	23.2	20.2
Victoria	8,009	139	17.4	14.4	14.7
Yarmouth	20,939	458	21.9	18.9	19.7

* Number of births per 1000 population.

PROVINCE OF NOVA SCOTIA

TABLE B—NUMBER OF DEATHS AND DEATH RATES BY COUNTIES PROVINCE OF NOVA SCOTIA, 1937

County	Population 1931 Census	1937		1936	1927
		No. of Deaths	Death Rate*	Death Rate*	Death Rate*
Total	512,846	6,083	11.9	11.4	11.9
Annapolis	16,297	224	13.7	13.2	11.5
Antigonish	10,073	178	17.7	17.2	19.0
Cape Breton	92,419	903	9.8	9.6	13.3
Colchester	25,051	298	11.9	11.0	12.4
Cumberland	36,366	430	11.8	10.8	9.9
Digby	18,353	267	14.5	13.7	12.5
Guysboro	15,443	155	10.0	10.6	11.0
Halifax	100,204	1,224	12.2	12.3	12.2
Hants	19,393	240	12.4	11.8	11.6
Inverness	21,055	269	12.8	11.8	10.4
Kings	24,357	277	11.4	11.6	12.1
Lunenburg	31,674	406	12.8	11.4	10.8
Pictou	39,018	417	10.7	11.1	11.2
Queens	10,612	127	12.0	10.7	12.3
Richmond	11,098	140	12.6	13.7	10.9
Shelburne	12,485	175	14.0	11.4	10.7
Victoria	8,009	75	9.4	9.3	10.4
Yarmouth	20,939	278	13.3	11.6	11.8

*Number of deaths per 1000 population.

PROVINCE OF NOVA SCOTIA

TABLE C—BIRTHS AND DEATHS BY CITIES AND TOWNS PROVINCE OF NOVA SCOTIA, 1937

	Population 1931 Census	No. of living Births	Rate per 1000 Population	No. of Deaths	Rate Per 1000 Population
Cities					
Glace Bay	20,706	823	39.7	245	11.8
Halifax	59,275	1631	27.5	858	14.5
Sydney	23,089	573	24.8	183	7.9
Towns 1000 Pop. and over					
Amherst	7,450	176	23.6	123	16.5
Antigonish	1,764	191	108.3	92	52.2
Bridgetown	1,126	29	25.8	15	13.3
Bridgewater	3,262	116	35.6	89	27.3
Canso	1,575	25	15.9	12	7.6
Dartmouth	9,100	107	11.8	65	7.1
Digby	1,412	105	74.4	47	33.3
Dominion	2,846	56	19.7	25	8.8
Inverness	2,900	164	56.6	66	22.8
Joggins	1,000	32	32.0	9	9.0
Kentville	3,033	29	9.6	49	16.2
Liverpool	2,669	104	39.0	40	15.0
Lunenburg	2,727	42	15.4	37	13.6
Mahone Bay	1,065	8	7.5	12	11.3
New Glasgow	8,858	393	44.4	142	16.0
New Waterford	7,745	276	35.6	78	10.1
North Sydney	6,139	211	34.4	103	16.8
Oxford	1,133	17	15.0	10	8.8
Parrsboro	1,919	46	24.0	38	19.8
Pictou	3,152	50	15.9	35	11.1
Port Hawkesbury	1,011	2	2.0	5	5.0
Shelburne	1,474	40	27.1	17	11.5
Springhill	6,355	196	30.8	66	13.8
Stellarton	5,002	26	5.2	32	6.4
Sydney Mines	7,769	208	26.8	91	11.7
Trenton	2,613	27	10.3	11	4.2
Truro	7,901	188	23.8	118	14.9
Wedgeport	1,294	27	20.9	14	10.8
Westville	3,946	24	6.1	30	7.6
Windsor	3,032	166	54.7	71	23.4
Wolfville	1,818	147	80.9	36	19.8
Yarmouth	7,055	195	27.6	129	18.3

PROVINCE OF NOVA SCOTIA

TABLE D—NUMBERS OF MARRIAGES AND MARRIAGE RATES BY COUNTIES PROVINCE OF NOVA SCOTIA, 1937

	1937		1936	1927
County	No. of Marriages	Rate per 1000 Pop.*	Rate	Rate
Nova Scotia	4337	8.5	8.0	6.2
Annapolis	145	8.9	7.8	5.1
Antigonish	59	5.9	6.7	4.0
Cape Breton	879	9.5	8.6	7.1
Colchester	203	8.1	8.8	8.0
Cumberland	353	9.7	8.5	6.7
Digby	157	8.6	7.6	5.8
Guysboro	92	6.0	6.5	4.6
Halifax	900	8.9	8.9	8.4
Hants	181	9.3	8.3	6.0
Inverness	100	4.7	4.1	2.2
Kings	247	10.1	9.1	5.3
Lunenburg	218	6.9	8.5	6.4
Pictou	309	7.9	6.8	6.1
Queens	77	7.3	9.9	4.2
Richmond	70	6.3	4.4	1.8
Shelburne	117	9.4	7.4	4.4
Victoria	34	4.2	4.9	1.7
Yarmouth	196	9.4	7.9	5.7

*1931 census figures.

PROVINCE OF NOVA SCOTIA

TABLE E—NUMBER OF MARRIAGES AND MARRIAGE RATES BY CITIES AND TOWNS, 1937

	Population 1931 census	Number of Marriages	Rate per 1,000 population
CITIES:			
Glace Bay	20,706	207	10.0
Halifax	59,275	603	10.2
Sydney	23,089	298	12.9
TOWNS: (1000 population and over):			
Amherst	7,450	140	18.8
Antigonish	1,764	25	14.2
Bridgetown	1,126	18	16.0
Bridgewater	3,262	55	16.9
Canso	1,575	10	6.3
Dartmouth	9,100	72	7.9
Digby	1,412	36	25.5
Dominion	2,846	13	4.6
Inverness	2,900	9	3.1
Joggins	1,000	15	15.0
Kentville	3,033	81	26.7
Liverpool	2,669	32	12.0
Lunenburg	2,727	24	8.8
Mahone Bay	1,065	29	27.2
New Glasgow	8,858	110	12.4
New Waterford	7,745	79	10.2
North Sydney	6,139	74	12.1
Oxford	1,133	18	15.9
Parrsboro	1,919	36	18.8
Pictou	3,152	35	11.1
Port Hawkesbury	1,011	7	6.9
Shelburne	1,474	27	18.3
Springhill	6,355	74	11.6
Stellarton	5,002	53	10.6
Sydney Mines	7,769	63	8.1
Trenton	2,613	6	2.3
Truro	7,901	131	16.6
Wedgeport	1,294	8	6.2
Westville	3,946	36	9.1
Windsor	3,032	72	23.7
Wolfville	1,818	56	30.8
Yarmouth	7,055	112	15.9

PROVINCE OF NOVA SCOTIA

TABLE F—INFANT MORTALITY AND RATES BY COUNTIES PROVINCE OF NOVA SCOTIA, 1937

	1937			1936	1927
County	No. of live Births	Deaths under 1 year	Rate per 1000 live Births	Rate	Rate
Nova Scotia	11,572	812	70.2	66.1	92.3
Annapolis	309	17	55.0	49.5	65.2
Antigonish	271	12	44.3	50.7	80.0
Cape Breton	2,459	232	94.3	78.9	114.5
Colchester	483	29	60.0	55.7	71.2
Cumberland	832	57	68.5	65.5	75.0
Digby	445	25	56.2	91.3	47.3
Guysboro	318	12	37.7	75.3	68.4
Halifax	2,372	149	62.8	57.3	62.6
Hants	513	41	79.9	79.7	63.5
Inverness	419	27	64.4	65.2	83.1
Kings	547	32	58.5	30.6	66.5
Lunenburg	579	54	93.3	86.3	69.4
Pictou	676	34	50.3	72.5	82.0
Queens	261	14	53.6	69.1	48.4
Richmond	230	22	95.7	66.0	75.2
Shelburne	261	26	99.6	51.7	72.6
Victoria	139	5	36.0	51.7	125.7
Yarmouth	458	24	52.4	52.8	96.0

PROVINCE OF NOVA SCOTIA

TABLE G—INFANT MORTALITY BY CITIES AND TOWNS PROVINCE OF NOVA SCOTIA, 1937

		1937		1936	1930
	No. of Live Births	No. of Infant Deaths	Rate per 1000 live Births	Rate	Rate
Cities					
Glace Bay	823	93	113.0	110.8	128.9
Halifax	1631	110	67.4	59.2	76.5
Sydney	573	18	31.4	29.9	66.7
Towns					
1000 Pop. and over					
Amherst	176	17	96.6	67.7	85.3
Antigonish	191	8	41.9	51.4	53.6
Bridgetown	29	3	103.4	.....	45.5
Bridgewater	116	6	51.7	128.5	46.2
Canso	25	1	40.0	27.7	131.6
Dartmouth	107	4	37.4	29.1	119.8
Digby	105	5	47.6	70.4	125.0
Dominion	56	15	267.9	150.0	83.3
Inverness	164	16	97.6	90.2	127.9
Joggins	32	1	31.3	93.7	.....
Kentville	29	.....	.....	55.5	26.3
Liverpool	104	7	67.3	22.7	134.3
Lunenburg	42	5	119.0	.....	47.6
Mahone Bay	8	.....	.....	142.8	111.1
New Glasgow	393	12	30.5	46.1	.....
New Waterford	276	22	79.7	69.6	37.9
North Sydney	211	28	132.7	105.0	136.7
Oxford	17	1	58.8	55.5	110.5
Parrsboro	46	6	130.4	35.7	45.5
Pictou	50	5	100.0	70.1	51.3
Port Hawkesbury	2	.....	.....	.....	137.3
Shelburne	40	5	125.0	100.0	68.9
Springhill	196	11	56.1	88.0	100.4
Stellarton	26	4	153.8	81.6	105.3
Sydney Mines	208	24	115.4	69.7	133.6
Trenton	27	2	74.1	117.6	174.6
Truro	188	19	101.1	50.2	56.7
Wedgeport	27	2	74.1	37.0	.....
Westville	24	4	166.7	250.0	106.7
Windsor	166	11	66.3	125.0	41.2
Wolfville	147	3	20.4	21.7	80.6
Yarmouth	195	11	56.4	44.3	125.0

PROVINCE OF NOVA SCOTIA

TABLE H—NUMBER OF DEATHS AND DEATH RATES FROM TUBERCULOSIS BY COUNTIES PROVINCE OF NOVA SCOTIA, 1937

	TUBERCULOSIS (All Forms)		PLUMONARY	
	Number of Deaths	Rate Per 100,000 Pop.*	Number of Deaths	Rate per 100,000 Pop*
Nova Scotia	461	89.9	380	74.1
Annapolis	6	36.8	5	30.7
Antigonish	21	208.5	19	188.6
Cape Breton	56	60.6	45	48.7
Colchester	14	55.9	12	47.9
Cumberland	26	71.5	19	52.2
Digby	15	81.7	13	70.8
Guysboro	15	97.1	13	84.2
Halifax	103	102.8	81	80.8
Hants	12	61.9	9	46.4
Inverness	36	171.0	29	137.8
Kings	40	164.2	39	160.1
Lunenburg	24	75.8	20	63.1
Pictou	26	66.6	23	58.9
Queens	3	28.3	2	18.8
Richmond	23	207.2	16	144.2
Shelburne	9	72.0	8	64.1
Victoria	5	62.4	5	62.4
Yarmouth	27	128.9	22	105.1

*1931 Census figures.

Note— Based on estimated population for 1937, the provincial death rates are 85.1 for all forms and 70.1 for pulmonary tuberculosis.

PROVINCE OF NOVA SCOTIA

TABLE I—NUMBER OF DEATHS AND DEATH RATES FROM TUBERCULOSIS BY CITIES AND TOWNS PROVINCE OF NOVA SCOTIA, 1937

	Pop. 1931 Census	Tuberculosis (all forms)		Pulmonary Tuberculosis	
		No. of Deaths	Rate per 100,000 Pop.	No. of Deaths	Rate per 100,000 Pop.
Cities					
Glace Bay	20,706	12	57.6	6	29.0
Halifax	59,275	75	126.6	57	96.2
Sydney	23,089	26	112.6	25	108.3
Towns 1000 Pop. and over					
Amherst	7,450	8	107.4	2	26.8
Antigonish	1,764	13	737.0	11	623.6
Bridgetown	1,126	.....	.....	.....	.....
Bridgewater	3,262	7	214.6	4	122.6
Canso	1,575	2	127.0	1	63.5
Dartmouth	9,100	1	11.0	1	11.0
Digby	1,412	.....	.....	.....	.....
Dominion	2,846	1	35.1	1	35.1
Inverness	2,900	11	379.3	6	206.9
Joggins	1,000	.....	.....	.....	.....
Kentville	3,033	30	989.1	30	989.1
Liverpool	2,669	1	37.5	.....	.....
Lunenburg	2,727	.....	.....	.....	.....
Mahone Bay	1,065	.....	.....	.....	.....
New Glasgow	8,858	8	90.3	7	79.0
New Waterford	7,745	3	38.7	1	12.9
North Sydney	6,139	5	81.5	3	48.9
Oxford	1,133	1	88.3	1	88.3
Parrsboro	1,919	2	104.2	2	104.2
Pictou	3,152	.....	.....	.....	.....
Port Hawkesbury	1,011	.....	.....	.....	.....
Shelburne	1,474	1	67.8	1	67.8
Springhill	6,355	4	63.0	4	63.0
Stellarton	5,002	6	112.0	4	112.0
Sydney Mines	7,769	2	25.7	2	25.7
Trenton	2,613	2	76.5	2	76.5
Truro	7,901	7	88.6	6	75.9
Wedgeport	1,294	1	77.3	1	77.3
Westville	3,946	2	50.6	2	50.6
Windsor	3,032	2	66.0	1	66.0
Wolfville	1,818	4	22.0	3	165.0
Yarmouth	7,055	9	127.6	6	85.0

PROVINCE OF NOVA SCOTIA

TABLE J—FIVE MOST COMMON CAUSES OF DEATH IN CERTAIN AGE GROUPS PROVINCE OF NOVA SCOTIA, 1937

Cause of Death	Deaths in age group	Percent of group Total		Deaths at all ages	Percent of deaths at all ages in age group
Under 1 year	812	100.0	.....	.....	.....
Prematurity	172	21.2		172	100.
Pneumonia and Influenza	146	18.0		840	17.4
Diarrhea and enteritis (under 2 years of age)	116	14.3	79.5	128	90.6
Congenital Malformations	112	13.8		126	88.9
Other diseases of early Infancy	99	12.2		99	100.0
1 - 4 years	177	100.0	.....	.....	.....
Pneumonia and Influenza	45	25.4		840	5.4
Tuberculosis (all forms)	33	18.6		461	7.2
Diarrhea and Enteritis	19	10.7	70.0	47	40.4
Accidental	16	9.1		352	4.5
Whooping cough	11	6.2		44	25.0
5 - 14 years	139	100.0	.....	.....	.....
Accidental	35	25.2		352	9.9
Tuberculosis (all forms)	26	18.7		461	5.6
Pneumonia and Influenza	10	7.2	62.5	840	1.2
Appendicitis	8	5.8		34	23.5
Diarrhea	6	4.3		47	12.8
Diphtheria	6	4.3		11	54.5
15 - 24 years	256	100.0	.....	.....	.....
Tuberculosis (all forms)	107	41.8		461	23.2
Accidental	51	19.9	71.9	352	14.5
Pneumonia and Influenza	14	5.5		840	1.7
Appendicitis	7	2.7		34	20.6
Puerperal	5	2.0		35	14.3
25 - 44 years	580	100.0	.....	.....	.....
Tuberculosis (all forms)	161	27.8		461	34.9
Cancer (all forms)	85	14.7		717	11.9
Accidental	79	13.6	70.4	352	22.4
Heart Disease	42	7.2		820	5.1
Pneumonia and Influenza	41	7.1		840	4.9

PROVINCE OF NOVA SCOTIA

TABLE J—Continued

Cause of Death	Deaths in age group	Precent of group Total		Deaths at all ages	Precent of deaths at all ages in age group
45 - 64 years	1121	100.0	.....	.....	.....
Cancer (all forms)	252	22.5	58.6	717	35.1
Heart Disease	156	13.9		820	19.1
Pneumonia and Influenza	93	8.3		840	11.1
Tuberculosis (all forms)	88	7.9		461	19.1
Nephritis	68	6.1		318	21.4
65 - 84 years of age	2310	100.0	.....	.....	.....
Heart Disease	507	22.0	67.7	820	61.8
Cancer (all forms)	361	15.6		717	50.3
Arterio sclerosis	317	13.7		481	65.9
Pneumonia and Influenza	206	8.9		840	24.5
Nephritis	174	7.5		318	54.7
85 years and over	685	.....	.....	.....	.....
Senility	152	22.2	73.1	254	59.8
Arterio sclerosis	112	16.3		481	23.3
Heart Disease	109	15.9		820	13.3
Pneumonia and Influenza	80	11.7		840	9.5
Nephritis	48	7.0		318	15.1

PROVINCE OF NOVA SCOTIA

TABLE K—Number of deaths from certain specified causes, 1937 by counties

International list number	Cause of Death	Nova Scotia	Annapolis	Antigonish	Cape Breton	Colchester	Cumberland	Digby	Guysboro	Halifax	Hants	Inverness	Kings	Lunenburg	Pictou	Queens	Richmond	Shelburne	Victoria	Yarmouth
11	Influenza	244	12	8	27	5	15	21	6	36	11	14	11	16	23	5	7	13	1	13
23-32	Tuberculosis (all forms)	461	6	21	56	14	26	15	15	103	12	36	40	24	26	3	23	9	5	27
23	Pulmonary Tuberculosis	380	5	19	45	12	19	13	13	81	9	29	39	20	23	2	16	8	5	22
45–53	Cancer and other Malignant Tumors	717	32	17	94	32	63	32	13	169	28	37	21	51	50	11	12	17	3	35
90–95	Disease of the Heart	820	42	25	87	45	65	41	16	169	32	27	31	78	51	21	10	38	6	36
96, 97, 99,102	Diseases of the Arteries	555	24	5	42	40	42	26	20	144	34	12	15	30	55	12	4	12	6	32
107–109	Pneumonia (all forms)	396	14	7	50	15	31	18	11	92	29	18	15	28	20	7	7	8	4	32
119	Diarrhea (under 2 yrs. of age)	128	4	.....	67	3	4	.....	.....	21	1	7	5	4	6	.....	3	3	.....	1
130–132	Nephritis	318	16	14	39	10	28	10	17	59	12	15	25	17	15	12	7	4	2	16
158–161	Diseases of early Infancy	311	10	5	76	12	21	12	7	49	16	11	12	19	14	8	11	12	5	11
176–198	Violent Deaths	352	16	6	72	17	25	13	6	54	17	14	19	30	20	17	3	9	2	12

PROVINCE OF NOVA SCOTIA

TABLE L—Death rates per 100,000 population (1931 census) from certain specified causes by counties, 1937

International List No.	Cause of Death	Nova Scotia	Annapolis	Antigonish	Cape Breton	Colchester	Cumberland	Digby	Guysboro	Halifax	Hants	Inverness	Kings	Lunenburg	Pictou	Queens	Richmond	Shelburne	Victoria	Yarmouth
11	Influenza	47.6	74	79	29	20	41	114	39	36	57	66	45	50	59	47	63	104	12	62
23–32	Tuberculosis (all forms)	89.9	37	208	61	56	72	82	97	103	62	171	164	76	67	28	207	72	62	129
23	Pulmonary Tuberculosis	74.1	31	189	49	48	52	71	84	81	46	138	160	63	59	19	144	64	62	105
45–53	Cancer and other Malignant Tumors	139.8	196	169	102	128	173	174	84	169	144	176	86	161	128	104	108	136	37	167
90–95	Diseases of the Heart	159.9	258	248	94	180	179	223	104	169	165	128	127	246	131	198	90	304	75	172
96-97, 99, 102	Diseases of the Arteries	108.2	147	50	45	160	115	142	129	144	175	57	62	95	141	113	36	96	75	153
107–109	Pneumonia (all forms)	77.2	86	70	54	60	85	98	71	92	149	85	62	88	51	66	63	64	50	153
119	Diarrhea (under 2 yrs. of age)*	11.1	13	.....	27	6	5	.....	.....	9	2	17	9	9	9	.....	13	11	.....	2
130–132	Nephritis	62.0	98	139	42	40	77	54	110	59	62	71	103	54	38	113	63	32	25	76
158–161	Diseases of early Infancy*	26.9	32	18	31	25	25	27	22	21	31	26	22	33	21	31	48	46	36	24
176–198	Violent Deaths	68.6	98	60	78	68	69	71	39	54	88	66	78	95	51	160	27	72	25	57

*Rate expressed as number of deaths per 1000 live births

PROVINCE OF NOVA SCOTIA

TABLE M—BIRTH RATE, MATERNAL MORTALITY AND INFANT MORTALITY DEATHS UNDER 1 YEAR OF AGE, PROVINCE OF NOVA SCOTIA 1921-1937

Year	No. of live Births	Rate per 1000 est. Population	Maternal Deaths		Infant Mortality	
			No. of Deaths	Death Rate*	No. of Infant Deaths	Death Rate*
1921	13,021	24.9	56	4.3	1,311	100.7
1922	12,693	24.0	70	5.5	1,239	97.6
1923	11,680	22.0	84	7.2	1,139	97.5
1924	11,801	22.1	78	6.6	1,118	94.7
1925	11,400	21.2	62	5.4	887	77.8
1926	10,980	20.3	51	4.6	882	80.3
1927	11,134	20.5	76	6.8	1,028	92.3
1928	10,931	20.0	57	5.2	865	79.1
1929	10,688	19.4	45	4.2	960	84.8
1930	11,346	22.1	76	6.7	937	82.6
1931	11,615	22.6	55	4.7	914	78.7
1932	11,629	22.4	53	4.5	849	73.0
1933	11,164	21.4	52	4.7	791	70.0
1934	11,407	21.7	71	6.2	807	71.0
1935	11,617	22.0	62	5.3	838	72.1
1936	11,808	22.0	51	4.3	781	66.1
1937	11,572	21.4	35	3.0	812	70.2

*Number of deaths per 1000 live births.

PROVINCE OF NOVA SCOTIA

TABLE N—NUMBER OF DEATHS AND DEATH RATES FROM TUBERCULOSIS PROVINCE OF NOVA SCOTIA 1921-1937

YEAR	Tuberculosis All Forms			Pulmonary Tuberculosis	
	No. of Deaths	Death Rate*		No. of Deaths	Death Rate*
1921	702	134		579	111
1922	695	131		562	106
1923	652	123		559	105
1924	665	125		550	103
1925	580	108		500	93
1926	644	119		508	94
1927	643	118		544	102
1928	571	104		478	87
1929	522	95		453	82
1930	548	106		470	91
1931	524	102		425	83
1932	519	101.1		437	84
1933	478	91.5		398	76
1934	467	88.9		386	74
1935	488	92.6		416	79
1936	485	90.3		401	75
1937	461	85.1		380	70

*Number of deaths per 100,000 estimated popula tion.
Death rate from all forms tuberculosis Canada 1936-61.4
Death rate from pulmonary tuberculosis Canada 1936-50.2.

PROVINCE OF NOVA SCOTIA

TABLE O

Number of deaths and death rates from Cancer 1921-1937

Year	No. of Deaths	Death Rate*
1921	480	91.6
1922	539	102.1
1923	529	99.8
1924	572	107.1
1925	540	100.6
1926	521	96.5
1927	556	102.4
1928	571	104.4
1929	538	97.8
1930	558	108.6
1931	594	115.8
1932	628	121.0
1933	638	122.2
1934	688	131.0
1935	617	117.1
1936	687	127.9
1937	715	132.3

*Number of deaths per 100,000 estimated population.

TABLE I—GENERAL SUMMARY OF BIRTHS, DEATHS AND MARRIAGES IN NOVA SCOTIA BY COUNTIES, AND IN CITIES AND TOWNS OF 1,000 POPULATION AND OVER, 1937

	BIRTHS (Exclusive of Stillbirths)			DEATHS									Still-births	Marria-ges
				All Ages			Under 1 Year		1 to 4 Years		5 Years and Over			
	Total	Male	Female	Total	Male	Female	Male	Female	Male	Female	Male	Female		
Total for Province	11,572	6,071	5,501	6,083	3,244	2,839	466	346	102	75	2,676	2,418	294	4,337
Counties:														
Annapolis	309	162	147	224	124	100	9	8	5	2	110	90	8	145
Antigonish	271	150	121	178	92	86	5	7	1	3	86	76	6	59
Cape Breton	2,459	1,304	1,155	903	491	412	136	96	15	22	340	294	67	879
Colchester	483	256	227	298	156	142	14	15	5	3	137	124	15	203
Cumberland	832	430	402	430	233	197	33	24	5	3	195	170	23	353
Digby	445	241	204	267	148	119	15	10	6	7	127	102	14	157
Guysboro	318	170	148	155	83	72	6	6	5	.....	72	66	13	92
Halifax	2,372	1,256	1,116	1,224	639	585	94	55	21	13	524	517	55	900
Hants	513	272	241	240	135	105	24	17	7	1	104	87	15	181
Inverness	419	225	194	269	153	116	16	11	3	.....	134	105	5	100
Kings	547	288	259	277	143	134	19	13	5	5	119	116	10	247
Lunenburg	579	289	290	406	225	181	30	24	5	1	190	156	19	218
Pictou	676	344	332	417	215	202	16	18	3	6	196	178	12	309
Queens	261	139	122	127	68	59	7	7	2	2	59	50	3	77
Richmond	230	122	108	140	63	77	9	13	4	2	50	62	4	70
Shelburne	261	133	128	175	87	88	16	10	2	1	69	77	12	117
Victoria	139	66	73	75	41	34	3	2	3	.....	35	32	1	34
Yarmouth	458	224	234	278	148	130	14	10	5	4	129	116	12	196
Cities:														
Halifax	1,631	868	763	858	441	417	66	44	15	9	360	364	34	603
Sydney	573	278	295	183	90	93	9	9	.....	5	81	79	3	298
Towns:														
Amherst	176	104	72	123	68	55	11	6	3	1	54	48	6	140
Antigonish	191	107	84	92	50	42	3	5	1	1	46	36	6	25
Bridgetown	29	15	14	15	8	7	3	.....	.....	.....	5	7	.....	18
Bridgewater	116	60	56	89	48	41	2	4	3	.....	43	37	4	55
Canso	25	10	15	12	5	7	1	.....	.....	.....	4	7	1	10
Dartmouth	107	62	45	65	31	34	4	.....	1	.....	26	34	.....	72
Digby	105	56	49	47	27	20	2	3	2	1	23	16	6	36
Dominion	56	34	22	25	13	12	10	5	1	1	2	6	2	13
Glace Bay	823	451	372	245	150	95	56	37	4	5	90	53	27	207
Inverness	164	92	72	66	37	29	8	8	.....	.....	29	21	2	9
Joggins	32	14	18	9	5	4	.....	1	.....	.....	5	3	1	15
Kentville	29	15	14	49	22	27	.....	.....	2	.....	20	27	2	81

Liverpool	104	55	49	40	20	20	3	4	2	2	15	14	.....	32
Lunenburg	42	24	18	37	19	18	3	2	.....	.....	16	16	.....	24
Mahone Bay	8	4	4	12	6	6	.....	.....	.....	.....	6	6	.....	29
New Glasgow	393	203	190	142	76	66	6	6	2	4	68	56	6	110
New Waterford	276	144	132	78	48	30	12	10	1	1	35	19	10	79
North Sydney	211	110	101	103	48	55	17	11	2	3	29	41	6	74
Oxford	17	7	10	10	5	5	.....	1	.....	.....	5	4	.....	18
Parrsboro	46	25	21	38	16	22	4	2	.....	1	12	19	2	36
Pictou	50	27	23	35	15	20	3	2	.....	2	12	16	4	35
Port Hawkesbury	2	1	1	5	3	2	.....	.....	.....	.....	3	2	.....	7
Shelburne	40	20	20	17	9	8	3	2	.....	.....	6	6	1	27
Springhill	196	105	91	66	39	27	6	5	1	.....	32	22	3	74
Stellarton	26	10	16	32	15	17	.....	4	.....	.....	15	13	1	53
Sydney Mines	208	120	88	91	52	39	14	10	2	2	36	27	10	63
Trenton	27	12	15	11	6	5	.....	2	.....	.....	6	3	.....	6
Truro	188	100	88	118	58	60	9	10	3	1	46	49	8	131
Wedgeport	27	14	13	14	11	3	1	1	1	.....	9	2	3	8
Westville	24	12	12	30	15	15	4	.....	.....	.....	11	15	.....	36
Windsor	166	80	86	71	43	28		4	2	.....	34	24	4	72
Wolfville	147	74	73	36	18	18		2	.....	.....	17	16	4	56
Yarmouth	195	100	95	129	67	62	6	5	3	3	58	54	5	112

TABLE 1A—BIRTHS IN THE PROVINCE OF NOVA SCOTIA BY COUNTIES, 1937

Counties (Including cities and Towns)	Sex		Still-births	Illegitimate births	Twins	Triplets	Total
	Male	Female					
Annapolis	162	147	8	13	3	.....	309
Antigonish	150	121	6	8	2	.....	271
Cape Breton	1304	1155	67	108	23	.....	2459
Colchester	256	227	15	32	5	.....	483
Cumberland	430	402	23	35	4	.....	832
Digby	241	204	14	25	3	.....	445
Guysborough	170	148	13	24	1	.....	318
Halifax	1256	1116	55	188	23	.....	2372
Hants	272	241	15	38	9	.....	513
Inverness	225	194	5	16	5	.....	419
Kings	288	259	10	29	.....	.....	547
Lunenburg	289	290	19	37	7	.....	579
Pictou	344	332	12	42	10	.....	676
Queens	139	122	3	11	6	.....	261
Richmond	122	108	4	9	4	.....	230
Shelburne	133	128	12	27	3	.....	261
Victoria	66	73	1	12	2	.....	139
Yarmouth	224	234	12	39	2	.....	458
Total	6,071	5,501	294	693	112	.....	11,572

TABLE 1B—BIRTHS IN CITIES AND TOWNS OF NOVA SCOTIA, 1937

Cities and towns	Sex		Still births	Illegitimate births	Twins	Triplets	Total
	Male	Feamle					
Amherst	104	72	6	6	1	.....	176
Antigonish	107	84	6	5	2	.....	191
Bridgetown	15	14	.....	2	.....	.....	29
Bridgewater	60	56	4	4	.....	.....	116
Canso	10	15	1	4	.....	.....	25
Dartmouth	62	45	.....	1	1	.....	107
Digby	56	49	6	9	.....	.....	105
Dominion	34	22	2	3	.....	.....	56
Glace Bay	451	372	27	28	7	.....	823
Halifax	868	763	34	149	18	.....	1631
Inverness	92	72	2	8	2	.....	164
Joggins	14	18	1	.....	.....	.....	32
Kentville	15	14	2	2	.....	.....	29
Liverpool	55	49	.....	7	4	.....	104
Lunenburg	24	18	.....	2	.....	.....	42
Mahone Bay	4	4	.....	1	.....	.....	8
New Glasgow	203	190	6	31	7	.....	393
New Waterford	144	132	10	17	4	.....	276
North Sydney	110	101	6	13	2	.....	211
Oxford	7	10	.....	1	.....	.....	17
Parrsboro	25	21	2	2	.....	.....	46
Pictou	27	23	4	5	1	.....	50
Port Hawkesbury	1	1	.....	.....	.....	.....	2
Shelburne	20	20	1	10	1	.....	40
Springhill	105	91	3	11	1	.....	196
Stellarton	10	16	1	1	.....	.....	26
Sydney	278	295	3	27	4	.....	573
Sydney Mines	120	88	10	9	3	.....	208
Trenton	12	15	.....	2	.....	.....	27
Truro	100	88	8	15	1	.....	188
Wedgeport	14	13	3	2	.....	.....	27
Westville	12	12	.....	.....	1	.....	24
Windsor	80	86	4	20	2	.....	166
Wolfville	74	73	4	9	.....	.....	147
Yarmouth	100	95	5	23	1	.....	195
Total	3,413	3,037	161	429	63	.....	6,450

TABLE II—SINGLE AND MULTIPLE CONFINEMENTS AND LEGITIMATE AND ILLEGITIMATE BIRTHS BY COUNTIES, 1937

Counties (Including cities and towns)	No. of Confinements				No. of Children					
					Born alive			Stillborn		
	Total	Single	Twin	Triplets	Total	Leg.	Illeg.	Total	Leg.	Illeg.
Annapolis	314	311	3	.....	309	296	13	8	8	.....
Antigonish	275	273	2	.....	271	263	8	6	5	1
Cape Breton	2,503	2,480	23	.....	2,459	2,351	108	67	64	3
Colchester	492	486	6	.....	483	451	32	15	14	1
Cumberland	850	845	5	.....	832	797	35	23	23	.....
Digby	456	453	3	.....	445	420	25	14	12	2
Guysboro	329	327	2	.....	318	294	24	13	12	1
Halifax	2,402	2,377	25	.....	2,372	2,184	188	55	50	5
Hants	519	510	9	.....	513	475	38	15	15	.....
Inverness	419	414	5	.....	419	403	16	5	5	.....
Kings	557	557	.....	.....	547	518	29	10	9	1
Lunenburg	591	584	7	.....	579	542	37	19	14	5
Pictou	676	664	12	.....	676	634	42	12	12	.....
Queens	258	252	6	.....	261	250	11	3	3	.....
Richmond	230	226	4	.....	230	221	9	4	4	.....
Shelburne	270	267	3	.....	261	234	27	12	9	3
Victoria	138	136	2	.....	139	127	12	1	1	.....
Yarmouth	468	466	2	.....	458	419	39	12	12	.....
Total	11,747	11,628	119	.....	11,572	10,879	693	294	272	22

TABLE III—SINGLE AND MULTIPLE CONFINEMENTS AND LEGITIMATE AND ILLEGITIMATE BIRTHS BY CITIES AND TOWNS, 1937

Cities and towns	Number of Confinements				Number of Children					
					Born alive			Stillborn		
	Total	Single	Twin	Triplets	Total	Leg.	Illeg.	Total	Leg.	Illeg.
Amherst	181	180	1		176	170	6	6	6	
Antigonish	195	193	2		191	186	5	6	5	1
Bridgetown	29	29			29	27	2			
Bridgewater	120	120			116	112	4	4	3	1
Canso	26	26			25	21	4	1	1	
Dartmouth	106	105	1		107	106	1			
Digby	111	111			105	96	9	6	4	2
Dominion	58	58			56	53	3	2	2	
Glace Bay	843	836	7		823	795	28	27	26	1
Halifax	1,645	1,625	20		1,631	1,482	149	34	29	5
Inverness	164	162	2		164	156	8	2	2	
Joggins	33	33			32	32		1	1	
Kentville	31	31			29	27	2	2	2	
Liverpool	100	96	4		104	97	7			
Lunenburg	42	42			42	40	2			
Mahone Bay	8	8			8	7	1			
New Glasgow	391	383	8		393	362	31	6	6	
New Waterford	282	278	4		276	259	17	10	10	
North Sydney	215	213	2		211	198	13	6	6	
Oxford	17	17			17	16	1			
Parrsboro	48	48			46	44	2	2	2	
Pictou	52	50	2		50	45	5	4	4	
Port Hawkesbury	2	2			2	2				
Shelburne	40	39	1		40	30	10	1	1	
Springhill	198	197	1		196	185	11	3	3	
Stellarton	27	27			26	25	1	1	1	
Sydney	572	568	4		573	546	27	3	3	

TABLE III—Continued.

Cities and towns	Number of Confinements				Number of Children					
					Born alive			Stillborn		
	Total	Single	Twin	Triplets	Total	Leg.	Illeg.	Total	Leg.	Illeg.
Sydney Mines	215	212	3	.....	208	199	9	10	9	1
Trenton	27	27	.....	.....	27	25	2	.....	.....	.....
Truro	194	192	2	.....	188	173	15	8	7	1
Wedgeport	30	30	.....	.....	27	25	2	3	3	.....
Westville	23	22	1	.....	24	24	.....	.....	.....	.....
Windsor	168	166	2	.....	166	146	20	4	4	.....
Wolfville	151	151	.....	.....	147	138	9	4	4	.....
Yarmouth	199	198	1	.....	195	172	23	5	5	.....
Total	6,543	6,475	68	.....	6,450	6,021	429	161	149	12

TABLE IV—PLURAL BIRTHS CLASSIFIED TO SHOW NUMBER OF CHILDREN BORN ALIVE AND STILLBORN, BY SEX, IN THE PROVINCE OF NOVA SCOTIA, 1937

Classification of Births		Number
Twin Births		119
Two males (both living)		34
One male and one female (both living)		39
Two females (both living)		39
One male living and one male stillborn		1
One male living and one female stillborn		2
One male stillborn and one female living		1
One female living and one female stillborn		1
Two females (both stillborn)		2
Total Multiple Births	No.	119
	M.	112
	F.	126
Total Single Live Births	No.	11,343
	M.	5,961
	F.	5,382
Total Single Stillbirths	No.	285
	M.	167
	F.	118
Total Confinements		11,747

TABLE V—BIRTHS (EXCLUSIVE OF STILLBIRTHS) BY MONTHS, CLASSIFIED AS RURAL AND URBAN IN THE PROVINCE OF NOVA SCOTIA, 1937

	Total	MONTHS											
		January	February	March	April	May	June	July	August	September	October	November	December
NOVA SCOTIA	11,572	900	901	985	1042	1075	1057	978	1000	922	1019	820	873
Rural	5,122	415	381	434	479	519	461	405	416	418	460	360	374
Urban	6,450	485	520	551	563	556	596	573	584	504	559	460	499
ANNAPOLIS	309	29	17	25	34	37	22	24	26	21	34	20	20
Rural	280	25	16	23	29	33	18	22	24	20	32	18	20
Urban	29	4	1	2	5	4	4	2	2	1	2	2	.....
Bridgetown—t	29	4	1	2	5	4	4	2	2	1	2	2	.....
ANTIGONISH	271	19	14	33	31	24	19	19	23	26	31	11	21
Rural	80	7	3	12	9	8	8	5	5	8	7	3	5
Urban	191	12	11	21	22	16	11	14	18	18	24	8	16
Antigonish—t	191	12	11	21	22	16	11	14	18	18	24	8	16
CAPE BRETON	2,459	168	182	198	194	240	236	226	212	192	234	193	184
Rural	312	24	16	21	27	32	26	30	30	25	44	21	16
Urban	2,147	144	166	177	167	208	210	196	182	167	190	172	168
Sydney—c	573	33	53	60	46	46	58	48	52	42	50	41	44
Dominion—t	56	5	2	2	2	11	4	3	5	4	4	5	9
Glace Bay—t	823	53	53	61	69	88	73	81	74	73	69	59	70
New Waterford—t	276	23	22	24	27	28	31	21	18	18	24	27	13
North Sydney—t	211	14	16	16	14	17	27	27	16	15	22	16	11
Sydney Mines—t	208	16	20	14	9	18	17	16	17	15	21	24	21
COLCHESTER	483	39	29	33	47	40	38	54	36	35	46	40	46
Rural	295	21	17	20	26	25	29	32	23	23	27	25	27
Urban	188	18	12	13	21	15	9	22	13	12	19	15	19
Truro—t	188	18	12	13	21	15	9	22	13	12	19	15	19
CUMBERLAND	832	59	66	82	71	85	74	68	81	65	59	54	68

Rural	365	29	31	31	37	40	25	21	33	28	28	31	31
Urban	467	30	35	51	34	45	49	47	48	37	31	23	37
Amherst—t	176	15	12	10	10	17	22	16	20	15	15	6	18
Joggins—t	32	1	2	1	1	2	3	4	8	.....	3	5	2
Oxford—t	17	.....	2	2	3	.....	2	.....	2	2	1	1	2
Parrsboro—t	46	6	6	10	3	4	2	2	3	2	1	3	4
Springhill—t	196	8	13	28	17	22	20	25	15	18	11	8	11
DIGBY	445	36	47	36	34	56	52	30	47	33	27	22	25
Rural	340	23	37	27	26	47	44	22	38	26	18	13	19
Urban	105	13	10	9	8	9	8	8	9	7	9	9	6
Digby—t	105	13	10	9	8	9	8	8	9	7	9	9	6
GUYSBOROUGH	318	27	22	29	34	36	29	19	28	16	28	24	26
Rural	293	25	22	29	31	31	25	16	27	15	26	22	24
Urban	25	2	.....	.....	3	5	4	3	1	1	2	2	2
Canso—t	25	2	.....	.....	3	5	4	3	1	1	2	2	2
HALIFAX	2,372	193	209	193	206	197	199	207	219	187	206	156	200
Rural	634	44	60	48	66	56	44	56	47	54	59	42	58
Urban	1,738	149	149	145	140	141	155	151	172	133	147	114	142
Halifax—c	1,631	140	137	136	130	132	146	141	168	126	139	108	128
Dartmouth—t	107	9	12	9	10	9	9	10	4	7	8	6	14
HANTS	513	43	41	51	50	53	48	31	43	55	35	28	35
Rural	347	31	27	34	34	39	33	20	28	34	24	20	23
Urban	166	12	14	17	16	14	15	11	15	21	11	8	12
Windsor—t	166	12	14	17	16	14	15	11	15	21	11	8	12
INVERNESS	419	26	33	37	45	47	31	36	24	34	32	41	33
Rural	253	18	20	21	24	30	18	24	12	20	21	26	19
Urban	166	8	13	16	21	17	13	12	12	14	11	15	14
Inverness—t	164	6	13	16	21	17	13	12	12	14	11	15	14
Port Hawkesbury—t	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
KINGS	547	45	42	48	62	44	54	46	44	52	44	36	30
Rural	371	34	24	32	38	32	37	38	28	36	28	23	21
Urban	176	11	18	16	24	12	17	8	16	16	16	13	9
Kentville—t	29	4	1	3	8	1	3	1	2	2	2	.....	2
Wolfville—t	147	7	17	13	16	11	14	7	14	14	14	13	7

TABLE V—Births (exclusive of stillbirths) by months, classified as rural and urban in the province of Nova Scotia, 1937

	Total	MONTHS											
		January	February	March	April	May	June	July	August	September	October	November	December
LUNENBURG	579	52	49	44	64	49	47	46	41	58	38	41	50
Rural	413	37	31	32	41	41	35	32	26	45	29	26	38
Urban	166	15	18	12	23	8	12	14	15	13	9	15	12
Bridgewater—t	116	9	15	6	17	6	5	10	10	9	6	11	12
Lunenburg—t	42	3	3	6	6	1	5	3	4	4	3	4	.....
Mahone Bay—t	8	3	.....	.....	.....	1	2	1	1	.....	.....	.....	.....
PICTOU	676	49	47	58	63	47	79	61	52	46	64	58	52
Rural	156	12	7	17	14	16	25	17	9	9	11	12	7
Urban	520	37	40	41	49	31	54	44	43	37	53	46	45
New Glasgow—t	393	32	33	33	37	20	41	30	32	26	41	35	33
Pictou—t	50	3	3	4	4	8	5	4	3	5	7	.....	4
Stellarton—t	26	1	3	1	5	.....	1	4	3	1	1	3	3
Trenton—t	27	1	1	2	.....	2	4	5	3	1	2	3	3
Westville—t	24	.....	.....	1	3	1	3	1	2	4	2	5	2
QUEENS	261	23	26	24	19	25	25	16	21	21	29	17	15
Rural	157	15	17	15	9	16	14	8	12	10	20	12	9
Urban	104	8	9	9	10	9	11	8	9	11	9	5	6
Liverpool—t	104	8	9	9	10	9	11	8	9	11	9	5	6
RICHMOND	230	18	14	17	24	20	25	23	26	15	23	15	10
Rural	230	18	14	17	24	20	25	23	26	15	23	15	10
SHELBURNE	261	20	17	30	19	23	24	22	27	21	26	18	14
Rural	221	16	13	25	16	20	21	17	19	20	25	17	12
Urban	40	4	4	5	3	3	3	5	8	1	1	1	2
Shelburne—t	40	4	4	5	3	3	3	5	8	1	1	1	2
VICTORIA	139	15	8	13	11	11	17	4	9	11	9	16	15
Rural	139	15	8	13	11	11	17	4	9	11	9	16	15
YARMOUTH	458	39	38	34	34	41	38	46	41	34	54	30	29
Rural	236	21	18	17	17	22	17	18	20	19	29	18	20
Urban	222	18	20	17	17	19	21	28	21	15	25	12	9
Wedgeport—t	27	3	1	2	.....	3	2	1	1	3	6	4	1
Yarmouth— t	195	15	19	15	17	16	19	27	20	12	19	8	8

TABLE VI—TOTAL LIVE BIRTHS AND LIVE BIRTHS IN INSTITUTIONS SHOWING THE NUMBER OF MOTHERS NON-RESIDENT IN THE PROVINCE OF NOVA SCOTIA, 1937

	All Births		In Institutions	
	Total	Mothers Non-resident in Province	Total	Mothers Non-resident in Province
Total for the Province	11,572	42	3,518	21

TABLE VII—BIRTHS (EXCLUSIVE OF STILLBIRTHS) TO RESIDENT AND NON-RESIDENT MOTHERS AND BIRTHS IN INSTITUTIONS IN CITIES AND TOWNS OF 5,000 POPULATION AND OVER, IN THE PROVINCE OF NOVA SCOTIA, 1937

CITIES and TOWNS	All births				Births in Institutions				Births elsewhere than in Ins.			
	Total	Resident mothers	Mothers non-resident in city or town where birth occurred and		Total	Resident mothers	Mothers non-resident in city or town where birth occurred and		Total	Resident mothers	Mothers non-resident in city or town where birth occurred and	
			Resident in prov.	Non-resident in prov.			Resident in prov.	Non-resident in prov.			Resident in prov.	Non-resident in prov.
Cities												
Halifax	1,631	1,273	352	6	928	591	333	4	703	682	19	2
Sydney	573	539	34	.....	256	225	31	.....	317	314	3	.....
Towns:												
Amherst	176	149	21	6	43	18	20	5	133	131	1	1
Dartmouth	107	107	.....	.....	.....	.....	.....	.....	107	107	.....	.....
Glace Bay	823	640	179	4	668	490	174	4	155	150	5	.....
New Glasgow	393	146	245	2	323	82	239	2	70	64	6	.....
New Waterford	276	258	18	.....	46	28	18	.....	230	230	.....	.....
North Sydney	211	166	43	2	56	17	38	1	155	149	5	1
Springhill	196	141	52	3	128	82	44	2	68	59	8	1
Stellarton	26	25	1	.....	.....	.....	.....	.....	26	25	1	.....
Sydney Mines	208	195	12	1	8	4	4	.....	200	191	8	1
Truro	188	143	44	1	69	37	32	.....	119	106	12	1
Yarmouth	195	162	33	.....	58	32	26	.....	137	130	7	.....

TABLE VIII—BIRTHS (EXCLUSIVE OF STILLBIRTHS) CLASSIFIED ACCORDING TO AGES OF PARENTS, NOVA SCOTIA 1937

AGE OF FATHER	Total	AGE OF MOTHER																																								
		12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50 and over	Not stated
Under 16 years																																										
16 years	1						1																																			
17 "	1								1																																	
18 "	14					1	6	1	3	1	2																															
19 "	58				1	4	8	14	11	8	4	2	4		1	1																										
20 "	128			1	2	2	8	15	21	35	17	13	8	4	2																											
21 "	217				1	8	15	27	35	37	47	19	16	5	1	1	3	1				1																				
22 "	345			1		6	21	31	53	50	58	48	31	20	12	6	3	2	3																							
23 "	428					4	16	49	58	55	68	57	57	26	10	13	4	2	1	4			2			2																
24 "	538					5	14	42	47	51	81	94	57	64	31	20	9	8	7	3				3						2												
25 "	533					1	14	20	35	54	70	70	72	51	62	38	17	5	7	8	4	2		1			1									1						
26 "	580				1	3	12	16	23	45	71	69	67	64	60	63	34	24	10	4	3	4	3	1		1	1	1														
27 "	571				1	1	6	21	29	36	41	63	63	68	66	57	49	21	15	14	7	4	2		2	1	2	1			1											
28 "	624				2	3	2	11	25	34	47	60	73	67	66	55	58	49	27	17	7	7	4	1	1	4	1	3														
29 "	636					1	4	7	21	22	35	43	58	72	59	69	66	49	53	29	19	9	7	5	3	4			1													
30 "	626					1	2	5	11	20	28	40	41	48	62	64	63	65	46	57	21	20	13	6	1	5		3	2		1											1
31 "	500						2	7	8	8	33	19	26	25	43	54	43	52	44	43	46	17	14	5	2	3	4	1					1									
32 "	513					1	2	3	3	6	16	30	25	36	47	37	40	42	48	41	43	36	20	20	6	4	2	1	3			1										
33 "	430						5	1	5	5	12	20	28	23	23	25	28	47	26	46	34	36	28	15	10	4	2	5		2												
34 "	428							5	3	7	6	16	19	26	19	28	30	49	41	38	21	39	31	20	14	8	1	2	3	1					1							
35 "	357					1		3	4	2	9	3	22	11	29	24	17	24	24	33	32	25	28	20	18	10	9	4	2	1			1	1								
36 "	362							1	3	3	10	9	12	10	12	23	19	19	29	31	27	35	25	24	22	24	9	5	4	4	1			1								
37 "	366					1	1	2	5	9	5	4	7	11	11	18	20	24	20	26	33	27	24	26	22	22	19	19	6	2	1	1										
38 "	318						1	1	1		2	5	9	10	13	12	16	17	15	17	23	23	27	24	18	20	34	14	9	3	2	2										
39 "	280						1			1	2	5	2	6	4	5	13	14	22	17	14	21	17	22	22	20	17	20	20	8	3	1	1		1	1						
40 "	237										3	3	4	2	7	5	6	3	3	20	14	14	16	12	27	19	23	6	22	14	9	2	3									

TABLE VIII—Continued.

AGE OF FATHER	Total	AGE OF MOTHER																																								
		12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50 and over	Not stated
41 Years	209									2	3	2		3	7	5	4	10	14	8	12	13	11	10	13	19	10	16	16	15	6	5	3				1				1
42 "	254							1		2	1	5	2	4	7	5	10	7	9	13	8	14	16	8	20	20	20	15	15	19	19	9	3		2						
43 "	196							1	1	1	1	2	5	1	6	4	4	5	9	8	5	11	11	11	13	13	13	18	14	12	11	11	3	1	1						
44 "	178										1		2	3	1	1	2	6	5	10	9	8	7	19	9	10	8	13	17	17	14	8	5	2	1						
45 "	143									1		1	2	2	1	2	3	1	7	5	3	7	6	12	14	5	5	12	17	12	6	10	2	3	1	3					
46 "	108						1		1						3	4	1	3	1	1	3	2	3	4	11	11	9	5	10	12	6	5	3	3	2	3	1				
47 "	102											1	1		1	1	1	2	2	2	4	2	8	6	8	4	9	4	6	11	6	8	7	6	2					
48 "	109								1			1	1		1	2	5	1	1	2		3	4	3	4	7	6	15	6	9	6	8	6	8	3	5	1				
49 "	101								1				1			1	2	3	7	2	2	2	5	6	10	5	4	7	9	7	5	5	4	6	3	3	1				
50 "	75											1		1	2		1			6	2	2	2	8	4	8	5	6	3	5	6	1	4	5	2		1				
51 "	55								1					3	1	1		1			2		1	6		6	2	5	3	5	6	4	2	2	1	2		1			
52 "	51										1			1	3		1	2	1	2	2	4	2	2	1		2	3	2	4	5		7	2	1	1	2				
53 "	38								1			1						2	3		2		2	1	4	4	2	2	2	4	2	2	1		1		2				
54 "	28													1				1	1			2		2		2	1	1	6		2	3	2	3	1						
55 "	28									1			1			1			1				1	1		2	3	1	3	2	4	4	1	2							
56 "	19																1				2			1	2	3		1	2	1	2		2	1		1					
57 "	17												1	1	1									2	1	1	1		2	1	1	2	1		1				1		
58 "	11																	2		1			1		1		1	1				2	1	1							
59 "	12														1		1						1			1			1	1	1	2	1	1		1					
60 "	14									1	1				1				1				1		3					2			2		1	1					
61 "	10							1							1	2								1		2	1			1	1										
62 "	3																			1													1							1	
63 "	6																						1		2			1	1								1				
64 "	4																		1			1	1								1										
65 and over	14												1	2				2	1	2			1	2			1		1							1					

Not stated.....	3	....	....	....	....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	....	....	....	....	....	....	1
Children born to Married Mothers..	10,879	....	....	2	8	43	142	285	411	497	675	707	718	671	677	647	574	565	505	511	404	392	346	310	288	274	228	211	208	177	128	96	67	48	25	23	10	1	1	1	3
Children born to Unmarried Mothers.....	693	....	2	3	11	31	57	84	74	68	67	44	45	47	18	21	17	14	14	14	10	10	7	5	6	1	4	5	5	3	.....	2	2	....	....	....	....	....	....	....	2
Children born to all Mothers ..	11,572	....	2	5	19	74	199	369	485	565	742	751	763	718	695	668	591	579	519	525	414	402	353	315	294	275	232	216	213	180	128	98	69	48	25	23	10	1	1	1	5

TABLE IX—BIRTHS (EXCLUSIVE OF STILLBIRTHS) CLASSIFIED ACCORDING TO RACIAL ORIGIN OF PARENTS, NOVA SCOTIA, 1937

Racial Origin of father	Total	Racial Origin of Mother																																	
		English	Irish	Scottish	Welsh	French	Armenian	Austrian	Belgian	Bulgarian	Chinese	Czech and Slovak	Danish	Dutch	Finnish	German	Greek	Hindu	Hungarian	Icelandic	Indian	Italian	Japanese	Jewish	Negro	Norwegian	Polish	Roumanian	Russian	Serb and Croat	Swedish	Swiss	Syrian	Ukrainian (1)	Other	Not Specified
English	4754	3728	196	468	9	217		1	3			1	3	57	1	49			1			1			2	1	4	2	1		3		4		2	
Irish	1188	257	403	341	3	123			1					26		25						1			1		2		1		1	1			2	
Scottish	2557	529	295	1470	7	148			6				1	42	1	35	1					3					3		2		3	4	1		5	1
Welsh	29	7	2	10	7									1								1											1			
French	1328	165	99	118	2	905			3					15		18					1												1		1	
Armenian																																				
Austrian	1		1																																	
Belgian	24	1	5	6		8			2													2														
Bulgarian																																				
Chinese	8	4		1		1					2																									
Czech and Slovak	6	2		1								3																								
Danish	14	3	2	3									6																							
Dutch	206	49	28	36		17								70		4					1												1			
Finnish	1					1																														
German	297	61	25	26	1	20							2	8		152			1														1			
Greek	6															1	3										1							1		
Hindu																																				
Hungarian	11	2	2	1															5								1									
Icelandic																																				
Indian	45	1		1		1								1							41															
Italian	55	7	1	12		1						1							3			30														
Japanese																																				

TABLE IX—BIRTHS (EXCLUSIVE OF STILLBIRTHS) CLASSIFIED ACCORDING TO RACIAL ORIGIN OF PARENTS NOVA SCOTIA, 1937

Racial Origin of father	Total	Racial Origin of Mother: English	Irish	Scottish	Welsh	French	Armenian	Austrian	Belgian	Bulgarian	Chinese	Czech and Slovak	Danish	Dutch	Finnish	German	Greek	Hindu	Hungarian	Icelandic	Indian	Italian	Japanese	Jewish	Negro	Norwegian	Polish	Roumanian	Russian	Serb and Croat	Swedish	Swiss	Syrian	Ukrainian (1)	Other	Not Specified
Jewish	15																							15												
Negro	185	5		2		4			1					2											170										1	
Norwegian	8	2	2	3																						1										
Polish	36	3	3	3																							24							3		
Roumanian	5	4																										1								
Russian	8	4		1																							1		2							
Serb and Croat	5			1												1														2				1		
Swedish	15	3	2	4		3							1	1																	1					
Swiss	7	2		4																												1				
Syrian	29	8	3	6		1																											11			
Ukrainian (1)	19	1	1	2		2																1					3					1		8		
Other	14	4	2	5		2								1																						
Not Specified	3	1		1																																1
Children born to married mothers T.	10879	4853	1072	2526	29	1454		1	16		2	5	13	224	2	285	4		10		43	39		15	173	2	39	3	6	2	8	7	20	13	11	2
M.	5699	2536	561	1318	17	777			9			1	7	133	2	131	2		7		21	21		7	93	1	25	1	3	1	7	2	8	3	4	1
F.	5180	2317	511	1208	12	677		1	7		2	4	6	91		154	2		3		22	18		8	80	1	14	2	3	1	1	5	12	10	7	1
Children born to unmarried mothers T.	693	294	77	135	3	79							2	15		13					5				63		1				1	2	1			2
M.	372	152	41	70	1	56								9		5					4				30							2	1			1
F.	321	142	36	65	2	23							2	6		8					1				33		1				1					1
Children born to all mothers T.	11572	5147	1149	2661	32	1533		1	16		2	5	15	239	2	298	4		10		48	39		15	236	2	40	3	6	2	9	9	21	13	11	4
M.	6071	2688	602	1388	18	833			9			1	7	142	2	136	2		7		25	21		7	123	1	25	1	3	1	7	4	9	3	4	2
F.	5501	2459	547	1273	14	700		1	7		2	4	8	97		162	2		3		23	18		8	113	1	15	2	3	1	2	5	12	0	7	2

(1)—Including "Galician" and "Bukovinian."

TABLE X—LEGITIMATE BIRTHS (EXCLUSIVE OF STILLBIRTHS) CLASSIFIED ACCORDING TO AGE AND RACIAL ORIGIN OF MOTHERS, NOVA SCOTIA, 1927

Racial Origin of Mother	Total	AGE OF MOTHER																																								
		12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50 and over	Not stated
English	4853	....	....	1	2	29	73	160	207	241	304	303	323	288	305	288	260	271	223	234	163	175	162	138	117	110	83	88	86	64	51	37	30	15	8	8	4	....	....	....	2
Irish	1072	....	....	....	1	3	12	23	43	37	70	96	68	70	71	69	54	53	44	52	34	36	34	27	39	23	21	13	21	11	17	7	8	7	3	....	1	....	....	....	1
Scottish	2526	....	....	....	2	3	18	44	71	107	136	146	160	151	148	160	136	142	126	125	117	92	74	81	78	72	73	60	56	55	31	20	13	16	5	4	2	1	....	1	....
Welsh	29	....	....	....	....	....	....	....	....	2	....	....	6	1	3	3	5	1	1	1	....	....	1	....	1	1	....	1	....	1	....	....	1	....	....	....	....	....	....	....	....
French	1454	....	....	1	....	6	22	35	51	60	98	82	97	110	79	73	68	60	69	58	59	52	51	42	37	49	33	24	32	34	21	19	12	5	7	6	1	....	1	....	....
Armenian	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Austrian	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Belgian	16	....	....	....	....	....	2	....	2	1	3	1	1	2	....	....	....	....	....	1	....	....	....	1	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
Bulgarian	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Chinese	2	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Czech and Slovak	5	....	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	1	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
Danish	13	....	....	....	....	....	....	....	....	....	....	2	1	....	....	....	1	....	2	2	....	1	1	1	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
Dutch	224	....	....	....	....	1	4	6	6	14	16	17	15	12	21	11	17	9	8	16	5	4	6	5	4	1	5	4	3	4	2	4	....	2	....	1	1	....	....	....	....
Finnish	2	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German	285	....	....	....	3	....	3	7	13	15	21	28	20	16	26	19	8	10	10	10	10	13	9	4	5	5	5	9	1	3	4	5	1	....	1	1	....	....	....	....	....
Greek	4	....	....	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
Hindu	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Hungarian	10	....	....	....	....	....	1	1	....	2	1	....	....	1	....	2	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Icelandic	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Indian	43	....	....	....	....	....	2	....	4	2	....	4	2	1	1	3	4	3	4	....	3	1	2	2	2	....	....	2	1	....	....	....	....	....	....	....	....	....	....	....	....
Italian	39	....	....	....	....	....	....	1	1	1	3	4	3	5	2	1	2	2	3	1	....	2	....	1	....	2	....	....	....	1	....	2	....	1	....	....	1	....	....	....	....
Japanese	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Jewish	15	....	....	....	....	....	....	....	....	....	....	1	....	....	3	1	1	2	2	....	2	1	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Negro	173	....	....	....	....	1	2	3	9	7	13	14	13	8	12	8	9	5	8	9	5	9	2	6	2	6	4	2	6	3	1	1	1	1	1	2	....	....	....	....	....
Norwegian	2	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE X—Continued

Racial Origin of Mother	Total	AGE OF MOTHER																																									
		12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50 and over	Not stated
Polish	39						2	4		1	3	4	3	1	1	3	1	2	2		1	2	3	1		2	1				1		1									
Roumanian	3								1		1			1																												
Russian	6									1			1		1	2			1																							
Serb and Croat	2												1									1																			
Swedish	8							1				2	1	1			1			1														1							
Swiss	7										1	1		1			1									1	1	1													
Syrian	20										1	1	1	1	1	1	4	3	2		1	1					2	1													
Ukrainian (1)	13								2	3	3		1			1					1		1													1					
Other	11						1			1		1		1	2	1	1				1					1						1									
Not specified	2																1											1													
Total	10,879			2	8	43	142	285	411	497	675	707	718	671	677	647	574	565	505	511	404	392	346	310	288	274	228	211	208	177	128	96	67	48	25	23	10	1	1	1	3

(1) Including "Galician" and "Bukovinian"

TABLE XI—BIRTHS (EXCLUSIVE OF STILLBIRTHS) CLASSIFIED ACCORDING TO BIRTHPLACES OF PARENTS, Nova Scotia, 1937

Birthplace of Father	Total	BIRTHPLACE OF MOTHER																																							
		CANADA										British Isles					British possessions		EUROPE															ASIA						
		Prince Edward Island	Nova Scotia	New Brunswick	Quebec	Ontario	Manitoba	Saskatchewan	Alberta	British Columbia	Prov. not specified	England	Ireland	Scotland	Wales	Other	Newfoundland	Other	Austria	Belgium	Denmark	Finland	France	Germany	Holland	Hungary	Italy	Norway	Poland	Roumania	Russia (1)	Sweden	Other	China	Japan	Other	United States	Various	Not specified
CANADA	9745	59	8733	174	68	64	6	6	9	9	4	133	5	38	5	....	208	8	1	4	....	....	2	5	....	....	3	....	3	....	3	....	1	....	....	....	190	3	1
P. E. Island	85	11	69	....	....	....	....	....	1	....	....	1	....	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....
Nova Scotia	9298	44	8430	135	41	40	5	5	8	8	....	122	5	38	5	....	202	7	1	4	....	....	2	3	....	....	3	....	3	....	1	....	1	....	....	....	181	3	1
New Brunswick	183	3	129	37	2	2	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	2	....	....	....	....	....	5	....	....
Quebec	74	....	46	1	22	1	....	....	....	....	....	1	....	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Ontario	66	....	36	1	2	19	....	....	....	1	....	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	....	....
Manitoba	10	....	6	....	....	....	1	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....
Saskatchewan	8	....	7	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Alberta	7	....	4	....	....	1	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
British Columbia	9	1	5	....	1	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Province not specified	5	....	1	....	....	....	....	....	....	....	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
BRITISH ISLES	316	2	214	4	1	6	....	2	....	2	....	45	1	16	3	....	11	1	....	1	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	4	1	....
England	206	2	143	3	1	4	....	1	....	1	....	35	....	2	....	....	7	1	....	1	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	2	1	....
Ireland	14	....	9	....	....	....	....	....	....	....	....	....	....	3	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....
Scotland	83	....	57	....	....	2	....	1	....	1	....	8	1	11	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Wales	13	....	5	1	....	....	....	....	....	....	....	2	....	....	3	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....
Other	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

BRITISH POSSESSIONS	443	1	219	3	5	2			1			10	1	7	1		181	2		1												1				7	1	
Newfoundland	424	1	207	3	4	2			1			8	1	7	1		181															1				6	1	
Other	19		12		1							2						2		1																1		
EUROPE	181		97	3	4	1	1				1	2					4	1	2	2	4		3	3		5	17	1	15		2		8				5		
Austria	5		2									1					1		1																				
Belguim	14		10	1																1			1				1												
Denmark	11		6				1														4																		
Finland																																							
France	11		8																	1			2																
Germany	15		12									1						1						1															
Holland																																							
Hungary	9		4																							5													
Italy	36		18														1		1								16												
Norway	3		2																									1											
Poland	38		16		3	1					1																		15							2		
Roumania	5		5																																				
Russia (1)	11		3	2													2							1							2					1		
Sweden	4		4																																				
Other	19		7		1																			1									8				2		
ASIA	24		10			1	1			1							1																			8	2		
China	9		3			1	1			1							1																				2		
Japan																																							
Other	15		7																																	8			
United States	158		135	8	1	2						1		1			4																				6		
Various	12		5	1								1					2										1											2	
Not specified																																							
Children born to Married Mothers	10,879	62	9,413	193	79	76	8	8	10	12	5	192	7	62	9		411	12	3	8	4		6	8		5	21	1	18	1	5		10			8	214	7	1
Children born to Unmarried Mothers	693	6	628	13	2	1		1	1	1		7		3	1		22	1																			5		1
Children born to All Mothers	11,572	68	10,041	206	81	77	8	9	11	13	5	199	7	65	10		433	13	3	8	4		6	8		5	21	1	18	1	5		10			8	219	7	2

(1) Including the Ukraine

TABLE XII—LEGITIMATE BIRTHS (EXCLUSIVE OF STILLBIRTHS) CLASSIFIED ACCORDING TO AGE AND BIRTHPLACE OF MOTHERS, 1937, Nova Scotia

Birthplace of Mother	Total	AGE OF MOTHER																																							
		13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50 and Over	Not Stated
CANADA	9,866	....	2	8	42	136	276	397	474	647	665	669	632	626	586	522	507	446	447	355	348	295	268	254	231	198	179	168	146	110	83	54	40	22	21	6	1	1	1	3
Prince Edward Island	62	....	....	....	....	....	....	....	1	3	3	3	5	6	1	5	1	5	1	7	2	1	1	3	3	3	2	3	1	1	....	....	....	1	....	....	....	....	....	....
Nova Scotia	9,413	....	2	8	41	131	268	388	457	621	634	639	605	598	564	496	477	411	426	331	330	283	258	236	216	190	172	160	139	107	82	53	38	21	20	5	1	1	1	3
New Brunswick	193	....	....	....	....	4	5	5	8	10	9	11	7	16	15	12	11	18	6	5	10	4	5	9	7	3	2	3	3	....	1	1	1	....	1	1	....	....	....	....
Quebec	79	....	....	....	1	1	....	1	1	3	5	4	8	2	2	5	9	5	6	5	4	3	3	4	1	1	....	....	3	1	....	....	1	....	....	....	....	....	....	....
Ontario	76	....	....	....	....	....	3	2	5	5	10	5	5	1	2	3	5	6	6	5	1	3	1	2	1	....	3	2	....	....	....	....	....	....	....	....	....	....	....	....
Manitoba	8	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	2	....	2	1	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
Saskatchewan	8	....	....	....	....	....	....	1	....	2	....	2	1	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Alberta	10	....	....	....	....	....	....	....	1	3	2	....	....	1	1	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
British Columbia	12	....	....	....	....	....	....	....	1	....	2	3	....	2	....	....	....	1	....	1	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Province not specified	5	....	....	....	....	....	....	....	....	....	....	1	1	....	1	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
BRITISH ISLES	270	....	....	....	....	3	5	6	8	3	5	10	10	9	12	16	15	14	15	11	15	16	12	13	15	9	10	13	15	3	....	4	1	2	....	....	....	....	....	....
England	192	....	....	....	....	1	5	5	6	2	3	9	7	6	5	14	11	7	12	3	12	12	10	9	11	8	8	10	10	2	....	2	1	1	....	....	....	....	....	....
Ireland	7	....	....	....	....	....	....	....	....	1	....	....	....	1	1	....	1	....	....	1	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
Scotland	62	....	....	....	....	2	....	1	2	....	2	1	2	2	4	1	3	7	3	7	3	3	2	2	2	1	2	3	4	1	....	1	....	1	....	....	....	....	....	....
Wales	9	....	....	....	....	....	....	....	....	....	....	....	1	....	2	1	....	....	....	....	....	1	....	1	2	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
Other	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
BRITISH POSSESSION	423	....	....	....	1	2	2	7	10	12	24	20	15	18	29	15	25	21	31	18	18	24	18	13	17	7	10	18	10	12	10	7	5	1	1	2	....	....	....	....
Newfoundland	411	....	....	....	1	2	2	7	9	11	24	19	13	18	28	15	24	20	30	18	18	23	18	13	17	7	10	18	9	11	10	7	5	1	1	2	....	....	....	....
Other	12	....	....	....	....	....	....	....	1	1	....	1	2	....	1	....	1	1	1	....	....	1	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....
EUROPE	90	....	....	....	....	1	....	....	....	....	3	6	5	7	5	4	4	6	3	4	6	6	5	2	5	4	2	3	2	1	2	1	1	....	1	1	....	....	....	....
Austria	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
Belgium	8	....	....	....	....	....	....	....	....	....	1	....	1	1	....	....	....	....	1	....	....	....	1	1	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....
Denmark	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
Finland	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
France	6	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	2	....	....	1	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....

Germany	8										1		1	1		1	1	1			1			1																
Holland																																								
Hungary	5				1							1		2						1																				
Italy	21									2	2	2	1	1	1	1	2			1				2	1			1		2		1			1					
Norway	1																									1														
Poland	18										1		2		1	1	1		2	1	3	1		2	1				1		1									
Roumania	1											1																												
Russia (1)	5												1	1		1			1				1																	
Sweden																																								
Other	10										2		1					1		2	1				1		1	1												
ASIA	8								1		1	1	1						1	1					1	1														
China																																								
Japan																																								
Other	8								1		1	1	1						1	1					1	1														
United States	214					2		5	12	10	12	8	16	15	17	13	18	15	13	3	5	6	6	6	9	9	5	4	2		1	1			1					
Various	7															1			2	1		1					1			1										
Not specified	1						1																																	
TOTAL	10,879		2	8	43	142	285	411	497	675	707	718	671	677	647	574	565	505	511	404	392	346	310	288	274	228	211	208	177	128	96	67	48	25	23	10	1	1	1	3

(1) Including the Ukraine

TABLE XIII—DEATHS OF CHILDREN UNDER ONE YEAR (EXCLUSIVE OF STILLBIRTHS) IN THE PROVINCE OF NOVA SCOTIA BY MONTHS CLASSIFIED AS RURAL AND URBAN, 1937

	Total	MONTHS											
		January	February	March	April	May	June	July	August	September	October	November	December
Nova Scotia	812	80	79	81	69	66	53	35	60	84	73	66	66
Rural	333	36	35	39	33	31	23	15	14	21	24	34	28
Urban	479	44	44	42	36	35	30	20	46	63	49	32	38
Annapolis	17	3	.....	3	1	1	1	1	2	.....	1	2	2
Rural	14	2	.....	3	1	1	1	1	1	.....	1	1	2
Urban	3	1	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....
Bridgetown—t	3	1	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....
Antigonish	12	2	2	2	.....	4	.....	.....	.....	.....	1	.....	1
Rural	4	.....	.....	1	.....	2	.....	.....	.....	.....	.....	.....	1
Urban	8	2	2	1	.....	2	.....	.....	.....	.....	1	.....	.....
Antigonish—t	8	2	2	1	.....	2	.....	.....	.....	.....	1	.....	.....
Cape Breton	232	21	13	20	22	14	16	9	30	33	17	23	14
Rural	32	8	.....	2	3	1	4	1	3	1	1	5	3
Urban	200	13	13	18	19	13	12	8	27	32	16	18	11
Sydney—c	18	2	.....	2	2	2	3	.....	2	.....	.....	2	3
Dominion—t	15	2	.....	1	.....	3	1	.....	1	3	2	1	1
Glace Bay—t	93	5	6	9	12	4	2	3	16	16	8	8	4
New Waterford—t	22	2	2	4	2	.....	4	1	3	.....	3	1	.....
North Sydney—t	28	.....	3	1	3	2	2	1	4	5	3	2	2
Sydney Mines—t	24	2	2	1	.....	2	.....	3	1	8	.....	4	1
Colchester	29	4	3	2	.....	3	2	3	1	3	4	3	1
Rural	10	1	1	1	.....	.....	.....	2	.....	1	1	2	1
Urban	19	3	2	1	.....	3	2	1	1	2	3	1	.....
Truro—t	19	3	2	1	.....	3	2	1	1	2	3	1	.....

Cumberland	57	4	8	3	4	8	5	2	3	4	7	1	4
Rural	21	2	2	4	2	4	3		1	2	1	1	
Urban	36	2	6	4	2	4	2	2	2	2	6		4
Amherst—t	17	1	2			2	1		1	2	2		2
Joggins—t	1										1		
Oxford—t	1										1		
Parrsboro—t	6	1			1	1		1	1		1		
Springhill—t	11		4		1	1	1	1			1		2
Digby	25	4	4	1	2	2	3	1	1	1	2	1	3
Rural	20	4	4	1	2	2			1	1	2	1	2
Urban	5						3	1					1
Digby—t	5						3	1					1
Guysborough	12	1	1	2	2		1		2	1		2	
Rural	11	1	1	2	2		1		2			2	
Urban	1									1			
Canso—t	1									1			
Halifax	149	16	11	13	10	11	11	8	10	15	21	8	15
Rural	35	1	5	5	3	4	2	3		2	5	1	4
Urban	114	15	6	8	7	7	9	5	10	13	16	7	11
Halifax—c	110	14	5	8	7	7	8	5	9	13	16	7	11
Dartmouth—t	4	1	1				1		1				
Hants	41	6	6	4	4	3	2	2	2	3	1	5	3
Rural	30	5	4	4	2	2	2	1	2	1	1	3	3
Urban	11	1	2		2	1		1		2		2	
Windsor—t	11	1	2		2	1		1		2		2	
Inverness	27	1	3	2	2	4	2		1	7	2	1	2
Rural	11		2	1	1	3	1			1	1	1	
Urban	16	1	1	1	1	1	1		1	6	1		2
Inverness—t	16	1	1	1	1	1	1		1	6	1		2
Port Hawkesbury—t													
Kings	32	4	2	5	1	3	3	2		4	1	5	2
Rural	29	4	2	3	1	3	3	2		4	1	4	2
Urban	3			2								1	
Kentville—t													
Wolfville—t	3			2								1	

TABLE XIII—DEATHS OF CHILDREN UNDER ONE YEAR—Continued

	Total	MONTHS											
		January	February	March	April	May	June	July	August	Septemb'r	October	November	December
Lunenburg	54	4	12	4	6	8	2	1	4	1	3	8	1
Rural	43	2	8	3	6	7	2		3	1	3	7	1
Urban	11	2	4	1		1		1	1			1	
Bridgewater—t	6	2	2	1				1					
Lunenburg—t	5		2			1			1			1	
Mahone Bay—t													
Pictou	34	2	6	5	4	2	1			5	5	2	2
Rural	7			1	2					2	1	1	
Urban	27	2	6	4	2	2	1			3	4	1	2
New Glasgow—t	12		3	1	2	1	1			1	3		
Pictou—t	5		2	1						1	1		
Stellarton—t	4	2								1			1
Trenton—t	2											1	1
Westville—t	4		1	2		1							
Queens	14	1	3	2	3				1		2		2
Rural	7		1	1	2						1		2
Urban	7	1	2	1	1				1		1		
Liverpool—t	7	1	2	1	1				1		1		
Richmond	22	2	3	1	3		1	3	1	4	1	3	
Rural	22	2	3	1	3		1	3	1	4	1	3	
Shelburne	26	1	2	4	4	1	3	2			3	1	5
Rural	21	1	2	3	3		3	1			3	1	4
Urban	5			1	1	1		1					1
Shelburne—t	5			1	1	1		1					1
Victoria	5	1						1		1		1	1
Rural	5	1						1		1		1	1
Yarmouth	24	3		4	1	2			2	2	2		8
Rural	11	2		4		2					1		2
Urban	13	1			1				2	2	1		6
Wedgeport—t	2								2				
Yarmouth—t	11	1			1					2	1		6

TABLE XIV—TOTAL DEATHS (EXCLUSIVE OF STILLBIRTHS) AND DEATHS IN INSTITUTIONS OF CHILDREN UNDER ONE YEAR OF AGE, SHOWING THE NUMBER NON-RESIDENT IN THE PROVINCE OF NOVA SCOTIA, 1937

	All deaths under one year						In Institutions					
	Total			Non-resident in province			Total			Non-resident in province		
	Total	M.	F.	Total	M.	F.	Total	M.	F.	Total	M.	F.
Total for the province	812	466	346	1	1	.....	212	121	91	1	1	.....

TABLE XV—TOTAL DEATHS (EXCLUSIVE OF STILLBIRTHS) AND DEATHS IN INSTITUTIONS OF CHILDREN UNDER ONE YEAR OF AGE CLASSIFIED ACCORDING TO RESIDENCE OF DECEDENTS IN CITIES AND TOWNS OF 5,000 POPULATION AND OVER, IN THE PROVINCE OF NOVA SCOTIA, 1937

Cities and Towns	All deaths under one year												Deaths in institutions												Deaths elsewhere than in institutions											
	Total			Residents			Non-resident in city or town where death occurred and						Total			Residents			Non-resident in city or town where death occurred and						Total			Residents			Non-resident in city or town where death occurred and					
							Resident in Province			Non-resident in Province									Resident in Province			Non-resident in Province									Resident in Province			Non-resident in Province		
	T.	M	F	T.	M	F	T.	M	F	T.	M.	F.	T.	M	F	T.	M	F	T.	M	F	T.	M	F	T.	M	F	T.	M	F	T.	M	F	T.	M	F
Cities:																																				
Halifax	110	66	44	91	56	35	19	10	9	...	...	...	74	46	28	55	36	19	19	10	9	...	...	...	36	20	16	36	20	16	...	...	...	...	...	...
Sydney	18	9	9	15	9	6	3	...	3	...	...	...	7	2	5	4	2	2	3	...	3	...	...	...	11	7	4	11	7	4	...	...	...	...	...	...
Towns:																																				
Amherst	17	11	6	14	9	5	2	1	1	1	1	...	5	3	2	2	1	1	2	1	1	1	1	...	12	8	4	12	8	4	...	...	...	...	...	...
Dartmouth	4	4	...	4	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	4	4	...	4	4	...	...	...	...	...	...	...
Glace Bay	93	56	37	83	51	32	10	5	5	...	...	...	50	29	21	40	24	16	10	5	5	...	...	...	43	27	16	43	27	16	...	...	...	...	...	...
New Glasgow	12	6	6	5	3	2	7	3	4	...	...	...	8	3	5	1	...	1	7	3	4	...	...	...	4	3	1	4	3	1	...	...	...	...	...	...
New Waterford	22	12	10	22	12	10	...	...	...	...	...	...	5	3	2	5	3	2	...	...	...	...	...	...	17	9	8	17	9	8	...	...	...	...	...	...
North Sydney	28	17	11	24	14	10	4	3	1	...	...	...	5	4	1	1	1	...	4	3	1	...	...	...	23	13	10	23	13	10	...	...	...	...	...	...
Springhill	11	6	5	9	5	4	2	1	1	...	...	...	8	4	4	6	3	3	2	1	1	...	...	...	3	2	1	3	2	1	...	...	...	...	...	...
Stellarton	4	...	4	4	...	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	4	...	4	4	...	4	...	...	...	...	...	...
Sydney Mines	24	14	10	24	14	10	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	24	14	10	24	14	10	...	...	...	...	...	...
Truro	19	9	10	16	7	9	3	2	1	...	...	...	5	2	3	2	...	2	3	2	1	...	...	...	14	7	7	14	7	7	...	...	...	...	...	...
Yarmouth	11	6	5	7	4	3	4	2	2	...	...	...	4	2	2	1	...	1	3	2	1	...	...	...	7	4	3	6	4	2	1	...	1	...	...	...

Table XVI— Deaths of children under one year (exclusive of stillbirths) by age at death, in the province of Nova Scotia, 1937

AGES		Total
All infants	T.	812
	M.	466
	F.	346
Under 1 day	T.	100
	M.	49
	F	51
1 day	T	38
	M.	22
	F.	16
2 days	T.	41
	M	21
	F	20
3 days	T	29
	M	17
	F	12
4 days	T.	12
	M	7
	F.	5
5 days	T.	15
	M	10
	F	5
6 days	T.	10
	M.	6
	F.	4
Under 1 week	T	245
	M.	132
	F.	113
1 week and under 2 weeks	T.	50
	M.	31
	F.	19
2 weeks and under 3 weeks	T.	30
	M.	22
	F.	8
3 weeks and under 1 month	T.	32
	M.	17
	F.	15
Under 1 month	T.	357
	M.	202
	F.	155
1 month and under 2 months	T.	91
	M	50
	F.	41
2 months and under 3 months	T.	78
	M.	52
	F.	26

Table XVI—Deaths of children under one year (exclusive of still-births) by age at death, in the province of Nova Scotia 1937—Continued

AGES		Total
3 months and under 4months	T.	66
	M.	37
	F.	29
4 months and under 5 months	T.	39
	M.	20
	F.	19
5 months and under 6 months	T.	31
	M.	17
	F.	14
6 months and under 7 months	T.	24
	M.	15
	F.	9
7 months and under 8 months	T.	31
	M.	21
	F.	10
8 months and under 9 months	T.	31
	M.	14
	F.	17
9 months and under 10 mos	T.	21
	M.	15
	F.	6
10 months and under 11 mos	T.	26
	M.	13
	F.	13
11 months and under 12 mos	T.	17
	M.	10
	F.	7

TABLE XVII—DEATHS OF CHILDREN UNDER ONE YEAR (EXCLUSIVE OF STILLBIRTHS) CLASSIFIED ACCORDING TO RACIAL ORIGIN OF DECEDENTS, IN THE PROVINCE OF NOVA SCOTIA, 1937

Racial Origin	Total
All origins	812
English	358
Irish	98
Scottish	176
Welsh	1
French	87
Armenian	.....
Austrian	.....
Belgian	1
Bulgarian	.....
Chinese	.....
Czech and Slovak	2
Danish	.....
Dutch	2
Finnish	.....
German	34
Greek	.....
Hindu	.....
Hungarian	.....
Icelandic	.....
Indian	11
Italian	4
Japanese	.....
Jewish	.....
Negro	29
Norwegian	1
Polish	.....
Roumanian	.....
Russian	.....
Serb and Croat	.....
Swedish	1
Swiss	.....
Syrian	4
Ukranian (1)	1
Other	2
Not specified	.....

(1) Including "Galician" and "Bukovinian"

TABLE XVIII—DEATHS OF CHILDREN UNDER ONE YEAR OF AGE (EXCLUSIVE OF STILLBIRTHS) CLASSIFIED ACCORDING TO BIRTHPLACES OF PARENTS, IN THE PROVINCE OF NOVA SCOTIA, 1937

Birthplace of father		BIRTHPLACE OF MOTHER																																							
		Canada										British Isles					British Possessions		Europe														Asia							
	Total Fathers	Prince Edward Island	Nova Scotia	New Brunswick	Quebec	Ontario	Manitoba	Saskatchewan	Alberta	British Columbia	Prov. not specified	England	Ireland	Scotland	Wales	Other	Newfoundland	Other	Austria	Belgium	Denmark	Finland	France	Germany	Holland	Hungary	Italy	Norway	Poland	Roumania	Russia (1)	Sweden	Other	China	Japan	Other	United States	Various	Not specified
CANADA	669	3	603	11	7	3			1	2		8	1	5			13							1									1				9		1
Prince Edward Island	5		5																																				
Nova Scotia	641	3	585	5	4	3			1	2		7	1	5			13							1									1				9		1
New Brunswick	14		8	6																																			
Quebec	3				3																																		
Ontario	4		3									1																											
Manitoba	1		1																																				
Saskatchewan																																							
Alberta																																							
British Columbia																																							
Province not specified	1		1																																				
BRITISH ISLES	21		12			1						8																											
England	16		9			1						6																											
Ireland																																							
Scotland	4		3									1																											
Wales	1											1																											
Other																																							

BRITISH POSSESSIONS	44		22			1											19																								2		
Newfoundland	42		20			1											19																								2		
Other	2		2																																											
EUROPE	10		8																								1		1																
Austria																																														
Belgium																																														
Denmark																																														
Finland																																														
France																																														
Germany	4		4																																											
Holland																																														
Hungary																																														
Italy	2		1																								1																			
Norway	1		1																																											
Poland	1																												1																	
Roumania																																														
Russia (1)																																														
Sweden																																														
Other	2		2																																											
ASIA	5		4																																								1			
China																																														
Japan																																														
Other	5		4																																								1			
UNITED STATES	6		6																																											
Various																																														
Not specified	57		54	1		1								1																																
Total Mothers	812	3	709	12	7	6			1	2		16	1	6			32							1			1		1				1				1			11		1

(1) Including the Ukraine

TABLE XIX—DEATHS OF CHILDREN (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN SPECIFIED CAUSES IN THE FIRST YEAR OF LIFE BY SEX AND CALENDAR MONTH OF DEATH, 1937

Int. List No.	Causes of Death	Total under 1 year			Month of Death																							
					Jan.		Feb.		Mar.		Apr.		May		June		July		Aug.		Sept.		Oct.		Nov.		Dec.	
		Total	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	All Causes	812	466	346	43	37	53	26	48	33	41	28	37	29	24	29	16	19	30	30	54	30	43	3)	41	25	36	30
7	Measles	3	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	1	....
8	Scarlet Fever	1	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9	Whooping-cough	28	15	13	2	2	1	....	3	2	1	2	4	1	1	....	....	1	....	1	....	1	....	....	3	1	....	2
10	Diphtheria	1	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11	Influenza	40	24	16	3	2	6	3	7	3	5	3	....	....	....	2	....	....	....	....	....	....	....	1	2	1	1	1
13	Dysentery	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....
15	Erysipelas	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
16	Poliomyelitis and polioencephalitis (acute)	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
18	Epidemic cerebrospinal meningitis	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
23	Tuberculosis of the respiratory system	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
34	Tuberculosis of the meninges and central nervous system	7	5	2	....	....	1	....	....	1	....	....	2	....	2	....	....	....	....	....	....	....	....	1	....	....	....	....
25–32	Tuberculosis, other forms	2	2	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....
34	Syphilis	7	5	2	....	....	....	....	....	....	....	....	3	1	....	....	....	....	....	....	1	....	....	1	....	....	1	....
36	Purulent infection, septicaemia	1	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
67	Diseases of the thymus gland	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
79	Simple meningitis	7	5	2	....	....	2	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	1	....	1	1
86	Convulsions	35	24	11	3	....	6	....	2	....	2	1	3	1	2	3	....	....	2	2	....	2	2	1	1	....	1	1
89	Diseases of the ear and mastoid process	3	2	1	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....
105a	Croup	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
106	Bronchitis	8	5	3	1	2	1	....	....	1	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	1	....
107	Bronchopneumonia	64	37	27	5	4	5	6	2	1	8	2	4	3	1	2	1	....	3	1	....	....	4	1	2	5	2	2
108–109	Pneumonia	42	24	18	3	6	3	1	6	4	2	1	2	2	..	1	1	....	....	1	....	....	3	1	1	1	3	....
115	Diseases of the buccal cavity and annexa and of the pharynx and tonsils (including adenoid vegetations)	3	1	2	....	....	1	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
116–118	Diseases of the stomach	6	2	4	....	1	....	2	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....
119	Diarrhoea and enteritis	116	69	47	2	1	1	1	1	3	1	....	1	....	1	2	2	1	11	12	30	17	9	2	6	6	4	2
122	Hernia, intestinal obstruction	3	1	2	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	1	....	....	....	....	....	....	....
130	Nephritis	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....
157	Malformations	70	42	28	2	2	6	....	5	3	2	2	2	6	2	1	1	4	4	2	4	2	7	4	4	....	3	2
	(a) Congenital hydrocephalus	8	5	3	....	....	1	....	....	....	....	....	....	1	1	....	....	....	....	....	2	1	....	1	1	....	....	....
	(c) Congenital malformations of the heart	24	14	10	....	1	1	....	....	3	1	2	2	1	1	....	1	1	3	....	2	....	....	1	1	....	2	1
	(b, d, e) Others under this title	38	23	15	2	1	4	....	5	....	1	....	....	4	....	1	....	3	1	2	....	1	7	2	2	....	1	1
158	Congenital debility	33	16	17	2	1	3	1	....	....	1	4	1	....	1	2	2	1	2	2	2	....	....	2	2	2	....	2
159	Premature birth	172	92	80	7	9	9	6	10	8	9	5	10	8	4	8	5	5	1	5	8	5	10	7	10	5	9	9
160	Injury at birth	40	23	17	4	1	3	3	2	1	1	1	2	3	2	2	1	....	2	1	2	....	1	4	2	....	1	1
161	Other diseases peculiar to early infancy (under 3 months)	66	35	31	5	1	2	3	1	4	4	4	2	3	3	2	2	4	3	2	3	1	1	2	4	1	5	4
	(a-e) Specified diseases	47	21	26	4	....	1	3	1	4	3	3	....	3	2	2	1	3	2	2	2	....	....	2	1	1	4	3
	(f) No cause given, no doctor in attendance	19	14	5	1	1	1	....	....	....	1	1	2	....	1	..	1	1	1	....	1	1	1	....	3	....	1	1
173–175	Homicide	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
176–198	Other external causes	13	7	6	1	2	....	....	1	2	....	....	....	....	1	1	1	....	....	....	....	....	2	..	1	....	....	1
	Other specified causes	17	11	6	3	3	1	....	4	....	1	1	....	1	....	1	....	....	....	....	....	....	2	....	....	....	....	....
199–200	Unspecified or ill-defined causes	20	11	9	....	....	2	....	2	....	1	1	....	....	....	....	....	1	2	....	1	1	1	2	....	2	2	2

TABLE XX—DEATHS OF CHILDREN (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN SPECIFIED CAUSES IN FIRST YEAR OF LIFE BY SEX AND AGE AT DEATH, NOVA SCOTIA, 1937

Int. list Number	Causes of Death	Total under 1 year			Age at Death: Under 1 day		1 day and under 1 week		1 week and under 2 weeks		2 weeks and under 3 weeks		3 weeks and under 1 month		1 month and under 2 months		2 months and under 3 months		3 months and under 4 months		4 months and under 5 months		5 months and under 6 months		6 months and under 7 months		7 months and under 8 months		8 months and under 9 months		9 months and under 10 months		10 months and under 11 months		11 months and under 12 months	
		T	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	All causes	812	466	346	49	51	83	62	31	19	22	8	17	15	50	41	52	26	37	29	20	19	17	14	15	9	21	10	14	17	15	6	13	13	10	7
7	Measles	3	3				1										1		1																	
8	Scarlet fever	1	1														1																			
9	Whooping-cough	28	15	13										1	1	2	3	1	1			1		2	2		2		1	2	3	2	1	2	1	
10	Diphtheria	1	1																				1													
11	Influenza	40	24	16			2			1	1			1	2		5	2	4	2				1		2	4	2	2	2			2	1	2	2
13	Dysentery	1		1																												1				
15	Erysipelas																																			
16	Poliomyelitis and polioencephalitis (acute)																																			
18	Epidemic cerebrospinal meningitis	1		1																								1								
23	Tuberculosis of the respiratory system	1	1																										1							
24	Tuberculosis of the meninges and central nervous system	7	5	2											1						1	1		1					1				1		1	
25–32	Tuberculosis, other forms	2	2																								1		1							
34	Syphilis	7	5	2				1	1					1			1		1		1		1													
36	Purulent infection, septicaemia	1	1										1																							
67	Diseases of the thymus gland																																			
79	Simple meningitis	7	5	2							1				2	1			2															1		
86	Convulsions	35	24	11		1	4	3			1			1	4	3	4	2	2		2		3		1		1	1	2							
89	Diseases of the ear and mastoid process	3	2	1																	2			1												
105a	Croup																																			
106	Bronchitis	8	5	3											3					1		1	1		1							1				
107	Bronchopneumonia	64	37	27			1		1		1	1		1	7	4	10	3		3	4	1	1	1	1	2	5	2	3	6	2		1	2		1
108, 109	Pneumonia	42	24	18			1	2			2				5	1		3	5			4	3	1		2	3	2			1		3	2	1	1
115	Diseases of the buccal cavity and annexa and of the pharynx and tonsils (including adenoid vegetations)	3	1	2																			1											1		1
116–118	Diseases of the stomach	6	2	4										1	1	1	1													1		1				
119	Diarrhoea and enteritis	116	69	47			1		3	1	3	1	5		2	5	8	9	13	12	4	4	5	3	6	2	4	2	3	5	6	1	3	1	3	1
122	Hernia, intestinal obstruction	3	1	2																1		1			1											
130	Nephritis	1	1																								1									

TABLE XX—(Continued)

Int. list Number	Causes of Death	Total under 1 year			Age at Death: Under 1 day		1 day and under 1 week		1 week and under 2 weeks		2 weeks and under 3 weeks		3 weeks and under 1 month		1 month and under 2 months		2 months and under 3 months		3 months and under 4 months		4 months and under 5 months		5 months and under 6 months		6 months and under 7 months		7 months and under 8 months		8 months and under 9 months		9 months and under 10 months		10 months and under 11 months		11 months and under 12 months	
		T	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
157	Malformations	70	42	28	4	3	8	8	1	3	4	1	2	1	7	7	6	1	4	1	3	3	....	....	....	....	....	....	....	....	2	....	....	....	1	....
	(a) Congenital hydrocephalus	8	5	3	1	....	1	....	....	....	....	....	....	....	1	2	1	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	(c) Congenital malformations of the heart	24	14	10	2	2	2	3	1	1	1	....	....	....	2	2	2	1	1	....	1	1	....	....	....	....	....	....	....	....	1	....	....	....	1	....
	(b,d,e) Others under this title	38	23	15	1	1	5	5	....	2	3	1	2	1	4	3	3	....	3	....	1	2	....	....	....	....	....	....	....	....	1	....	....	....	....	....
158	Congenital debility	33	16	17	1	2	5	6	2	....	1	....	....	3	2	3	2	....	....	2	....	....	1	....	1	....	....	....	....	....	....	....	1	1	....	....
159	Premature birth	172	92	80	33	33	28	19	13	7	6	3	4	3	3	7	4	3	1	3	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
160	Injury at birth	40	23	17	3	7	13	9	4	....	....	....	....	1	2	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
161	Other diseases peculiar to early infancy (under 3 months)	66	35	31	7	5	14	13	4	6	1	1	2	....	4	5	3	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	(a-e) Specified diseases	47	21	26	5	4	11	11	2	6	1	1	....	....	2	3	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	(f) no cause given (1)	19	14	5	2	1	3	2	2	....	....	....	2	....	2	2	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
173–175	Homicide	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
176–198	Other external causes	13	7	6	....	....	2	....	....	....	1	....	1	....	2	....	....	....	....	2	....	2	....	....	....	....	....	....	....	....	1	....	....	....	1	1
	Other specified causes	17	11	6	....	....	2	....	2	....	....	....	....	....	....	2	2	1	1	1	2	....	....	1	1	....	....	....	....	....	1	....	....	....	1	....
199–200	Unspecified or ill-defined causes	20	11	9	1	....	1	1	....	1	....	1	2	1	2	....	....	....	2	1	1	1	....	2	1	1	....	....	....	....	....	....	1	....	....	....

(1) No doctor in attendance

TABLE XXI—DEATHS BY MONTHS IN THE PROVINCE OF NOVA SCOTIA, 1937

COUNTIES (Including Cities and Towns)	MONTHS												
	January	February	March	April	May	June	July	August	September	October	November	December	Total
Annapolis	25	24	28	18	13	21	17	16	14	17	11	20	224
Antigonish	16	18	24	13	21	11	14	8	9	27	8	9	178
Cape Breton	89	47	83	81	71	58	54	93	109	79	79	60	903
Colchester	24	28	33	22	32	23	20	22	19	26	23	26	298
Cumberland	40	34	44	36	35	41	21	38	32	40	30	39	430
Digby	30	33	27	23	23	26	20	16	26	10	13	20	267
Guysborough	10	15	15	17	15	13	8	12	11	10	13	16	155
Halifax	101	105	138	106	87	101	79	84	92	119	96	116	1224
Hants	21	17	28	25	20	21	15	17	15	19	17	25	240
Inverness	27	25	19	26	22	15	17	24	26	30	14	24	269
Kings	29	21	26	28	25	22	18	20	29	19	24	16	277
Lunenburg	33	36	36	51	47	36	30	24	20	31	35	27	406
Pictou	45	36	56	39	41	24	25	22	20	40	44	25	417
Queens	15	7	20	20	7	9	5	10	8	9	4	13	127
Richmond	13	13	13	10	14	10	13	10	19	8	9	8	140
Shelburne	13	10	22	18	12	15	15	4	13	21	16	16	175
Victoria	3	8	8	7	7	4	4	4	6	9	7	8	75
Yarmouth	22	37	34	25	20	25	14	17	24	19	20	21	278
Total	556	514	654	565	512	475	389	441	492	533	463	489	6083

TABLE XXII—DEATHS OCCURRING IN COUNTIES IN NOVA SCOTIA, 1937

Counties (Including Cities and Towns)	Sex		Social Condition					Total
	Male	Female	Single	Married	Widowed	Divorced	Unknown	
Annapolis	124	100	66	76	81	.....	1	224
Antigonish	92	86	63	84	30	.....	1	178
Cape Breton	491	412	427	305	171	.....	.....	903
Colchester	156	142	78	124	96	.....	.....	298
Cumberland	233	197	129	183	117	.....	1	430
Digby	148	119	80	113	73	.....	1	267
Guysboro	83	72	53	54	48	.....	.....	155
Halifax	639	585	436	484	295	3	6	1224
Hants	135	105	92	88	59	1	.....	240
Inverness	153	116	94	100	74	1	.....	269
Kings	143	134	97	99	79	1	1	277
Lunenburg	225	181	117	163	126	.....	.....	406
Pictou	215	202	123	138	152	3	1	417
Queens	68	59	43	52	31	.....	1	127
Richmond	63	77	51	46	43	.....	.....	140
Shelburne	87	88	48	66	60	1	.....	175
Victoria	41	34	18	26	31	.....	.....	75
Yarmouth	148	130	78	114	86	.....	.....	278
Total	3244	2839	2093	2315	1652	10	13	6083

TABLE XXIII—DEATHS OCCURRING IN CITIES AND TOWNS OF NOVA SCOTIA, 1937

Cities and Towns	Sex		Social Condition					
	Male	Female	Single	Married	Widowed	Divorced	Unknown	Total
Amherst	68	55	41	48	33	.....	1	123
Antigonish	50	42	33	53	5	.....	1	92
Bridgetown	8	7	5	3	7	.....	.....	15
Bridgewater	48	41	32	36	21	.....	.....	89
Canso	5	7	2	5	5	.....	.....	12
Dartmouth	31	34	14	31	20	.....	.....	65
Digby	27	20	21	20	6	.....	.....	47
Dominion	13	12	20	1	4	.....	.....	25
Glace Bay	150	95	136	74	35	.....	.....	245
Halifax	441	417	327	326	197	3	5	858
Inverness	37	29	31	21	14	.....	.....	66
Joggins	5	4	3	4	2	.....	.....	9
Kentville	22	27	17	23	8	1	.....	49
Liverpool	20	20	19	13	7	.....	1	40
Lunenburg	19	18	6	18	13	.....	.....	37
Mahone Bay	6	6	1	5	6	.....	.....	12
New Glasgow	76	66	49	47	44	1	1	142
New Waterford	48	30	44	27	7	.....	.....	78
North Sydney	48	55	50	30	23	.....	.....	103
Oxford	5	5	2	4	4	.....	.....	10
Parrsboro	16	22	13	14	11	.....	.....	38
Pictou	15	20	7	13	15	.....	.....	35
Port Hawkesbury	3	2	1	2	2	.....	.....	5
Shelburne	9	8	7	5	5	.....	.....	17
Springhill	39	27	18	32	16	.....	.....	66
Stellarton	15	17	12	13	7	.....	.....	32
Sydney	90	93	62	87	34	.....	.....	183
Sydney Mines	52	39	37	34	20	.....	.....	91
Trenton	6	5	2	7	2	.....	.....	11
Truro	58	60	39	43	36	.....	.....	118
Wedgeport	11	3	3	9	2	.....	.....	14
Westville	15	15	10	9	11	.....	.....	30
Windsor	43	28	27	30	13	1	.....	71
Wolfville	18	18	12	16	8	.....	.....	36
Yarmouth	67	62	42	45	42	.....	.....	129
Total	1584	1409	1145	1148	685	6	9	2993

TABLE XXIV—AGES AT WHICH DEATHS OCCURRED IN THE PROVINCE OF NOVA SCOTIA, BY COUNTIES, 1937

COUNTIES (Including cities and towns)	Under 1 Year		1		2		3		4		5–9		10-14		15–19		20–29		30–39		40–49		50–59		60–69		70–79		80–89		90–99		100 and over		Not stated		
	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Total
Annapolis	9	8	2	....	1	....	2	1	....	1	2	2	....	....	2	....	7	.....	4	5	6	2	9	1	18	11	33	34	25	26	3	9	1	..	....	....	224
Antigonish	5	7	1	1	....	2	....	....	....	....	1	2	....	1	1	1	5	3	3	5	6	6	4	5	16	13	29	16	14	16	6	6	1	2	....	....	178
Cape Breton	136	96	9	13	3	5	1	2	2	2	6	7	9	6	11	7	32	26	20	18	32	23	58	38	69	47	63	58	37	50	3	13	....	1	...	....	903
Colchester	14	15	1	1	1	....	2	1	1	1	2	2	....	1	1	....	5	8	7	5	8	2	15	10	21	14	39	46	33	29	5	6	....	1	1	....	298
Cumberland	33	24	1	1	....	....	3	2	1	....	2	2	1	2	4	4	9	9	13	10	7	13	21	15	43	32	55	47	36	29	4	6	....	1	....	....	430
Digby	15	10	2	4	2	2	1	1	1	....	....	....	3	1	5	1	3	2	4	6	9	8	14	10	26	21	31	21	24	20	8	12	....	..	....	...	267
Guysboro	6	6	3	....	2	....	....	....	....	....	....	....	1	2	2	4	6	2	4	4	1	2	7	5	15	7	12	16	19	19	5	3	....	2	....	....	155
Halifax	94	55	12	5	4	3	3	2	2	3	14	12	2	8	10	14	25	43	30	40	55	34	77	53	115	84	116	130	71	80	8	18	....	1	1	....	1224
Hants	24	17	5	....	2	1	....	....	....	....	3	3	1	....	2	1	5	2	3	2	4	5	12	8	14	15	30	23	26	21	4	7	....	....	....	...	240
Inverness	16	11	....	....	1	....	1	....	1	....	1	1	2	1	3	1	11	7	7	7	5	5	10	6	21	17	39	26	31	23	4	11	....	....	....	....	269
Kings	19	13	3	3	1	1	1	....	....	1	....	1	1	1	5	5	8	12	11	8	7	10	11	7	22	11	21	17	28	34	5	10	....	....	....	....	277
Lunenburg	30	24	1	....	1	....	2	....	1	1	3	6	2	....	5	2	10	6	11	7	6	12	22	21	23	21	61	39	39	36	8	6	....	....	....	....	406
Pictou	16	18	2	5	....	...	....	1	1	....	4	....	....	2	1	2	9	9	8	6	13	11	31	21	29	19	53	38	40	48	7	21	....	1	1	....	417
Queens	7	7	2	1	....	....	....	1	....	....	1	1	3	...	2	1	4	.....	.....	3	5	3	9	4	11	12	12	13	10	10	2	3	....	....	....	....	127
Richmond	9	13	3	1	....	....	1	....	....	1	1	....	....	1	1	1	4	7	3	3	3	4	10	5	4	5	15	13	3	12	5	11	1	....	....	....	140
Shelburne	16	10	1	1	....	....	1	....	. .	....	3	....	....	....	1	3	.....	5	3	4	7	3	5	4	8	10	22	19	15	24	5	5	....	....	....	....	175
Victoria	3	2	2	....	1	....	....	....	....	....	....	....	1	....	.....	2	3	1	.....	1	1	2	2	.....	3	1	12	10	10	11	2	4	1	....	....	....	75
Yarmouth	14	10	2	1	1	....	1	1	1	2	2	2	1	....	1	4	12	8	2	7	10	4	14	7	25	17	28	31	27	23	7	13	....	....	....	...	278
Total	466	346	52	37	20	14	19	12	11	12	45	41	27	26	57	53	158	150	133	141	185	149	331	220	483	357	671	597	488	511	91	164	4	9	3	....	6083

TABLE XXV—AGES AT WHICH DEATHS OCCURRED IN CITIES AND TOWNS OF NOVA SCOTIA, 1937

Cities and Towns	Under 1 year		1		2		3		4		5–9		10-14		15–19		20–29		30–39		40–49		50–59		60–69		70–79		80–89		90–99		100 and over		Not stated		Total
	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	
Amherst	11	6	1				1	1	1		1	1	1	1	2	2	4	4	3	2	2	5	6	4	8	9	13	11	12	8	2	1					123
Antigonish	3	5	1	1							1	1		1	1	1	3	3	1	3	5	4	3	2	12	8	13	10	5	3	1		1				92
Bridgetown	3																1									1	3		1	4		2					15
Bridgewater	2	4			1		1		1		1	5	1		1	1	5	2	6	1	1	7	8	7	3	6	12	4	4	4	1						89
Canso	1																1		1			1			1	1	1	2		2				1			12
Dartmouth	4		1								1	1							1	2	3	1	3	4	8	5	4	8	5	13	1						65
Digby	2	3		1			1		1							1	2			4	5		3	2	6	2	3	5	4	1		1					47
Dominion	10	5					1			1				1		1									2	1		1		2							25
Glace Bay	56	37	2	3		1		1	2		2	1	4	1	1		8	5	8	2	14	4	17	15	15	3	13	15	7	6	1	1					245
Halifax	66	44	8	4	3	3	2	1	2	1	11	10	2	6	6	13	16	34	20	30	36	29	57	40	84	60	76	84	47	43	4	14		1	1		858
Inverness	8	8									1		1	1	2	1	3	1	3	3	2		1	2	9	3	3	8	2	2	2						66
Joggins		1																	1			1	1		1		1		1	2							9
Kentville			1				1									2	2	9	7	4	3	2	2	1	4	3	1	3	1	2		1					49
Liverpool	3	4	2	1				1							1		2				2	1	2	2	5	6	1	4	2	1							40
Lunenburg	3	2																		1		2	1	2	2	2	8	5	4	3	1	1					37
Mahone Bay																				1			1			1	1	2	4	2							12
New Glasgow	6	6	2	3				1			3			2		1	2	5	5	3	8	5	11	12	14	8	14	7	10	9	1	3		1			142
New Waterford	12	10	1			1						1	2	1	3	2	5	3	5	2	3	2	4	2	5	3	3		5	2		1					78
North Sydney	17	11	2	2		1							1	1	2	1	3	2	1	4	3	5	5	3	6	4	5	11	3	8		2					103
Oxford		1																	1						1	1	2	2	1	1							10
Parrsboro	4	2						1							1				1		2		1	3	3	6	4	6		3		1					38
Pictou	3	2		2														1	1	2		1	1		2	1	3	1	4	6	1	4					35
Port Hawkesbury																	1						2			2											5
Shelburne	3	2																	2		1	1				1	3	1		1		2					17
Springhill	6	5					1									1	2	4	2	1		1	5	2	9	3	10	8	4	1		1					66
Stellarton		4													1		3	1	1	1		2	2	1	3	1	2	2	2	3	1	2					32
Sydney	9	9		2		1		1		1		2	1	1	3	1	11	14	4	5	5	7	18	12	20	15	13	8	6	12		1		1			183
Sydney Mines	14	10	2	1		1					2	3					2	1		4	4	3	6	2	9	8	7	5	5	1	1						91
Trenton		2																			1	1	1	1	2	1	1		1								11
Truro	9	10			1		1		1	1	2	1		1	1		2	6	3	2	4	1	5	6	9	4	11	15	6	12	2	1			1		118
Wedgeport	1	1	1																1		1		1				1	1	3		2	1					14
Westville	4															1	1	1					4	2	2	2	2	3	2	2		4					30
Windsor	7	4			2							1				1	2		1		3	4	6	3	4	3	11	5	7	4		3					71
Wolfville	1	2													1	1	1	1	1	1	1	3	2	1	4	2	2	2	5	3		2					36
Yarmouth	6	5	1	1	1		1			2	2	1				2	8	4	1	4	5	2	10	5	11	8	15	15	6	7		6					129
Total	274	205	25	21	8	8	10	7	8	6	27	28	13	17	26	33	90	101	81	82	114	95	189	136	264	184	262	254	169	173	21	55	1	4	2	...	2993

TABLE XXVI—TOTAL DEATHS (EXCLUSIVE OF STILLBIRTHS) AND DEATHS IN INSTITUTIONS SHOWING THE NUMBER NON-RESIDENT IN THE PROVINCE OF NOVA SCOTIA, 1937

	All Deaths						In Institutions					
	Total			Non-resident in Province			Total			Non-resident in Province		
	Total	M	F	Total	M	F	Total	M	F	Total	M	F
Total for the Province	6083	3244	2839	13	11	2	1481	855	626	7	6	1

TABLE XXVII—TOTAL DEATHS (EXCLUSIVE OF STILLBIRTHS) AND DEATHS IN INSTITUTIONS, CLASSIFIED ACCORDING TO RESIDENCE OF DECEDENTS IN CITIES AND TOWNS OF 5000 POPULATION AND OVER, IN THE PROVINCE OF NOVA SCOTIA 1937

Cities and Towns	All Deaths												Deaths in Institutions												Deaths elsewhere than in Institutions											
	Total			Residents			Non-resident in city or town where death occurred and						Total			Residents			Non-resident in city or town where death occurred and						Total			Residents			Non-resident in city or town where death occurred and					
							Resident in Prov.			Non-resident in Prov.									Resident in Prov.			Non-resident in Prov.									Resident in Prov.			Non-resident in Prov.		
	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F
Cities:																																				
Halifax	858	441	417	695	342	353	161	97	64	2	2	....	466	268	198	307	172	135	157	94	63	2	2	....	392	173	219	388	170	218	4	3	1	....	....	....
Sydney	183	90	93	157	80	77	26	10	16	....	....	....	92	49	43	70	40	30	22	9	13	....	....	....	91	41	50	87	40	47	4	1	3	....	....	....
Towns:																																				
Amherst	123	68	55	109	58	51	11	7	4	3	3	....	40	24	16	26	14	12	11	7	4	3	3	....	83	44	39	83	44	39	....	....	....	....	....	....
Dartmouth	65	31	34	60	31	29	5	....	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	65	31	34	60	31	29	5	....	5	....	....	....
Glace Bay	245	150	95	211	124	87	34	26	8	....	....	....	127	80	47	95	56	39	32	24	8	....	....	....	118	70	48	116	68	48	2	2	....	....	....	....
New Glasgow	142	76	66	90	50	40	51	25	26	1	1	....	68	35	33	18	9	9	49	25	24	1	1	....	74	41	33	72	41	31	2	....	2	....	....	....
New Waterford	78	48	30	76	46	30	2	2	....	....	....	....	26	14	12	24	12	12	2	2	....	....	....	....	52	34	18	52	34	18	....	....	....	....	....	....
North Sydney	103	48	55	89	41	48	14	7	7	....	....	....	24	14	10	11	7	4	13	7	6	....	....	....	79	34	45	78	34	44	1	....	1	....	....	....
Springhill	66	39	27	60	35	25	6	4	2	....	....	....	30	20	10	25	17	8	5	3	2	....	....	....	36	19	17	35	18	17	1	1	....	....	....	....
Stellarton	32	15	17	31	14	17	1	1	....	....	....	....	1	1	....	1	1	....	....	....	....	....	....	....	31	14	17	30	13	17	1	1	....	....	....	....
Sydney Mines	91	52	39	84	46	38	7	6	1	....	....	....	21	14	7	15	9	6	6	5	1	....	....	....	70	38	32	69	37	32	1	1	....	....	....	....
Truro	118	58	60	88	44	44	30	14	16	....	....	....	43	21	22	17	7	10	26	14	12	....	....	....	75	37	38	71	37	34	4	....	4	....	....	....
Yarmouth	129	67	62	86	39	47	43	28	15	....	....	....	56	35	21	20	10	10	36	25	11	....	....	....	73	32	41	66	29	37	7	3	4	....	....	....

TABLE XXVIII—DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SINGLE YEARS OF AGE AND BY AGE GROUPS, IN THE PROVINCE OF NOVA SCOTIA, 1937

Ages	Total	Male	Female
All ages	6,083	3,244	2,839
Under 1 year	812	466	346
1 year	89	52	37
2 years	34	20	14
3 "	31	19	12
4 "	23	11	12
Total under 5 years	989	568	421
5 years	29	19	10
6 "	16	9	7
7 "	17	8	9
8 "	13	5	8
9 "	11	4	7
Total 5-9 years	86	45	41
10 years	6	4	2
11 "	10	5	5
12 "	10	4	6
13 "	11	8	3
14 "	16	6	10
Total 10-14 years	53	27	26
15 years	14	5	9
16 "	23	12	11
17 "	18	14	4
18 "	36	17	19
19 "	19	9	10
Total 15–19 years	110	57	53
20 years	30	13	17
21 "	29	11	18
22 "	36	20	16
23 "	28	17	11
24 "	23	14	9
Total 20-24 years	146	75	71
25 years	31	14	17
26 "	33	19	14
27 "	28	9	19
28 "	32	19	13
29 "	38	22	16
Total 25-29 years	162	83	79

TABLE XXVIII—DEATHS (EXCLUSIVE OF STILLBIRTHS) Cont'd

Ages	Total	Male	Female
30 years	26	9	17
31 "	31	19	12
32 "	26	15	11
33 "	24	13	11
34 "	18	7	11
Total 30-34 years	125	63	62
35 years	28	10	18
36 "	24	9	15
37 "	38	25	13
38 "	33	13	20
39 "	26	13	13
Total 35-39 years	149	70	79
40 years	20	13	7
41 "	27	18	9
42 "	31	17	14
43 "	34	18	16
44 "	32	18	14
Total 40-44 years	144	84	60
45 years	32	16	16
46 "	34	20	14
47 "	51	28	23
48 "	30	12	18
49 "	43	25	18
Total 45-49 years	190	101	89
50 years	50	27	23
51 "	42	25	17
52 "	59	32	27
53 "	34	20	14
54 "	58	38	20
Total 50-54 years	243	142	101
55 years	58	37	21
56 "	57	31	26
57 "	49	32	17
58 "	80	53	27
59 "	64	36	28
Total 55-59 years	308	189	119
60 years	74	42	32
61 "	71	41	30
62 "	68	38	30
63 "	80	47	33
64 "	87	47	40
Total 60-64 years	380	215	165

TABLE XXVIII–DEATHS (EXCLUSIVE OF STILLBIRTHS)—Cont'd

Ages	Total	Male	Female
65 years	84	52	32
66 "	85	53	32
67 "	96	51	45
68 "	97	51	46
69 "	98	61	37
Total 65-69 years	460	268	192
70 years	142	74	68
71 "	90	46	44
72 "	128	72	56
73 "	118	69	49
74 "	121	61	60
Total 70-74 years	599	322	277
75 years	144	77	67
76 "	145	84	61
77 "	127	64	63
78 "	132	66	66
79 "	121	58	63
Total 75-79 years	669	349	320
80 years	126	64	62
81 "	98	47	51
82 "	131	72	59
83 "	110	55	55
84 "	117	54	63
Total 80-84 years	582	292	290
85 years	96	51	45
86 "	111	51	60
87 "	78	37	41
88 "	70	32	38
89 "	62	25	37
Total 85-89 years	417	196	221
90 years	57	19	38
91 "	43	15	28
92 "	29	13	16
93 "	33	12	21
94 "	24	12	12
Total 90-94 years	186	71	115
95 years	25	9	16
96 "	20	4	16
97 "	12	5	7
98 "	9	2	7
99 "	3	....	3
Total 95-99 years	69	20	49
100 years and over	13	4	9
Not stated	3	3	....

TABLE XXIX—DEATHS (EXCLUSIVE OF STILLBIRTHS) CLASSIFIED ACCORDING TO RACIAL ORIGIN OF DECEDENTS, IN THE PROVINCE OF NOVA SCOTIA, 1937

Racial Origin	Total	Male	Female
All origins	6,083	3,244	2,839
English	2,646	1,416	1,230
Irish	653	325	328
Scottish	1,591	844	747
Welsh	12	7	5
French	639	334	305
German	231	136	95
Armenian	.....	.....	.....
Austrian	4	4	.....
Belgian	7	4	3
Bulgarian	.....	.....	.....
Chinese	4	4	.....
Czech and Slovak	2	1	1
Danish	4	4	.....
Dutch	44	29	15
Finnish	1	1	.....
Greek	3	2	1
Hindu	1	1	.....
Hungarian	4	3	1
Icelandic	1	1	.....
Indian	48	27	21
Italian	14	10	4
Japanese	.....	.....	.....
Jewish	8	6	2
Negro	107	53	54
Norwegian	6	5	1
Polish	7	4	3
Roumanian	1	1	.....
Russian	7	4	3
Serb and Croat	1	.....	1
Swedish	4	2	2
Swiss	7	4	3
Syrian	6	2	4
Ukrainian (1)	3	2	1
Other	6	2	4
Not specified	11	6	5

(1) Including "Galician" and "Bukovinian."

TABLE XXX—DEATHS (EXCLUSIVE OF STILLBIRTHS) CLASSIFIED ACCORDING TO BIRTHPLACE OF DECEDENTS, FOR THE PROVINCE AND FOR CITIES AND TOWNS OF 10,000 POPULATION AND OVER, IN THE PROVINCE OF NOVA SCOTIA, 1937

Province, Cities and towns		Total deaths by sex	BIRTHPLACE OF DECEDENTS																																			
			CANADA										BRITISH ISLES					British Possessions		EUROPE															ASIA					
			Prince Edward Island	Nova Scotia	New Brunswick	Quebec	Ontario	Manitoba	Saskatchewan	Alberta	British Columbia	Prov. not specified	England	Ireland	Scotland	Wales	Other	Newfoundland	Other	Austria	Belgium	Denmark	Finland	France	Germany	Holland	Hungary	Italy	Norway	Poland	Roumania	Russia (1)	Sweden	Other	China	Japan	Other	United States	Various	Not specified
NOVA SCOTIA	T.	6083	58	5360	140	22	18	2	....	....	2	....	93	20	41	4	....	160	12	3	6	3	1	7	....	....	3	5	5	9	1	10	2	4	4	....	1	56	8	23
	M.	3244	33	2843	83	11	10	2	....	....	1	....	65	8	26	3	....	63	7	3	4	3	1	6	....	....	3	3	5	6	1	8	2	2	4	....	....	18	3	17
	F.	2839	25	2517	57	11	8	....	....	....	1	....	28	12	15	1	....	97	5	....	2	....	....	1	....	....	....	2	....	3	....	2	....	2	..	....	1	38	5	6
GLACE BAY	T.	245	1	202	2	....	1	....	....	....	....	....	4	....	4	....	....	17	1	....	....	....	....	1	....	....	1	2	....	4	1	4	....	....	....	....	....	....	....	....
	M.	150	1	122	2	....	1	....	....	....	..	....	3	....	3	....	....	6	1	....	....	....	....	1	....	....	1	2	....	3	1	3	....	....	....	....	....	....	....	....
	F.	95	....	80	....	....	....	....	....	....	....	....	1	....	1	....	....	11	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....

HALIFAX																																						
T.	858	11	659	31	6	5	....	....	....	....	....	23	9	18	1	....	56	3	....	....	1	....	1	....	....	1	1	2	1	....	1	....	3	3	....	....	12	....	10
M.	441	3	338	20	2	2	....	....	....	....	....	20	4	11	1	....	17	1	....	....	1	....	1	....	....	1	....	2	....	....	1	....	1	3	....	....	4	....	8
F.	417	8	321	11	4	3	....	....	....	....	....	3	5	7	....	....	39	2	....	....	....	....	....	....	....	....	1	....	1	....	....	....	2	....	....	....	8	....	2
SYDNEY																																						
T.	183	8	130	5	2	1	....	....	....	....	....	6	2	....	1	....	16	1	1	....	1	1	1	....	....	1	....	....	1	....	....	....	....	1	....	....	1	3	....
M.	90	6	61	2	....	....	....	....	....	....	....	2	2	....	1	....	7	1	1	....	1	1	1	....	....	1	....	....	1	....	....	....	....	1	....	....	....	1	....
F.	93	2	69	3	2	1	....	....	....	....	....	4	....	....	....	....	9	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	2	....

(1) Including the Ukraine

TABLE XXXI—DEATHS (EXCLUSIVE OF STILLBIRTHS) CLASSIFIED ACCORDING TO BIRTHPLACES OF PARENTS OF DECEDENTS IN THE PROVINCE OF NOVA SCOTIA 1937

Birthplace of Father	Total Fathers	BIRTHPLACE OF MOTHER																																						
		Canada										British Isles					British Possessions		Europe															Asia						
		Prince Edward Island	Nova Scotia	New Brunswick	Quebec	Ontario	Manitoba	Saskatchewan	Alberta	British Columbia	Prov. not specified	England	Ireland	Scotland	Wales	Other	Newfoundland	Other	Austria	Belgium	Denmark	Finland	France	Germany	Holland	Hungary	Italy	Norway	Poland	Roumania	Russia (1)	Sweden	Other	China	Japan	Other	United States	Various	Not specified
CANADA	4715	44	4188	110	24	10	....	1	2	2	....	32	25	42	....	....	40	1	..	....	....	....	....	2	....	....	....	....	....	....	....	....	1	....	....	....	36	....	155
P. E. Island	59	26	22	7	....	....	....	....	....	....	....	....	....	....	....	....	....	....	..	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	4
Nova Scotia	4501	17	4129	27	10	4	....	..	1	2	....	31	22	39	....	....	40	1	....	....	....	....	....	2	....	....	....	....	....	....	....	....	1	....	....	....	36	....	139
New Brunswick	122	....	27	75	2	....	....	1	....	....	....	....	3	3	....	....	....	....	..	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	11
Quebec	16	1	2	....	12	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
Ontario	14	....	6	1	....	6	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Manitoba	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Saskatchewan	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Alberta	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
British Columbia	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Province not specified	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
BRITISH ISLES	698	6	213	9	2	3	....	....	..	....	1	126	81	187	4	1	18	....	..	1	....	....	....	....	2	..	....	....	1	....	....	....	....	....	....	....	....	....	....
England	234	1	60	5	2	2	....	....	....	....	....	118	7	7	....	....	10	....	....	1	....	....	....	....	2	..	....	....	1	....	....	....	....	....	....	....	1	....	42
Ireland	150	1	59	1	....	1	....	....	....	....	....	2	67	4	1	....	5	....	....	....	....	....	..	....	....	....	....	....	....	....	....	....	....	....	....	....	....	..	18
Scotland	303	4	92	3	....	....	....	....	....	....	1	3	7	176	....	..	2	....	....	....	....	....	..	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	9
Wales	10	....	2	....	....	....	....	....	....	....	....	3	....	....	3	....	1	..	..	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	14
																																						....	1

Other	1															1																									
BRITISH POSSESSIONS	220	3	39		2	1						1	1	1	1		145	4																				4	1	17
Newfoundland	202	2	32		2	1						1	1		1		144																				2	1	15
Other	18	1	7											1			1	4																			2		2
EUROPE	93		17									1		1			1		3	6	2	1	10	3		4	7	5	11	1	11	2	4				1		2
Austria	4																		3										1											
Belgium	6																			6																				
Denmark	4		1											1							2																			
Finland	1																					1																		
France	13		2									1					1						10																	
Germany	16		6									1												3																
Holland																																								
Hungary	4																									4														
Italy	11		2																								7										1		1
Norway	7		2																									5												
Poland	11																												10											1
Roumania	1																													1										
Russia (1)	11																														11									
Sweden	3		1																													2								
Other	7		3																														4							
ASIA	11		5																															4		2				
China	4																																	4						
Japan																																								
Other	7		5																																	2				
United States	48		22	1								2							1																		18		4
Various	5		1														2																					2		
Not specified	293	2	98	1		1			1			1	2	2			1	1																			1		182
Total mothers	6083	55	4583	121	28	15		1	3	2	1	163	109	233	5	1	207	6	4	7	2	1	10	5	2	4	7	5	12	1	11	2	5	4		2	61	3	402

(1) Including the Ukraine.

TABLE XXXII—CAUSES OF DEATH BY SEX AND AGE, IN THE PROVINCE OF NOVA SCOTIA, 1937

Int. List No.	Causes of Death		Total	Ages																										
				Under 1 year	1 year	2 years	3 years	4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95–99 years	100 years and over	Not stated
	Deaths--All causes	T.	6083	812	89	34	31	23	86	53	110	146	162	125	149	144	190	243	308	380	460	599	669	582	417	186	69	13	3
		M.	3244	466	52	20	19	11	45	27	57	75	83	63	70	84	101	142	189	215	268	322	349	292	196	71	20	4	3
		F.	2839	346	37	14	12	12	41	26	53	71	79	62	79	60	89	101	119	165	192	277	320	290	221	115	49	9	....
	Class I—Infectious and Parasitic diseases	T.	857	93	33	11	14	7	26	22	44	76	72	52	52	26	37	31	28	38	44	40	34	33	21	15	7	1	....
		M.	425	58	14	5	10	4	14	8	17	32	26	28	29	13	24	21	19	17	26	15	16	11	10	5	3	....	....
		F.	432	35	19	6	4	3	12	14	27	44	46	24	23	13	13	10	9	21	18	25	18	22	11	10	4	1	....
1	Typhoid fever	M.	10	....	....	1	....	....	....	....	2	3	....	....	2	....	1	....	....	1	....	....	....	....	....	....	....	....	....
		F.	2	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
2	Paratyphoid fever	M.	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4	Relapsing fever	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5	Undulant fever	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6	Small-pox	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

7	Measles	M.	5	3					1											1									
		F.	5		2		1	1	1																				
8	Scarlet Fever	M.	4	1			2		1																				
		F.	6		2			1	1		1		1																
9	Whooping-cough	M.	18	15			3																						
		F.	26	13	5	1	2		2	2															1				
10	Diphtheria	M.	5	1	1			1	1	1																			
		F.	6			1			3	1						1													
11	Influenza	M.	120	24	4		1	1	2	3		1	2	1	1	4	4	5	3	4	15	8	11	8	10	5	3		
		F.	124	16	5	1		1	1				3	5	4	2		3	1	6	9	14	13	17	8	10	4	1		
	(a) Sole cause	M.	19	6	1												1			1	1	3	1	1	3	1				
		F.	24	6	2													1				2	2	3	4	2	2			
	(b) With bronchitis	M.	4	1																	1				2					
		F.	8											1				1	1		1	1		3						
	(c) With pneumonia	M.	59	14	2			1	1			1			1	3	1	3	2	3	6	3	8	4	3	2	1		
		F.	52	7	2	1		1	1					2	4					4	4	6	5	6	1	5	2	1	
	(d) With other diseases	M.	7											1				2			1			1			2		
	of the respiratory system	F.	10	1										1		1					1	1	2	1	1	1			
	(e) With intestinal	M.	4	1			1		1												1								
	complications	F.	4	1	1																2								
	(f) With other	M.	27	2	1					3			2			1	2		1		5	2	2	2	2	2			
	causes	F.	26	1									3	1		1		1		2	1	4	4	4	2	2			
13	Dysentery	M.	3															1					2						
		F.	2	1																					1				
15	Erysipelas	M.																											
		F.	4										1							2			1						
16	Poliomyelitis and pol-	M.	4					1			1		1		1														
	ioencephalitis (acute)	F.	4		2					1		1																	
17	Lethargic or epidemic	M.	1															1											
	encephalitis	F.																											

TABLE XXXII—CAUSES OF DEATH BY SEX AND AGE, IN THE PROVINCE OF NOVA SCOTIA, 1937—Continued.

Int. List No.	Causes of Death		Total	Ages																										
				Under 1 year	1 year	2 years	3 years	4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95–99 years	100 years and over	Not stated
18	Epidemic cerebro-	M.	2	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	spinal meningitis	F.	2	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
19	Glanders	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
20	Anthrax, malignant	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	pustule	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
21	Rabies	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
22	Tetanus	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
23-32	Tuberculosis	M.	223	8	8	2	4	1	9	3	14	27	23	23	19	9	16	12	14	9	9	7	3	3	...	...	...	...	...	...
		F.	238	2	1	3	1	...	4	10	24	42	40	19	19	9	12	7	7	11	9	9	4	4	1	...	...	...	...	...
23	Tuberculosis of the	M.	176	1	3	1	...	...	3	...	11	25	23	18	18	9	15	11	12	7	8	7	1	3	...	...	...	...	...	...
	respiratory system	F.	204	...	1	1	...	...	...	4	18	41	38	18	18	8	10	7	5	10	9	9	3	3	1	...	...	...	...	...
24	Tuberculosis of the meninges and central	M.	25	5	4	1	2	1	5	3	...	...	...	...	...	...	1	...	2	1	...	...	...	...	...	...	...	...	...	...
	nervous system	F.	19	2	...	1	1	...	3	6	3	1	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...

25	Tuberculosis of the intestines and peri-	M.	6				1				1			2								1		1						
	toneum	F.	4										1	1	1				1											
26	Tuberculosis of the	M.	4						1		1			2																
	vertebral column	F.	1								1																			
27	Tuberculosis of the bones and joints (vertebral column	M.	1									1																		
	excepted)	F.	2						1																1					
	(a) Of bones	M.	1									1																		
		F.	1																						1					
	(b) Of joints	M.																												
		F.	1						1																					
28	Tuberculosis of the skin and sub-cutaneous cellular	M.																												
	tissue	F.																												
29	Tuberculosis of the lymphatic system (bronchial, mesenteric and retroperitoneal glands	M.	2	2																										
	excepted)	F.																												
30	Tuberculosis of the genito-urinary sys-	M.	4									1			1			1						1						
	tem	F.	1													1														
31	Tuberculosis of other	M.																												
	organs	F.																												

TABLE XXXII—CAUSES OF DEATH BY SEX AND AGE, IN THE PROVINCE OF NOVA SCOTIA, 1937—Continued.

Int. List No.	Causes of Death		Total	Ages																								
				Under 1 year	1 year	2 years	3 years	4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95–99 years	100 years and over	Not stated
32	Disseminated tuberculosis	M.	5		1		1				1			1						1									
		F.	7			1					2						2		1	1									
	(a) Acute	M.	3		1		1				1																		
		F.	2			1					1																		
	(b) Chronic	M.																											
		F.																											
	(c) Not specified	M.	2											1						1									
		F.	5								1						2		1	1									
33	Leprosy	M.																											
		F.																											
34	Syphilis	M.	21	5	1	1				1				2	5		1	2	2	1									
		F.	8	2	2							1					1					2							
35	Gonococcus infection and other venereal diseases	M.	1														1												
		F.	1													1													
36	Purulent infection, septicaemia (non puerperal)	M.	4	1								1					1			1									
		F.	4								1								1	1				1					

38	Malaria	M.																											
		F.																											
39	Other diseases due to	M.																											
	protozoal parasites	F.																											
40	Ankylostomiasis	M.																											
		F.																											
41	Hydatid cysts	M.																											
		F.																											
	(a) Of the liver	M.																											
		F.																											
	(b) Of other organs	M.																											
		F.																											
42	Other diseases caused	M.	1																	1									
	by helminths	F.																											
43	Mycoses	M.																											
		F.																											
44	Other infectious or	M.	2			1														1									
	parasitic diseases	F																											
	(a) Chicken-pox	M.																											
		F.																											
	(b) German measles	M.																											
		F.																											
	(c) Others under	M.	2			1														1									
	this title	F.																											
	Class II—Cancer and other Tumours	T.	746						1	2	5	2	11	13	21	20	39	63	70	91	97	108	112	52	29	10			
		M.	361							1	2	1	5	5	5	5	17	33	35	45	59	44	61	29	11	3			
		F.	385						1	1	3	1	6	8	16	15	22	30	35	46	38	64	51	23	18	7			
45-53	Cancer and other	M.	352							1	1	1	4	5	5	5	16	33	33	45	59	42	60	28	11	3			
	malignant tumours	F.	365						1	1	2		4	8	14	13	21	29	33	42	36	62	51	23	18	7			

Table XXXII—CAUSES OF DEATH BY SEX AND AGE, IN THE PROVINCE OF NOVA SCOTIA, 1937—Continued.

Int. List No.	Causes of Death		Total	Ages																									
				Under 1 year	1-year	2-years	3-years	4-years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
45	Cancer of the buccal cavity and pharynx	M.	22															3	3	4	3	4	2	2	1				
		F.	3																		1		1		1				
46	Cancer of the digestive tract and peritoneum	M.	239								1	1	1	3	4	5	9	22	20	33	41	29	42	17	9	2			
		F.	184										1	5	3	4	4	14	18	18	14	36	33	16	14	4			
	(a) of the oesophagus	M.	5																1	2		1		1					
		F.																											
	(b) Of the stomach and duodenum	M.	126									1		2	3	2	4	12	10	21	21	18	19	8	4	1			
		F.	84										1	3	1	1	2	6	10	8	7	19	12	6	7	1			
	(c) Of the rectum	M.	19											1		1	2	1	1	2	5	2	2	2					
		F.	15											1		1		2		2		5	1	2	1				
	(d) Of the liver and biliary ducts	M.	15										1		1	1		1	2	1	2	2	1	2		1			
		F.	19												1	1		1	1	1	1	5	5	2	1				
	(e) Of the pancreas	M.	19													1	1	5	1	3	1	3	2	1	1				
		F.	8															1	1	1	2	2		1					
	(f) Of the peritoneum	M.	1								1																		
		F.	2																			1	1						
	(g) Of other organs	M.	54														2	3	5	4	12	3	18	3	4				
		F.	56											1	1	1	2	4	6	6	4	4	14	5	5	3			

47	Cancer of the respiratory organs	M.	18										2	1			2	2	3	2		2	3	1						
		F.	9												1				1	3	2	2								
	(a) Of the larynx	M.																												
		F.	2																	1		1								
	(b) Of the lung	M.	14											1			2	2	2	2		1	3	1						
		F.	6												1				1	2	1	1								
	(c) Of the mediastinum	M.	3										2						1											
		F.																												
	(d) Of other organs of the respiratory system	M.	1																			1								
		F.	1																		1									
48	Cancer of the uterus	F.	66										2	3	7	3	8	6	7	6	6	10	5	3						
	(a) Of the uterus	F.	51										1	1	4	2	6	6	4	6	6	8	4	3						
	(b) Of the cervix uteri	F.	15										1	2	3	1	2		3			2	1							
49	Cancer of other female genital organs	F.	8												1	1			1		2	1	2							
50	Cancer of the breast	M.																												
		F.	48												1	3	5	3	3	9	9	5	8		2					
51	Cancer of the male genito-urinary organs	M.	44										1		1		1	1	3	3	13	4	12	4	1					
	(a) Of the bladder	M.	8														1			2	3		1	1						
	(b) Of the kidney	M.	2															1	1											
	(c) Of the prostate gland	M.	31																2	1	9	4	11	3	1					
	(d) Of the testicles and annexa	M.	3										1		1						1									
	(e) Of other male genito-urinary organs	M.																												

TABLE XXXII—CAUSES OF DEATH BY SEX AND AGE, IN THE PROVINCE OF NOVA SCOTIA, 1937—Continued.

Int. List No.	Causes of Death		Total	Ages																									
				Under 1 year	1 year	2 years	3 years	4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95–99 years	100 years and over	Not stated
52	Cancer of the skin	M.	11														1	2	1	1		1	1	3		1			
		F.	8												1		1	1		1		1	1			2			
53	Cancer of other or unspecified organs	M.	18							1				1			3	3	3	2	2	2		1					
		F.	39						1	1	2		1			2	3	5	3	5	2	7	1	4	1	1			
	(a) Of the eye and orbit	M.	2																		1			1					
		F.	2																1			1							
	(b) Of the circulatory system	M.																											
		F.																											
	(c) Of the glandular system	M.	2														1		1										
		F.	2																	1		1							
	(d) Of the female urinary organs	F.	16													2	1	2	1	2	2	2		3		1			
	(e) Of the bones and joints	M.	2							1										1									
		F.	3						1									1							1				
	(f) Of the brain	M.	3											1				1	1										
		F.	2								1									1									

	(g) Of the spine	M.	3														1	1	1										
	and spinal cord	F.	3								1		1						1										
	(h) Of the neck	M.																											
		F.																											
	(i) Of the abdo-	M.	3														1					2							
	men	F.	5						1									1				1	1	1					
	(j) Of other specifi-	M.	2																	1	1								
	ed organs	F.	2														1	1											
	(k) Multiple cancer	M.	1															1											
		F.																											
	(m) Of unspecified																												
	or unknown	M.																											
	location	F.	4														1			1		2							
54	Non-malignant tum-	M.	8								1						1		2			2	1	1					
	ours	F.	17								1	1	1		2	2	1	1	2	4	2								
	(a) Of the ovary	F.	2								1				1														
	(b) Of the uterus	F.	5												1	1	1	1		1									
	(c) Of other female																												
	genital organs	F.																											
	(d) Of the brain	M.	4														1		1			2							
		F.	1													1													
	(e) Of the thyroid	M.																											
	gland	F.	2										1							1									
	(f) Of the prostate																												
	gland	M.	1																					1					
	(g) Of other or un-	M.	3								1								1				1						
	specified sites	F.	7									1							2	2	2								
55	Tumours, nature	M.	1										1																
	not specified	F.	3										1									2							
	(a) Of the ovary	F.																											

Table XXXII—CAUSES OF DEATH BY SEX AND AGE, IN THE PROVINCE OF NOVA SCOTIA, 1937—Continued.

Int List No.	Causes of Death		Total	Ages: Under 1 year	1 year	2 years	3 years	4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95–99 years	100 years and over	Not Stated
	(b) Of the uterus	F.																											
	(c) Of other female genital organs	F.																											
	(d) Of the brain	M.	1										1																
		F.	2										1									1							
	(e) Of the thyroid gland	M.																											
		F.																											
	(f) Of the prostate gland	M.																											
	(g) Of other or unspecified sites	M.																											
		F.	1																			1							
	Class III—Rheumatic diseases, diseases of nutrition and of the endocrine gland and other general diseases	T.	116			1		1	6	1	5	3	3	2	2	4	5	11	10	10	11	21	10	7	3				
		M.	40						2		1	1		1		2	3	6	3	3	5	7	2	3	1				
		F.	76			1		1	4	1	4	2	3	1	2	2	2	5	7	7	6	14	8	4	2				
56	Acute rheumatic fever	M.	5						1		1						1					1			1				
		F.	10						2	1	2	1	1	1					2										

57	Chronic rheumatism,	M.	4																	1	2		1						
	osteo-arthritis	F.	4							1				1					1		1								
58	Gout	M.																											
		F.																											
59	Diabetes mellitus	M.	27								1				1	2	5	3	3	4	4	2	2						
		F.	45					1						1		1	5	5	3	5	11	7	4	2					
60	Scurvy	M.																											
		F.																											
61	Beriberi	M.																											
		F.																											
62	Pellagra	M.																											
		F.																											
63	Rickets	M.	1					1																					
		F.																											
64	Osteomalacia	M.	1										1																
		F.																											
65	Diseases of the pit-	M.																											
	uitary gland	F.																											
66	Diseases of the thy-																												
	roid and parathy-	M.																											
	roid glands	F.	13					1		1	1	2			1	1			2	1	2	1							
	(a) Simple goitre	M.																											
		F.	3								1										1	1							
	(b) Exophthalmic	M.																											
	goitre	F.	9							1		2			1	1			2	1	1								
	(c) Myxoedema,	M.																											
	cretinism	F.																											
	(d) Tetany	M.																											
		F.	1					1																					
	(e) Others under	M.																											
	this title	F.																											

TABLE XXXII—CAUSES OF DEATH BY SEX AND AGE, IN THE PROVINCE OF NOVA SCOTIA, 1937—Continued.

Int. List No.	Causes of Death		Total	Ages																									
				Under 1 year	1 year	2 years	3 years	4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95–99 years	100 years and over	Not stated
67	Diseases of the	M.																											
	thymus gland	F.	1					1																					
68	Diseases of the adrenals (Addison's	M.	1													1													
	disease)	F.	2													1				1									
69	Other general diseases	M.	1															1											
		F.	1			1																							
	(a) Fatty or amyloid degeneration	M.	1															1											
		F.																											
	(b) Steatosis	M.																											
		F.																											
	(c) Others under	M.																											
	this title	F.	1			1																							
	Class IV—Diseases of	T.	56	2		2	1		4		2		1	2	2	2	1	5	3	9	3	6	6	2	2				1
	the blood and blood-	M.	32	1		2	1		3		1		1		1	1		2	1	6	3	2	4	1	1				1
	forming organs	F.	24	1					1		1			2	1	1	1	3	2	3		4	2	1	1				
70	Haemorrhagic con-	M.	2						1													1							
	ditions	F.	3	1					1									1											

	(a) Simple purpura..	M.	1																		1							
		F.	3	1				1									1											
	(b) Haemophilia.....	M.	1					1																				
		F.																										
71	Anaemia.....	M.	20	1		1									1		2	1	4	3	1	4	1	1				
		F.	15										1		1	1		2	3		3	2	1	1				
	(a) Pernicious anae-	M.	16			1									1		2		4	2		4	1	1				
	mia.....	F.	15										1		1	1		2	3		3	2	1	1				
	(b) Others under	M.	4	1														1		1	1							
	this title.....	F.																										
72	Leukaemia and	M.	9			1		2		1		1		1					2									1
	aleukaemia	F.	2														1				1							
	(a) Leukaemia.....	M.	6			1		2		1		1							1									
		F.	1																		1							
	(b) Aleukaemia																											
	(Hodgkin's	M.	3											1					1									1
	disease)	F.	1														1											
73	Diseases of the spleen	M.	1				1																					
		F.	4							1			1	1			1											
74	Other diseases of the																											
	blood and blood-	M.																										
	forming organs.....	F.																										
	Class V—Chronic	T.	13										3		2	2	3	2				1						
	poisonings and	M.	13										3		2	2	3	2				1						
	intoxications.....	F.																										
75	Alcoholism.....	M.	12										2		2	2	3	2				1						
		F.																										
	(a) Delirium	M.	1										1															
	tremens	F.																										
	(b) Other alcoholic	M.	11										1		2	2	3	2				1						
	intoxications	F.																										

TABLE XXXII—CAUSES OF DEATH BY SEX AND AGE, IN THE PROVINCE OF NOVA SCOTIA, 1937—Continued.

Int. List No.	Causes of Death		Total	Ages																									
				Under 1 year	1 year	2 years	3 years	4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 to 99 years	100 years and over	Not stated
76	Chronic poisoning, by other organic substances	M.																											
		F.																											
	(a) Chronic morphinism	M.																											
		F.																											
	(b) Chronic cocainism	M.																											
		F.																											
	(c) Occupational	M.																											
		F.																											
	(d) Other organic poisoning	M.																											
		F.																											
77	Chronic poisoning by mineral substances	M.	1											1															
		F.																											
	(a) Lead (including occupational)	M.	1											1															
		F.																											
	(b) Occupational, except lead	M.																											
		F.																											
	(c) Others under this title	M.																											
		F.																											

	Class VI—Diseases of the nervous System	T.	356	49	8	2	2	2	6	6	4	8	2	5	2	8	14	15	23	20	30	37	51	30	22	8	1	1
	and of the organs of	M.	199	31	5	1	2	1	2	4	1	7	1	2	2	5	8	5	17	12	16	21	25	21	8	1		1
	special sense	F.	157	18	3	1		1	4	2	3	1	1	3		3	6	10	6	8	14	16	26	9	14	7	1	
78	Encephalitis (non-	M.	4						1			1							1			1						
	epidemic)	F.	7	1	1				2				1				2											
79	Simple meningitis	M.	16	5	2		1		1	1						1		1	1	1	1			1				
		F.	7	2						1		1		2									1					
80	Progressive locomotor	M.	1																			1						
	ataxia (tabes dorsalis)	F.	2														1			1								
81	Other diseases of the	M.	11		1							1					1	1	1			2	2	2				
	spinal cord	F.	10	1				1											1	1				2	2	2		
82	Cerebral haemorrhage, cerebral embolism	M.	85									1			2	1	2	2	10	7	10	10	14	17	7	1		1
	and thrombosis	F.	75		1				1							1	2	7	3	3	9	13	17	4	9	4	1	
	(a) Cerebral hae-	M.	65									1			2	1	2	1	6	4	9	10	9	12	6	1		1
	morrhage	F.	63		1											1	2	7	3	2	7	12	16	2	5	4	1	
	(b) Cerebral embol-	M.	9																3	2	1		2	1				
	ism and thrombosis	F.	2																		1		1					
	(c) Softening of the	M.																										
	brain	F.	1																						1			
	(d) Hemiplegia and other paralysis,	M.	11															1	1	1			3	4	1			
	cause not specified	F.	9						1											1	1	1		2	3			
83	General paralysis of	M.	4														2				1		1					
	the insane	F.	1											1														
84	Dementia praecox	M.	12									1		2		1	2		2			1	3					
	and other psychoses	F.	10								1							2	1	2	2	1		1				
	(a) Dementia	M.	6									1		2		1	2											
	praecox	F.	5								1							2				1		1				

TABLE XXXII—CAUSES OF DEATH BY SEX AND AGE, IN THE PROVINCE OF NOVA SCOTIA, 1937—Continued.

Int. List No.	Causes of Death		Total	Ages																									
				Under 1 year	1 year	2 years	3 years	4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
	(b) Other psychoses	M.	6																2			1	3						
		F.	5																1	2	2								
85	Epilepsy	M.	4					1				1	1										1						
		F.	4	2							1										1								
86	Convulsions (under 5 years of age)	M.	28	24	2	1	1																						
		F.	13	11	1	1																							
87	Other diseases of the nervous system	M.	23							1		1				1	1	1	2	2	3	5	4	1	1				
		F.	22						1							1	1	1		1	1	2	8	2	3	1			
	(a) Chorea	M.																											
		F.																											
	(b) Neuralgia and Neuritis	M.	3																	1			1		1				
		F.	4																		1		1	1		1			
	(c) Paralysis agitans	M.	7															1			2	3	1						
		F.	5																			1	4						
	(d) Sclerosis (other than of the spinal cord)	M.	5									1							1	1	1			1					
		F.	8														1	1		1		1	1	1	2				
	(e) Others under this title	M.	8							1						1	1		1			2	2						
		F.	5						1							1							2		1				

88	Diseases of the organs of vision	M.	1																	1									
		F.	1																		1								
89	Diseases of the ear and mastoid process	M.	10	2					2	1	1				1					1	1	1							
		F.	5	1					1	1					1			1											
	(a) Otitis	M.	6	2					2						1						1								
		F.	4	1					1						1			1											
	(b) Diseases of the Mastoid process	M.	4							1	1									1		1							
		F.	1							1																			
	(c) Others under this title	M.																											
		F.																											
	Class VII—Diseases of the Circulatory system	T.	1416					1		1	4	5	8	10	25	24	41	87	89	149	232	242	251	165	61	15	5	1	
		M.	753							1	2	3	4	2	15	13	22	50	56	86	136	122	130	77	26	5	2	1	
		F.	663					1			2	2	4	8	10	11	19	37	33	63	96	120	121	88	35	10	3		
90-95	Diseases of the heart	M.	465							1	1	2	3	2	11	11	18	38	34	53	85	83	74	34	10	3	1	1	
		F.	355					1			2	2	4	8	10	7	12	20	16	33	54	60	65	41	12	5	3		
90	Pericarditis	M.	1														1												
		F.																											
91	Acute endocarditis	M.	2								1									1									
		F.	7					1				1		1	3	1													
	(a) Endocarditis specified as acute	M.	2								1									1									
		F.	4					1				1		1		1													
	(b) Endocarditis unspecified (under 45 years of age)	M.																											
		F.	3												3														
92	Chronic endocarditis, valvular diseases	M.	117							1		2	1		3	2	5	7	6	11	22	27	21	7	2				
		F.	96									1	2	3	4	2	5	7	4	9	10	13	21	13	1		1		
	(a) Endocarditis specified as chronic and other valvular diseases	M.	111							1		2	1		3	2	4	6	6	10	22	26	20	6	2				
		F.	94									1	2	3	4	2	5	7	4	9	9	13	20	13	1		1		

TABLE XXXII—CAUSES OF DEATH BY SEX AND AGE, IN THE PROVINCE OF NOVA SCOTIA, 1937—Continued.

Int. List. No.	Causes of Death		Total	Ages																									
				Under 1 year	1 year	2 years	3 years	4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
	(b) Endocarditis, unspecified, (45 years and over)	M.	6															1	1		1		1	1	1				
		F.	2																			1		1					
93	Diseases of the myocardium	M.	93											1		1	2	2	4	4	7	19	17	20	10	3	3		
		F.	94									1			1	2		3	2	4	7	8	16	24	15	5	4	2	
	(a) Acute myocarditis	M.	5																	1		1		1	1		1		
		F.	3																			1		2					
	(b) Myocarditis, unspecified, (under 45 years of age)	M.	2											1		1													
		F.	3												1	2													
	(c) Chronic myocarditis and myocardial degeneration	M.	40														1			2	4	8	7	10	5	1	2		
		F.	56									1						3	2	2	1	3	14	11	11	3	3	2	
	(d) Myocarditis, unspecified, (45 years and over)	M.	46														1	2	4	1	3	10	10	9	4	2			
		F.	32																	2	6	4	2	11	4	2	1		
94	Diseases of the coronary arteries and angina pectoris	M.	179											1	2	6	6	9	22	19	22	35	25	17	13	1			1
		F.	81									1		1	1	1	2	1	6	4	13	21	13	9	7	1			

	(a) Diseases of the coronary arteries	M.	4																	1	3								
		F.																											
	(b) Embolism and thrombosis of the coronary arteries	M.	128										1	2	4	4	9	13	13	16	23	18	13	11					1
		F.	61								1				1	1	1	4	3	12	18	9	5	6					
	(c) Angina pectoris	M.	47												2	2		9	6	5	9	7	4	2	1				
		F.	20										1	1		1		2	1	1	3	4	4	1	1				
95	Other diseases of the heart	M.	73												1	1	1	5	5	12	9	14	16	4	4		1		
		F.	77										1	2		2	3	5	4	4	15	18	11	6	5	1			
	(a) Functional diseases of the heart	M.	5																	1		1	2		1				
		F.	4																1		1		2						
	(b) Other and unspecified	M.	68												1	1	1	5	5	11	9	13	14	4	3		1		
		F.	73										1	2		2	3	5	3	4	14	18	9	6	5	1			
96	Aneurysm (except of the heart)	M.	1													1													
		F.	1															1											
97	Arteriosclerosis (of coronary arteries excepted)	M.	239												1		3	8	17	26	46	35	51	36	13	2	1		
		F.	242														2	7	14	24	35	49	51	39	17	4			
98	Gangrene	M.	18												2				1		1	2	2	7	3				
		F.	13																		1	2	1	5	3	1			
99	Other diseases of the arteries	M.	2																		2								
		F.	2																		1				1				
100	Diseases of the veins (varices, haemorrhoids, phlebitis, etc.)	M.	3												1		1	1											
		F.	5													1			1	1		1	1						
101	Diseases of the lymphatic system (lymphangitis, etc.)	M.	1							1																			
		F.																											

TABLE XXXII—CAUSES OF DEATH BY SEX AND AGE, IN THE PROVINCE OF NOVA SCOTIA, 1937—Continued.

Int. List No.	Causes of Death		Total	Ages																									
				Under 1 year	1 year	2 years	3 years	4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
102	Idiopathic abnormalities of blood pressure	M.	23										1			1		3	4	7	2	2	3						
		F.	45													3	5	9	2	5	5	8	3	3	2				
103	Other diseases of the circulatory system	M.	1									1																	
		F.																											
	Class VIII—Diseases of the respiratory system	T.	501	123	22	6	4	5	4	3	5	8	8	6	8	8	11	12	31	32	30	38	45	39	31	16	5	1	
		M.	270	74	14	3	2	3	2	1	1	5	5	1	4	6	6	9	18	21	15	23	20	16	17	4			
		F.	231	49	8	3	2	2	2	2	4	3	3	5	4	2	5	3	13	11	15	15	25	23	14	12	5	1	
104	Diseases of the nasal fossae and annexa	M.	2	1					1																				
		F.																											
105	Diseases of the larynx	M.	2			1																			1				
		F.	1					1																					
	(a) Croup	M.	1			1																							
		F.																											
	(b) Other diseases of the larynx	M.	1																						1				
		F.	1					1																					
106	Bronchitis	M.	14	5	1													1	1		1		3	1	1				
		F.	10	3															1	1		1	2	1	1				

	(a) Acute	M.	9	5															1		1		1		1				
		F.	6	3																			1	1	1				
	(b) Chronic	M.	3															1					2						
		F.	3																	1		1	1						
	(c) Unspecified	M.	2		1																			1					
		F.	1																1										
107	Bronchopneumonia	M.	92	37	9	1	1	2				2		1	1		2	1	3	5	5	3	6	7	4	2			
		F.	85	27	4	2									1		2		3		9	3	4	14	7	7	1	1	
	(a) Broncho-	M.	92	37	9	1	1	2				2		1	1		2	1	3	5	5	3	6	7	4	2			
	pneumonia	F.	85	27	4	2									1		2		3		9	3	4	14	7	7	1	1	
	(b) Capillary bron-	M.																											
	chites	F.																											
108	Lobar pneumonia	M.	74	10	2	1		1	1	1	1	2	3		2	4	1	4	9	9	6	8	4	2	2	1			
		F.	69	7	3		1	1	1	1	2	3	3	4	1	1	2	2	4	6	4	4	10	3	3	1	2		
109	Pneumonia, un-	M.	38	14	2		1								1			1	4	2		4	1	3	5				
	specified	F.	38	11	1						2				2	1	1		3	3		3	6	2	1	1	1		
110	Pleurisy	M.	8	2								1					2		1				1		1				
		F.	4				1														1			1			1		
111	Congestion and hae-																												
	morrhagic infarct	M.	12	2																	2	1	2	1	3	1			
	of the lung, etc	F.	9	1																		1	1	1	2	3			
	(a) Pulmonary em-																												
	bolism and	M.	2																		1		1						
	thrombosis	F.																											
	(b) Others under	M.	10	2																	1	1	1	1	3	1			
	this title	F.	9	1																		1	1	1	2	3			
112	Asthma	M.	20										1			2	1			5	1	6	2	2					
		F.	12											1				1	2	1	1	3	2	1					
113	Pulmonary emphy-	M.																											
	sema	F.																											

TABLE XXXII—CAUSES OF DEATH BY SEX AND AGE, IN THE PROVINCE OF NOVA SCOTIA, 1937—Continued.

Int. List No.	Causes of Death		Total	Ages																									
				Under 1 year	1 year	2 years	3 years	4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
114	Other diseases of the respiratory system (tuberculosis excepted)	M.	8	3	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	2	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
		F.	3	.....	.....	1	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	(a) Chronic interstitial pneumonia including occupational diseases of the respiratory system	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	(b) Gangrene of the lung	M.	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	(c) Others under this title	M.	7	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	2	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
		F.	3	.....	.....	1	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Class IX—Diseases of the digestive system	T.	382	128	13	7	3	4	10	5	8	8	13	8	14	6	19	20	10	23	17	15	19	23	6	2	1	.....	.....
		M.	205	73	10	5	1	2	3	3	5	5	8	6	6	3	6	13	8	9	5	9	11	9	3	1	1	.....	.....
		F.	177	55	3	2	2	2	7	2	3	3	5	2	8	3	13	7	2	14	12	6	8	14	3	1	.....	.....	.....

115	Disease of the buccal cavity and annexa, and of the pharynx and tonsils (including M.	11	1		1						1		2				4					1		1					
	adenoid vegetations) F.	9	2								1	1		2		1							2						
	(a) Diseases of the buccal cavity and M.	3									1						1							1					
	annexa F.	5	1								1			2									1						
	(b) Diseases of the M.	2											2																
	tonsils F.	2										1											1						
	(c) Others under M	6	1		1												3					1							
	this title F.	2	1													1													
116	Diseases of the oeso- M.																												
	phagus F.																												
117	Ulcer of the stomach M.	20									1	4	3	1	1	2	2	1	1		1	2	1						
	or duodenum F.	11										1			1	2	2		1	2		1	1						
	(a) Ulcer of the M.	10										3	1	1		1					1	2	1						
	stomach F.	11										1			1	2	2		1	2		1	1						
	(b) Ulcer of the M.	10									1	1	2		1	1	2	1	1										
	duodenum F.																												
118	Other diseases of the M.	8	2												1			2			2	1							
	stomach F.	10	4					1									1					2	1	1					
119	Diarrhoea and enteritis (under 2 years of M.	78	69	9																									
	age) F.	50	47	3																									
120	Diarrhoea and enteritis (2 years and M.	16			2	1		1	1	1					1	1	2	1	1		1	2	1						
	over) F.	19			2	2		4		1		2		1		1	1		1				2	1	1				
	(a) Diarrhoea and M.	14			2	1		1	1						1	1	2	1			1	2	1						
	enteritis F.	17			2	2		4		1		1		1		1	1		1				1	1	1				

TABLE XXXII—CAUSES OF DEATH BY SEX AND AGE, IN THE PROVINCE OF NOVA SCOTIA 1937—Continued.

Int. List No.	Causes of Death		Total	Ages																									
				Under 1 year	1 year	2 years	3 years	4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
	(b) Ulceration of	M.	2								1									1									
	the intestines	F.	2										1											1					
121	Appendicitis	M.	25			1		2	2	2	4	2	2	1	1		1		1	1	2	3							
		F.	9					1	3	1		1		1					1	1									
122	Hernia, intestinal	M.	20	1	1								2		1			1		1	1	1	1	6	2	1	1		
	obstruction	F.	27	2				1			2		1	1	1	1	2	2		1	3	4	2	3	1				
	(a) Hernia	M.	12															1		1		1	1	5	2		1		
		F.	9												1	1	1				2		1	2	1				
	(b) Intestinal ob-	M.	8	1	1								2		1						1			1		1			
	struction	F.	18	2				1			2		1	1			1	2		1	1	4	1	1					
123	Other diseases of the	M.	9									1					1	1	1	1	1		2	1					
	intestines	F.	1									1																	
124	Cirrhosis of the liver	M.	5												1			2	1				1						
		F.	3														1			1				1					
	(a) Specified as	M.	1															1											
	alcoholic	F.																											
	(b) Not specified as	M.	4												1			1	1				1						
	alcoholic	F.	3														1			1				1					

125	Other diseases of the liver	M.	1												1														
		F.	2																		1			1					
	(a) Yellow atrophy of the liver	M.																											
		F.																											
	(b) Others under this title	M.	1												1														
		F.	2																		1			1					
126	Biliary calculi	M.	6												1		1		1	1		1	1						
		F.	20												2		4	1		5	3	1	2	2					
127	Other diseases of the gall-bladder and biliary passages	M.	5			1												1		2	1								
		F.	9														2			2	3	1		1					
128	Diseases of the pancreas	M.																											
		F.	1																				1						
129	Peritonitis, cause not specified	M.	1																	1									
		F.	6												2	1			1	2									
	Class X—Diseases of the genito-urinary system	T.	468	1			1	1	2	1	2	1	6	4	9	9	13	17	25	42	51	66	86	60	50	17	3	1	
		M.	299	1			1		1		1		4		5	2	5	9	21	29	34	45	56	39	31	13	2		
		F.	169					1	1	1	1	1	2	4	4	7	8	8	4	13	17	21	30	21	19	4	1	1	
130	Acute nephritis (including unspecified, under 10 years of age)	M.	8	1					1		1					1	1			1		1			1				
		F.	4					1	1					2															
131	Chronic nephritis	M.	144				1						3		3		3	4	10	18	23	18	21	21	14	4	1		
		F.	118							1	1	1	1		1	5	5	4	2	9	12	16	23	16	17	2	1	1	
132	Nephritis, unspecified (10 years and over)	M.	24										1		1		1	3	3		2	4	2	1	2	3	1		
		F.	20												1	1			1	3	3	3	4	3		1			
133	Other diseases of the kidneys and ureters	M.	16												1	1			3	2	1	2	5	1					
		F.	11											1		1		1	1		1		3	1	2				

TABLE XXXII—CAUSES OF DEATH BY SEX AND AGE, IN THE PROVINCE OF NOVA SCOTIA, 1937—Continued.

Int. List No.	Causes of Death		Total	Ages																									
				Under 1 year	1 year	2 years	3 years	4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
134	Calculi of the urinary passages	M.	6																1	2	1			1	1				
		F.	4										1		1		1					1							
135	Diseases of the bladder (tumours excepted)	M.	8															1					1		4	2			
		F.	3																		1			1		1			
136	Diseases of the urethra, urinary abscess, etc.	M	1																	1									
		F																											
	(a) Stricture of the urethra	M.	1																	1									
		F.																											
	(b) Others under this title	M.																											
		F.																											
137	Diseases of the prostate	M.	91															1	4	5	7	19	27	15	9	4			
138	Diseases of the male genital organs (not specified as venereal)	M.	1																			1							

139	Diseases of the female genital organs (not specified as venereal) F.	9											1	1		2	3		1		1								
	(a) Of the ovary, Fallopian tube and parametrium F.	3												1			2												
	(b) Of the uterus F.	6											1			2	1		1		1								
	(c) Of the breast F.																												
	(d) Others under this title. F.																												
	Class XI—Diseases of pregnancy, childbirth and the puerperal state T.	35						1	4	5	8	6	8	1	2														
140	Abortion with septic conditions F.	1										1																	
	(a) Abortion F.	1										1																	
	(b) Self-induced abortion F.																												
141	Abortion without mention of septic conditions (haemorrhage included) F.																												
	(a) Abortion F.																												
	(b) Self-induced abortion F.																												
142	Ectopic gestation F.																												
	(a) With septic conditions F.																												

TABLE XXXII—Causes of Death by Sex and Age in the Province of Nova Scotia, 1937—Continued

Int. List No.	Causes of Death	Total	Ages																									
			Under 1 year	1 year	2 years	3 years	4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
	(b) Without mention of septic conditions.....F.																											
143	Other accidents of pregnancy (haemorrhage excluded).....F.																											
144	Puerperal haemorrhage .....F.	8								1	1	1	1	3		1												
	(a) Placenta praevia..F.	6									1	1	1	3														
	(b) Other haemorrhages.....F.	2								1						1												
145	Puerperal septicaemia (not specified as due to abortion) .....F.	6								1		3	1	1														
	(a) Puerperal septicaemia and pyaemia.. ..F.	6								1		3	1	1														
	(b) Puerperal tetanus .....F.																											

146	Puerperal albuminuria and eclampsia ..... F.	11							1	1	4	2	1	1		1													
147	Other toxaemias of pregnancy ..... F.	2								1		1																	
148	Puerperal phlegmasia alba dolens, embolism or sudden death (not specified as septic) ..... F.	5										1		3	1														
	(a) Phlegmasia alba dolens and thrombosis ..... F.	2												1	1														
	(b) Embolism ..... F.	3										1		2															
	(c) Sudden death ..... F.																												
149	Other accidents of childbirth ..... F.	2											2																
	(a) Caesarean operation F.	1											1																
	(b) Other surgical operations, and instrumental delivery ..... F.																												
	(c) Dystocia ..... F.	1											1																
	(d) Rupture of uterus in parturition ..... F.																												
	(e) Others under this title ..... F.																												
150	Other or unspecified condition of the puerperal state ..... F.																												
	(a) Puerperal diseases of the breast ..... F.																												

TABLE XXXII—CAUSES OF DEATH BY SEX AND AGE, IN THE PROVINCE OF NOVA SCOTIA, 1937—Continued.

Int. List No.	Causes of Death		Total	Ages																									
				Under 1 year	1 year	2 years	3 years	4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
	(b) Others under this title	F.																											
	Class XII—Diseases of the skin and cellular tissue	T.	19	1							2		1		1	1	2	1			2	1	1	3	2	1			
		M.	13	1							2					1	1	1			2		1	2	1	1			
		F.	6										1		1		1					1		1	1				
151	Carbuncle	M	4								1					1		1						1					
		F.	1												1														
152	Cellulitis, acute abscess	M.	7								1						1				1		1	1	1	1			
		F.	2										1											1					
153	Other diseases of the skin and annexa and of the cellular tissue	M.	2	1																	1								
		F.	3														1					1			1				
	Class XIII—Diseases of the bones and Organs of locomotion	T.	12	1				1	1						2			1		1		1	2	1		1			
		M.	5	1				1							2								1						
		F.	7						1									1		1		1	1	1		1			
154	Osteomyelitis	M.	2					1							1														
		F.	2						1											1									

155	Other diseases of the bones (tuberculosis excepted)	M.																											
		F.	3																			1	1			1			
156	Diseases of the joints and other organs of locomotion	M.	3	1										1									1						
		F.	2														1							1					
	(a) Of the joints (tuberculosis and rheumatism excepted)	M.	2											1									1						
		F.	1																					1					
	(b) Of other organs of locomotion	M.	1	1																									
		F.	1														1												
	Class XIV—Congenital malformations	T.	80	70	3	1	1		1	1	2	1																	
		M.	46	42	2	1					1																		
		F.	34	28	1		1		1	1	1	1																	
157	Congenital malformations (stillbirths excluded)	M.	46	42	2	1					1																		
		F.	34	28	1		1		1	1	1	1																	
	(a) Congenital hydrocephalus	M.	6	5	1																								
		F.	5	3					1		1																		
	(b) Spina bifida and meningocele	M.	10	9		1																							
		F.	8	6			1					1																	
	(c) Congenital malformations of the heart	M.	15	14							1																		
		F.	12	10	1					1																			
	(d) Monstrosities	M.																											
		F.																											
	(e) Others under this title	M.	15	14	1																								
		F.	9	9																									

TABLE XXXII—CAUSES OF DEATH BY SEX AND AGE, IN THE PROVINCE OF NOVA SCOTIA, 1937—Continued

Int. List No.	Causes of Death		Total	Ages																									
				Under 1 year	1 year	2 years	3 years	4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not Stated
	Class XV—Diseases of early infancy	T.	311	311																									
		M.	166	166																									
		F.	145	145																									
158	Congenital debility	M.	16	16																									
		F.	17	17																									
159	Premature birth	M.	92	92																									
		F.	80	80																									
160	Injury at birth	M.	23	23																									
		F.	17	17																									
	(a) With mention of caesarean operation	M.																											
		F.																											
	(b) Without mention of caesarean operation	M.	23	23																									
		F.	17	17																									
161	Other diseases peculiar to early infancy (under 3 months)	M.	35	35																									
		F.	31	31																									

	(a) Atelectasis	M.	4	4																									
		F.	4	4																									
	(b) Icterus of the	M.	2	2																									
	new-born	F.	2	2																									
	(c) Sclerema and	M.																											
	oedema	F.																											
	(d) Athrepsia	M.																											
		F.																											
	(e) Others, includ-	M.	15	15																									
	ing lack of care	F.	20	20																									
	(f) No Cause given,	M.	14	14																									
	no doctor in at-																												
	tendance	F.	5	5																									
	Class XVI—Senility	T.	254																	7	34	61	66	50	32	4			
		M	93																	5	14	23	28	15	7	1			
		F.	161																	2	20	38	38	35	25	3			
162	Senility	M.	93																	5	14	23	28	15	7	1			
		F.	161																	2	20	38	38	35	25	3			
	(a) With senile de-	M.	5																	2	1	2							
	mentia (70 yrs. & over)	F.	10																		2	5	1	1	1				
	(b) Without senile																												
	dementia (70	M.	88																	3	13	21	28	15	7	1			
	years and over)	F.	151																	2	18	33	37	34	24	3			
	(c) Premature senility																												
	(55 years but	M.																											
	under 70 years)	F.																											
	Class XVII—Violent	T.	385	13	5	4	5	2	24	11	25	29	30	16	17	31	18	19	15	22	18	17	21	19	18	2	3		1
	or accidental	M.	276	7	2	3	2		18	10	23	22	29	13	13	29	14	14	13	15	12	10	10	7	7	1	1		1
	deaths	F.	109	6	3	1	3	2	6	1	2	7	1	3	4	2	4	5	2	7	6	7	11	12	11	1	2		

TABLE XXXII—CAUSES OF DEATH BY SEX AND AGE, IN THE PROVINCE OF NOVA SCOTIA, 1937—Continued

Int. List No.	Causes of Death		Total	Ages																									
				Under 1 year	1 year	2 years	3 years	4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not Stated
163-171	Suicides	M.	24										1	1	3	6	2	2	3	1	3				1				1
		F.	5									2		1		1		1											
163	Suicide by solid or liquid poisons or by absorption of corrosive substances	M.	1																1										
		F.	1									1																	
164	Suicide by poisonous gas	M.	3													2	1												
		F.	1									1																	
165	Suicide by hanging or strangulation	M.	2													1													1
		F.	1															1											
166	Suicide by drowning	M.	1																		1								
		F.	1													1													
167	Suicide by firearms	M.	13										1	1	2	1	1	2	2		2				1				
		F.	1											1															
168	Suicide by cutting or piercing instruments	M.	4												1	2				1									
		F.																											
169	Suicide by jumping from high places	M.																											
		F.																											

170	Suicide by crushing	M.																											
		F.																											
171	Suicide by other	M.																											
	means	F.																											
173–	Homicides	M.	2									1	1																
175		F.	2								1						1												
173	Homicide by firearms	M.																											
		F.	2								1						1												
174	Homicide by cutting or piercing instruments	M.																											
		F.																											
175	Homicide by other means	M.	2									1	1																
		F.																											
176–	Other violent deaths	M.	250	7	2	3	2		18	10	23	22	27	11	10	23	12	12	10	14	9	10	10	7	6	1	1		
198		F.	102	6	3	1	3	2	6	1	2	4	1	2	4	1	4	3	2	7	6	7	11	12	11	1	2		
176	Attack by venomous animals	M.																											
		F.	1		1																								
177	Food poisoning	M.																											
		F.																											
178	Accidental absorption of toxic gases	M.																											
		F.																											
179	Other acute accidental poisonings (except by gas)	M.	4									2	1								1								
		F.	2					1						1															
180	Conflagration	M.	3		1		1								1														
		F.																											
181	Accidental burns (conflagration excepted)	M.	9	1	1						1		1				1					2	1	1					
		F	9	1		1	1		1		1					2					1	1							

TABLE XXXII—CAUSES OF DEATH BY SEX AND AGE, IN THE PROVINCE OF NOVA SCOTIA, 1937—Continued

Int. List No.	Causes of Death		Total	Ages																										
				Under 1 year	1 year	2 years	3 years	4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
182	Accidental mechanical suffocation	M.	8	6						1			1																	
		F.	4	4																										
183	Accidental drowning	M.	42			1			4	5	6	3	7	3	1	5	2	2			2	1								
		F.	11		1		1	1			1	1			3		1	1		1										
184	Accidental injury by firearms	M.	2								2																			
		F.	1							1																				
185	Accidental injury by cutting or piercing instruments	M.	3								3																			
		F.																												
186	Accidental injury by fall, crushing or landslide	M.	154			1	1		13	3	10	17	15	6	8	14	8	5	10	11	7	7	6	6	5		1			
		F.	61				1		5			3	1	2				2	1	6	4	6	8	11	9	1	1			
187	Cataclysm	M.																												
		F.																												
188	Injuries by animals	M.	5			1			1				1				1			1										
		F.	1																		1									

189	Hunger or thirst	M.																											
		F.																											
190	Excessive cold	M.	1								1																		
		F.	1												1														
191	Excessive heat	M.																											
		F.																											
192	Lightning	M.	1						1																				
		F.																											
193	Accidents due to	M.	3							1					1	1													
	electric currents	F.																											
194	Other accidents	M.	11							1		1			1		3		1		1	2			1				
		F.	11	1	1											1		1		1		2	1	2		1			
	(a) Foreign body	M.																											
		F.	2	1	1																								
	(b) Others under	M.	11							1		1			1		3		1		1	2			1				
	this title	F.	9													1		1		1		2	1	2		1			
195	Violent deaths of which the nature (accident, suicide, homicide) is unknown	M.	3												1		1		1										
		F.																											
198	Capital punishment	M.	1											1															
		F.																											
	Class XVIII—Ill-defined causes of death	T.	76	20	5					1	1	2		1	1	3	4	4	3	8	10	5	1	2	3	2			
		M.	48	11	5					1		1		1		2	4	2	2	5	5	5	1	1	1	1			
		F.	28	9							1	1			1	1		2	1	3	5			1	2	1			
199	Sudden death	M.	21	2												1	3	2		1	4	4	1	1	1	1			
		F.	12	4								1							1	1	4					1			
200	Cause of death not specified or ill-defined	M.	27	9	5					1		1		1		1	1		2	4	1	1							
		F.	16	5							1				1	1		2		2	1			1	2				

TABLE XXXII—SPECIAL CLASSES OF ACCIDENTAL DEATHS, NOVA SCOTIA, 1937.

(Included also under the numbers of the International List above)

Int. List No.	Causes of Death		Total	Ages																										
				Under 1 year	1 year	2 years	3 years	4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
A	Accidents in mines and quarries	M.	30								1	1	5	2	3	6	2	2	4	3	1								
		F.																											
B	Accidents caused by machines	M.	8								3		1			2			1	1									
		F.																											
C	Railway accidents	M.	12							1	2	1	1		1	1	1		3	1									
		F.	2						2																				
D	Street car accidents	M.																											
		F.																											
E	Automobile and motorcycle accidents	M.	68			1	1		9	2	7	12	7	1	1	4	3	3	2	3	5	2	3	2					
		F.	20				1		2			2	1	2				2	1	3	2	1	1	1	1				
F	Other land transportations	M.	10						1			1			1	1	1			2		1	2						
		F.	3						1													1	1						
G	Water transportation	M.	22							3	1	1	4	3	2	3	1	2			1	1							
		F.	2												1					1									
H	Air transportation	M.																											
		F.																											

TABLE XXXIII—CAUSES OF DEATH FOR EACH SEX BY CONJUGAL CONDITION, NATIVITY AND MONTH OF DEATH IN THE PROVINCE OF NOVA SCOTIA 1937.

Int. List No.	CAUSES OF DEATH		Total	CONJUGAL CONDITION												NATIVITY					MONTHS											
					Single					Married								Foreign														
				Under 15 years	15 to 24 years	25 to 44 years	45 to 64 years	65 yrs. and over	Age not stated	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated	Widowed	Not stated	Canada	British	United States	Other	Not stated	January	February	March	April	May	June	July	August	September	October	November	December
	Deaths—All Causes—	T.	6083	1128	220	184	200	358	3	35	376	779	1125	....	1662	13	5602	330	56	72	23	556	514	654	565	512	475	389	441	492	533	463	489
		M.	3244	640	128	110	131	177	3	3	180	453	801	....	606	12	2983	172	18	54	17	291	266	334	298	275	242	226	231	294	281	244	262
		F.	2839	488	92	74	69	181	....	32	196	326	324	...	1056	1	2619	158	38	18	6	265	248	320	267	237	233	163	210	198	252	219	227
	Class 1—Infectious and Parasitic Diseases	T.	857	206	102	75	23	21	....	18	117	94	74	....	125	2	806	33	9	8	1	85	78	130	88	74	70	51	48	60	56	56	61
		M.	425	113	48	36	17	8	....	1	55	57	48	....	40	2	399	18	1	6	1	34	34	65	50	44	30	29	20	31	32	28	28
		F.	432	93	54	39	6	13	....	17	62	37	26	....	85	....	407	15	8	2	....	51	44	65	38	30	40	22	28	29	24	28	33
1	Typhoid fever	M.	10	1	4	....	....	....	....	1	2	1	....	....	1	....	9	1	....	....	....	1	1	....	1	....	....	....	1	2	4	....	....
		F.	2	....	....	....	....	....	....	....	1	....	....	....	1	....	2	....	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....
2	Paratyphoid fever	M.	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
		F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4	Relapsing fever	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5	Undulant fever	M	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6	Small pox	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7	Measles	M.	5	4	....	....	....	....	....	....	....	1	....	....	....	....	5	....	....	....	....	....	....	....	....	....	....	....	....	....	2	1	2
		F.	5	5	....	....	....	....	....	....	....	....	....	....	....	....	4	....	....	1	....	....	....	1	....	1	....	....	....	....	....	2	1
8	Scarlet fever	M.	4	4	....	....	....	....	....	....	....	....	....	....	....	....	4	....	....	....	....	....	....	1	1	1	....	....	....	....	1	....	....
		F.	6	4	1	....	....	....	....	....	1	....	....	....	....	....	6	....	....	....	....	2	....	....	....	1	....	1	....	....	....	1	1
9	Whooping-cough	M.	18	18	....	....	....	....	....	....	....	....	....	....	....	....	18	....	....	....	....	2	2	3	2	4	1	....	....	1	....	3	....
		F.	26	25	....	....	....	....	....	....	....	....	....	....	1	....	26	....	....	....	....	4	2	3	4	3	....	2	2	3	....	1	2
10	Diphtheria	M.	5	5	....	....	....	....	....	....	....	....	....	....	....	....	5	....	....	....	....	1	....	1	1	....	....	1	....	....	....	....	1
		F.	6	5	....	....	....	....	....	....	1	....	....	....	....	....	6	....	....	....	....	1	1	1	....	....	....	....	....	....	1	....	2
11	Influenza	M.	120	35	1	3	5	5	....	....	5	10	30	....	25	1	114	5	....	1	....	7	16	41	26	6	4	2	1	4	2	8	3
		F.	124	24	....	1	1	6	....	....	13	6	19	....	54	....	119	4	1	....	....	17	20	34	15	6	10	....	2	4	7	5	4
	(a) Sole cause	M.	19	7	....	....	2	1	....	....	....	....	4	....	5	....	19	....	....	....	....	....	2	6	6	1	....	....	....	1	....	3	....
		F.	24	8	....	....	....	2	....	....	....	....	5	....	9	....	24	....	....	....	....	4	2	8	3	2	1	....	....	1	1	....	2
	(b) With bronchitis	M.	4	1	....	....	....	1	....	....	....	....	....	....	2	....	3	1	....	....	....	....	....	3	1	....	....	....	....	....	....	....	....
		F.	8	....	....	....	....	....	....	....	1	2	1	....	4	....	8	....	....	....	....	....	1	4	....	....	1	....	....	....	2	....	....

	(c) With pneumonia	M	59	18	1	1	1	3			3	7	12		12	1	56	3				5	11	19	12	3	1		1	1	2	1	3
		F.	52	12				1			6	2	7		24		48	3	1			9	10	14	6	1	4			1	2	4	1
	(d) With other diseases	M	7				1				1	1	3		1		7							3	1	1	1			1			
	of the respiratory system	F.	10	1				2			2		1		4		10					2	2	3							2		1
	(e) With intestinal	M.	4	3									1				3	1					1							1		2	
	complications	F.	4	2									1		1		4					1			1				1	1			
	(f) With other	M.	27	6		2	1				1	2	10		5		26			1		2	2	10	6	1	2	2				2	
	causes	F.	26	1		1	1	1			4	2	4		12		25	1				1	5	5	5	3	4		1	1		1	
13	Dysentery	M.	3				1						2				3							1			1				1		
		F.	2	1											1		2													1	1		
15	Erysipelas	M.																															
		F.	4			1						1			2		3	1					2						1				1
16	Poliomyelitis and polio-	M.	4	1	1						2						3		1					1				1		1	1		
	encephalitis (acute)	F.	4	3	1												4								1				1			2	
17	Lethargic or epidemic	M.	1									1					1																1
	encephalitis	F.																															
18	Epidemic cerebrospinal	M.	2								2						2							2									
	meningitis	F.	2	1	1												2					1								1			
19	Glanders	M.																															
		F.																															
20	Anthrax malignant	M.																															
	pustule	F.																															
21	Rabies	M.																															
		F.																															
22	Tetanus	M.																															
		F.																															
23	Tuberculosis	M.	223	35	41	30	8	3			40	39	14		12	1	210	9		3	1	19	13	15	16	25	21	24	18	20	19	15	18
32		F.	238	21	50	37	5	6		16	45	27	7		24		221	10	6	1		25	18	25	17	18	28	17	21	18	14	16	21
23	Tuberculosis of the	M.	176	8	36	27	6	3			37	35	12		12		165	7		3	1	13	9	13	12	21	18	18	15	16	16	12	13
	respiratory system	F.	204	6	43	37	4	6		16	40	23	6		23		187	10	6	1		23	18	20	16	15	25	12	18	15	10	12	20
24	Tuberculosis of the men-																																
	inges and central	M.	25	21			1					3					24	1				4	2	2	1	3	2	1	3	2	2	2	1
	nervous system	F.	19	13	4						1				1		19					1		4		2	2	3	1	3	2	1	
25	Tuberculosis of the intes-	M.	6	1	1	1					1		1			1	6						1		2			2					1
	tines and peritoneum	F.	4								3	1					4											2				1	1
26	Tuberculosis of the verte-	M.	4	1	1	2											3	1					1		1			1					1
	bral column	F.	1		1												1					1											
27	Tuberculosis of the bones																																
	and joints (vertebral	M.	1		1												1																1
	column excepted)	F.	2	1									1				2										1					1	
	(a) Of bones	M.	1		1												1																1
		F.	1										1				1															1	
	(b) Of joints	M.																															
		F.	1	1													1										1						
28	Tuberculosis of the skin																																
	and sub-cutaneous	M.																															
	cellular tissue	F																															

TABLE XXXIII—Continued

Int. List No.	Causes of Death		Total	Conjugal condition: Under 15 years	Single: 15 to 24 years	Single: 25 to 44 years	Single: 45 to 64 years	Single: 65 years and over	Single: Age not stated	Married: 15 to 24 years	Married: 25 to 44 years	Married: 45 to 64 years	Married: 65 years and over	Married: Age not stated	Widowed	Not stated	Nativity: Canada	British	Foreign: United States	Foreign: Other	Not stated	Months: January	February	March	April	May	June	July	August	September	October	November	December
29	Tuberculosis of the lymphatic system (bronchial mesenteric, and retroperitoneal glands	M.	2	2													2										1			1				
	excepted)	F.																																
30	Tuberculosis of the genito-urinary system	M.	4		1						1	1	1				4					2				1		1						
		F.	1								1						1												1					
31	Tuberculosis of other organs	M																																
		F.																																
32	Disseminated tuberculosis	M.	5	2	1		1				1						5											1		1	1	1	1	
		F	7	1	2		1					3					7							1	1	1			1		2	1		
	(a) Acute	M	3	2	1												3											1		1				1
		F.	2	1	1												2							1							1			
	(b) Chronic	M.																																
		F																																
	(c) Not specified	M.	2				1				1						2														1	1		
		F.	5		1		1					3					5								1	1			1		1	1		
33	Leprosy	M.																																
		F.																																
34	Syphilis	M	21	8		3	2				3	4			1		17	2		2		1	2		1	5	2	1		3	2	1	3	
		F.	8	4				1		1		1			1		7		1				1	1		1	1	1	1	1	1			
35	Gonococcus infection & other venereal disease	M.	1												1		1									1								
		F.	1								1						1											1						
36	Purulent infection, septicaemia (non-puerperal)	M.	4	1	1		1					1					4					1			1	1	1							
		F	4		1							2			1		4					1					1					1	1	
38	Malaria	M.																																
		F.																																
39	Other diseases due to protozoal parasites	M.																																
		F.																																
40	Ankylostomiasis	M.																																
		F.																																
41	Hydatid cysts	M.																																
		F.																																
	(a) Of the liver	M.																																
		F.																																
	(b) Of other organs	M.																																
		F.																																

42	Other diseases caused by M.	1									1				1					1											
	helminths F.																														
43	Mycoses M.																														
	F.																														
44	Other infectious or M.	2	1								1				2					1				1							
	parasitic diseases F.																														
	(a) Chicken-pox M.																														
	F.																														
	(b) German measles M.																														
	F.																														
	(c) Others under this M.	2	1								1				2					1				1							
	title F.																														
	Class II—Cancer and Total	746	3	6	17	41	43		1	45	196	197		195	2	667	59	6	13	1	65	61	71	67	69	51	49	62	59	85	58	49
	other Tumours M.	361	1	3	6	23	20			13	97	131		65	2	317	32	3	9		32	26	27	28	33	23	27	35	33	39	31	27
	F.	385	2	3	11	18	23		1	32	99	66		130		350	27	3	4	1	33	35	44	39	36	28	22	27	26	46	27	22
45-53	Cancer and other M.	352	1	2	5	22	19			13	95	130		63	2	308	32	3	9		31	26	27	25	33	23	26	34	32	39	31	25
	malignant tumours F.	365	2	2	10	16	23			27	93	65		127		333	26	3	3		32	32	43	37	32	27	20	27	25	44	25	21
45	Cancer of the buccal M.	22				6	2				4	5		5		22					1	3		3	3	1	2	1	2	2	3	1
	cavity and pharynx F.	3										2		1		3					1		1				1					
46	Cancer of the digestive M.	239		2	4	11	11			8	66	94		42	1	210	21	2	6		21	18	21	17	22	16	19	25	23	27	18	12
	tract and peritoneum F.	184			3	8	16			10	41	34		72		176	6	1	1		12	15	18	21	16	14	9	12	13	25	17	12
	(a) Of the oesophagus M.	5				2					1	2				4	1										1	2	1	1		
	F.																															
	(b) Of the stomach M.	126		1	2	5	5			4	36	45		27	1	110	11		5		10	10	8	10	11	4	11	16	11	16	9	10
	and duodenum F.	84				3	7			6	21	20		27		81	2	1			8	7	10	4	8	7	3	6	5	12	7	7
	(c) Of the rectum M.	19					1			2	5	9		2		16	3				1		4	2	2	3	2		1	2	2	
	F.	15				1	1			2	2	1		8		15						2	3	2	1	1	2	2	1	1		
	(d) Of the liver and M.	15			1	1	1			2	3	7				14	1				4	1	1	2	1	2	1	1		2		
	biliary ducts F.	19			1	1	3			1	2	2		9		17	1		1		1	2	1	4	2	1	1	2	1	1	3	
	(e) Of the pancreas M.	19			1	2	2				8	5		1		17	1		1		2	3	1		2	4	2	1	2	1	1	
	F.	8				1	2				2	2		1		8						2		2	1	1				1		1
	(f) Of the peritoneum M.	1		1												1											1					
	F.	2										2				2															1	1
	(g) Of other organs M.	54				1	2				13	26		12		48	4	2			4	4	7	3	6	3	1	5	8	5	6	2
	F	56			2	2	3			1	14	7		27		53	3				3	2	4	9	4	4	3	2	6	10	6	3
47	Cancer of the respi- M.	18			1	2	1			2	5	3		4		16			2		1	2	2	1	1	2	1	2	1	2	1	2
	ratory organs F.	9			1	1					3	3		1		7	2				1		2	1			1	1		2		1
	(a) Of the larynx M.																															
	F	2				1						1				2							1							1		
	(b) Of the lung M.	14				2				1	5	3		3		12			2		1	2	2		1	2		2		1	1	2
	F.	6			1						3	1		1		4	2						1	1			1	1		1		1
	(c) Of the mediasti- M.	3			1					1				1		3								1					1	1		
	num F.																															
	(d) Of other organs of M	1					1									1											1					
	the respiratory system F.	1										1				1					1											
48	Cancer of the uterus F.	66			3		1			11	22	14		15		57	6	1	2		7	4	8	6	6	7	4	6	6	10		2
	(a) of the uterus F.	51			2		1			5	18	13		12		43	6		2		6	3	6	5	5	5	2	5	4	9		1
	(b) Of the cervix uteri F.	15			1					6	4	1		3		14		1			1	1	2	1	1	2	2	1	2	1		1
49	Cancer of other female F.	8			1		1			1	1	1		3		7	1				2	1	2				1				1	1
	genital organs																															

TABLE XXXIII—Continued

Int. List No.	Causes of death		Total	CONJUGAL CONDITION												NATIVITY					MONTHS											
					Single					Married								Foreign														
				Under 15 years	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated	Widowed	Not stated	Canada	British	United States	Other	Not stated	January	February	March	April	May	June	July	August	September	October	November	December
50	Cancer of the breast	M.																														
		F.	48			1	4	3			2	14	8		16		42	5	1			5	5	7	5	6	3	1	4	3	4	4	1
51	Cancer of the male genito-urinary organs	M.	44					4			2	8	20		10		37	7				6		3	2	3	2	2	3	5	7	6	5
	(a) Of the bladder	M.	8					1				3	2		2		5	3				1				1		2			2	1	1
	(b) Of the kidney	M.	2									2					2					1								1			
	(c) Of the prostate gland	M.	31					3				3	17		8		27	4				4		3	2	1	2		3	2	5	5	4
	(d) Of the testicles and annexa	M.	3								2		1				3									1				2			
	(e) Of other male genito-urinary organs	M.																															
52	Cancer of the skin	M.	11				2	1				2	4		1	1	8	1	1	1		1	1		1	3				1	1	2	1
		F.	8				1				1	1			5		8						1	2			1	2				1	1
53	Cancer of other or unspecified organs	M.	18	1			1				1	10	4		1		15	3				1	2	1	1	1	2	2	3			1	4
		F.	39	2	2	1	2	2			2	11	3		14		33	6				4	6	3	4	4	2	1	4	3	3	2	3
	(a) of the eye and orbit	M.	2										1		1		1	1								1							1
		F.	2					1				1					2										1		1				
	(b) Of the circulatory system	M.																															
		F.																															
	(c) Of the glandular system	M.	2									2					2																
		F.	2										1		1		2							1		1		1					1
	(d) Of the female urinary organs	F.	16				1	1			2	4			8		12	4				2	2		2	2		1	1	3	1		2
	(e) Of the bones and joints	M.	2	1								1					1	1					1						1				
		F.	3	1								1			1		2	1				1							1				1
	(f) Of the brain	M.	3				1				1	1					3										1					1	1
		F.	2		1							1					2						1						1				
	(g) Of the spine and spinal cord	M.	3									3					3							1			1		1				
		F.	3		1	1						1					3						1	2									
	(h) Of the neck	M.																															
		F.																															
	(i) Of the abdomen	M.	3									1	2				3					1			1				1				
		F.	5	1			1								3		4	1					1		2		1					1	

	(j) Of other specfied.. M.	2								1	1				2						1				1						
	organs F.	2								2					2						1								1		
	(k) Multiple cancer.... M.	1								1						1															1
	F.																														
	(m) Of unspecified or M.																														
	unknown location F.	4								1	2		1		4					1			1					2		
54	Non-malignant tumours M.	8		1		1	1			2	1		2		8					1		3		1	1	1			1	
	F.	17		1	1	2			1	4	6			2		14	1		1	1	1	3	1	2	3	1	2		1	1	2	
	(a) Of the ovary F.	2							1	1						2											1		1		
	(b) Of the uterus F.	5				2				2	1					4	1					1		2	2						
	(c) Of other female genital organs F.																														
	(d) Of the brain M.	4				1	1				1			1		4					1			1				1	1		
	F.	1								1									1												1
	(e) Of the thyroid M.																														
	gland F.	2			1						1					1				1		2									
	(f) Of the prostate M.	1												1		1											1				
	gland																														
	(g) Of other or un- M.	3		1							1	1				3								2							1
	specified sites F.	7		1							4			2		7					1		1		1	1	1			1	1	
55	Tumours, nature not M.	1			1											1															1
	specified F.	3								1		1		1		3									1					1	1
	(a) Of the ovary F.																														
	(b) Of the uterus F.																														
	(c) Of other female genital organs F.																														
	(d) Of the brain M.	1			1											1															1
	F.	2								1				1		2														1	1
	(e) Of the thyroid M.																														
	gland F.																														
	(f) Of the prostate M.																														
	gland																														
	(g) Of other or un- M.																														
	specified sites F.	1									1				1									1							
	Class III—Rheumatic Diseases, diseases of Nutrition and of the Endocrine Glands Total	116	9	8	3	5	6			8	27	21		29		103	9	1	3		7	7	11	9	10	14	10	8	14	10	8	8
	and other General M.	40	2	2	1	3	6			2	11	10		3		36	3		1		3	3	6	3	4	4	4	2	5	3	2	1
	Diseases F.	76	7	6	2	2				6	16	11		26		67	6	1	2		4	4	5	6	6	10	6	6	9	7	6	7
56	Acute rheumatic fever.... M.	5	1	1							1	2				5					1						1		1	2		
	F.	10	3	3						2	2					9			1			1			2	2	2		1		1	1
57	Chronic rheumatism, M.	4					1					3				4					1	1	1			1						
	osteo-arthritis F.	4		1	1							1		1		4								1		2					1	
58	Gout M.																															
	F.																															
59	Diabetes mellitus M.	27		1		3	5			1	9	5		3		23	3		1		1	2	5	2	4	3	1	2	4	1	1	1
	F.	45	1			1				1	11	9		22		39	4	1	1		4	2	5	3	1	5	2	3	8	5	4	3
60	Scurvy M.																															
	F.																															

TABLE XXXIII—Continued

Int. List No.	Causes of Death		Total	Conjugal Condition: Under 15 years	Single: 15 to 24 years	Single: 25 to 44 years	Single: 45 to 64 years	Single: 65 yrs and over	Single: Age not stated	Married: 15 to 24 years	Married: 25 to 44 years	Married: 45 to 64 years	Married: 65 years and over	Married: Age not stated	Widowed	Not Stated	Nativity: Canada	British	Foreign: United States	Foreign: Other	Not stated	Months: January	February	March	April	May	June	July	August	September	October	November	December
61	Beriberi	M.																																
		F.																																
62	Pellagra	M.																																
		F.																																
63	Rickets	M.	1	1													1											1						
		F.																																
64	Osteomalacia	M.	1			1											1								1									
		F.																																
65	Diseases of the pituitary gland	M.																																
		F.																																
66	Diseases of the thyroid and parathyroid glands	M.																																
		F.	13	1	2	1	1				2	2	1		3		12	1					1		2	2	1	2	2		1		2
	(a) Simple goitre	M.																																
		F.	3		1								1		1		3						1		1			1						
	(b) Exophthalmic goitre	M.																																
		F.	9		1	1	1				2	2			2		8	1							1	1	1	1	2		1		2
	(c) Myxoedema, cretinism	M.																																
		F.																																
	(d) Tetany	M.																																
		F.	1	1													1									1								
	(e) Others under this title	M.																																
		F.																																
67	Diseases of the thymus gland	M.																																
		F.	1	1													1									1								
68	Diseases of the adrenals (Addison's disease)	M.	1								1						1											1						
		F.	2								1	1					1	1											1			1		
69	Other general diseases	M.	1									1					1															1		
		F.	1	1													1														1			
	(a) Fatty or amyloid degeneration	M.	1									1					1															1		
		F.																																
	(b) Steatosis	M.																																
		F.																																
	(c) Others under this title	M.																																
		F.	1	1													1														1			

	Class IV—Diseases of the blood and blood-forming organs T.	56	9	2	2	2	3	1		5	15	11		6		53		1	1	1	4	5	6	3	5	3	5	6	7	4	6	2
	M.	32	7	1	1	1	2	1		2	8	7		2		29		1	1	1	3	4	2	1	2	3	3	4	3	2	3	2
	F.	24	2	1	1	1	1			3	7	4		4		24					1	1	4	2	3		2	2	4	2	3	
70	Haemorrhagic conditions M	2										1				2											2					
	F.	3	2								1					3					1						1				1	
	(a) Simple purpura M	1										1				1											1					
	F.	3	2								1					3					1						1				1	
	(b) Haemophilia M.	1	1													1											1					
	F.																															
71	Anaemia M.	20	2			1	2			1	6	6		2		19			1		3	3	2		1	2		3	2	1	2	1
	F.	15				1	1			2	4	4		3		15						1	2	1	3		1	2	3	1	1	
	(a) Pernicious anaemia M.	16	1			1	2			1	5	4		2		15			1		3	2	2		1	1		2	2		2	1
	F.	15				1	1			2	4	4		3		15						1	2	1	3		1	2	3	1	1	
	(b) Others under this title M.	4	1								1	2				4						1				1		1		1		
	F.																															
72	Leukaemia and aleukaemia M.	9	3	1	1			1		1	2					7		1		1		1		1		1	1	1	1	1	1	1
	F.	2									1			1		2								1						1		
	(a) Leukaemia M.	6	3	1	1						1					5		1				1		1		1		1	1	1		
	F.	1												1		1														1		
	(b) Aleukaemia (Hodgkin's disease) M	3						1		1	1					2				1							1				1	1
	F.	1									1					1								1								
73	Diseases of the spleen M.	1	1													1									1							
	F.	4		1	1					1	1					4							2						1		1	
74	Other diseases of the blood and blood-forming organs M.																															
	F.																															
	Class V—Chronic Poisonings and intoxications T.	13			2	1	1			3	3			2	1	13					2	1	4	1			3	1			1	
	M.	13			2	1	1			3	3			2	1	13					2	1	4	1			3	1			1	
	F.																															
75	Alcoholism M.	12			2	1	1			2	3			2	1	12					2	1	4	1			2	1			1	
	F.																															
	(a) Delirium tremens M.	1								1						1							1									
	F																															
	(b) Other alcoholic intoxications M.	11			2	1	1			1	3			2	1	11					2	1	3	1			2	1			1	
	F.																															
76	Chronic poisoning, by other organic substances M.																															
	F																															
	(a) Chronic morphinism M																															
	F.																															
	(b) Chronic cocainism M																															
	F.																															
	(c) Occupational M.																															
	F.																															
	(d) Other organic poisoning M.																															
	F.																															
77	Chronic poisoning by mineral substances M.	1								1						1											1					
	F.																															
	(a) Lead (including occupational) M.	1								1						1											1					
	F.																															
	(b) Occupational, except lead M.																															
	F.																															

TABLE XXXIII—Continued

Inst. List No.	Causes of death		Total	Conjugal Condition: Under 15 years	Single: 15 to 24 years	Single: 25 to 44 years	Single: 45 to 64 years	Single: 65 years and over	Single: Age not stated	Married: 15 to 24 years	Married: 25 to 44 years	Married: 45 to 64 years	Married: 65 years and over	Married: Age not stated	Widowed	Not stated	Nativity: Canada	British	Foreign: United States	Foreign: Other	Not stated	Months: January	February	March	April	May	June	July	August	September	October	November	December
	(c) Others under this title	M.																																
		F.																																
	Class VI—Diseases of the nervous system and of the organs of special sense	Total	356	75	12	7	20	23			10	49	62		97	1	328	17	3	3	5	34	34	43	29	34	23	18	33	28	26	27	27
		M.	199	46	8	7	12	11			3	29	48		34	1	182	10	1	2	4	18	23	22	14	25	12	6	18	17	12	17	15
		F.	157	29	4		8	12			7	20	14		63		146	7	2	1	1	16	11	21	15	9	11	12	15	11	14	10	12
78	Encephalitis (non-epidemic)	M.	4	1	1		1						1				4							1		3							
		F.	7	4							1	2					7						1	1	1	1			1	1	1		
79	Simple meningitis	M.	16	10			1	1			1	2			1		15	1				3	3		1	2	1	1	1		1	1	2
		F.	7	3	1			1			2						6	1				1	2	1				1					2
80	Progressive locomotor ataxia (tabes dorsalis)	M.	1												1		1					1											
		F.	2				1					1					2							1			1						
81	Other diseases of the spinal cord	M.	11	1	1		1					2	4		2		11					2	1	2					2	1	1	2	
		F.	10	2				1				1			6		9	1						3	2		1	1	1			1	1
82	Cerebral haemorrhage, cerebral embolism and thrombosis	M.	85		1	1	4	6			2	17	27		26	1	76	4		2	3	6	6	12	7	8	5	4	8	12	4	7	6
		F.	75	2			1	7			1	13	10		41		70	2	2	1		7	5	13	8	5	3	4	8	3	9	4	6
	(a) Cerebral haemorrhage	M.	65		1	1	4	4			2	9	22		21	1	58	3		1	3	5	4	8	6	6	4	2	7	9	4	7	3
		F.	63	1			1	4			1	12	9		35		58	2	2	1		6	2	13	8	4	2	3	6	3	9	2	5
	(b) Cerebral embolism and thrombosis	M	9					1				5	1		2		8	1						1	1	1		1	1	3			1
		F.	2												2		2					1				1							
	(c) Softening of the brain	M.																																
		F.	1					1									1						1										
	(d) Hemiplegia and other paralysis, cause not specified	M.	11					1				3	4		3		10			1		1	2	3		1	1	1					2
		F.	9	1				2				1	1		4		9						2				1	1	2			2	1
83	General paralysis of the insane	M.	4									2	2				3		1					1		1				1	1		
		F.	1								1						1								1								
84	Dementia praecox and other psychoses	M.	12		1	3	3					1	3		1		9	2			1		2		2	3					2	1	2
		F.	10		1		4	1				1	1		2		8	1			1	1	1		2	1		2		2			1
	(a) Dementia praecox	M.	6		1	3	1					1					4	1			1		1		1	2					2		
		F.	5		1		2						1		1		4				1	1			1			2					1
	(b) Other psychoses	M.	6				2						3		1		5	1					1		1	1						1	2
		F.	5				2	1				1			1		4	1					1		1	1				2			

85	Epilepsy	M.	4	1	1	1		1									4						2				1		1				
		F.	4	2	1										1		4					1					2				1		
86	Convulsions (under 5	M.	28	28													28					4	6	2	2	4	2		3		2	1	2
	years of age)	F.	13	13													13								1	1	4		2	2	1	1	1
87	Other diseases of the	M.	23	1	1	1	2	3				3	9		3		21	2				1	2	3		3	2	1	2	3	1	3	2
	nervous system	F.	22	1			2	2			1	1	3		12		21	1				5	2	2		1		2	1	3	2	3	1
	(a) Chorea	M.																															
		F.																															
	(b) Neuralgia and	M.	3									1	2				3																
	Neuritis	F.	4										1		3		4					2	1	1							1	1	1
	(c) Paralysis agitans	M.	7					2				1	3		1		5	2						1		1	1			2		1	1
		F.	5					1							4		5									1		1			1	2	
	(d) Sclerosis (other	M.	5		1		1					1	2				5						1	1					1	1		1	
	than of the spinal cord	F.	8				2					1	2		3		7	1				3						1		3	1		
	(e) Others under this	M.	8	1		1	1	1					2		2		8					1	1	1		2	1	1	1				
	title	F.	5	1				1			1				2		5						1	1					1			1	1
88	Diseases of the organs	M.	1									1					1						1										
	of vision	F.	1												1			1				1											
89	Diseases of the ear and	M.	10	4	2	1						1	2				9	1				1		1	2	1	1		1			2	1
	mastoid process	F.	5	2	1						1	1					5											2	2			1	
	(a) Otitis	M.	6	4		1							1				5	1						1	1	1	1					1	1
	(b) Diseases of the	F.	4	2							1	1					4											1	2			1	
	mastoid process	M.	4		2							1	1				4					1			1				1			1	
		F.	1		1												1											1					
	(c) Others under	M.																															
	this title	F.																															
	Class VII—Diseases of	T.	1416	1	5	17	43	132	1		31	167	400		619		1286	93	15	16	6	126	111	128	137	114	136	99	95	120	123	105	122
	of the Circulatory	M.	753		3	8	27	62	1		16	100	292		244		687	48	6	10	2	67	56	69	74	52	75	60	51	71	62	50	66
	system	F.	663	1	2	9	16	70			15	67	108		375		599	45	9	6	4	59	55	59	63	62	61	39	44	49	61	55	56
90-95	Diseases of the heart	M.	465		2	5	23	44	1		13	67	175		135		420	32	4	7	2	43	33	46	45	26	50	38	29	42	45	30	38
		F.	355	1	2	9	9	38			15	38	59		184		320	23	6	3	3	32	30	37	37	30	33	16	17	24	33	30	36
90	Pericarditis	M.	1									1					1								1								
		F.																															
91	Acute endocarditis	M.	2		1										1		2									1							1
		F.	7	1		3	1				2						5	1		1						1		1		1	2	1	1
	(a) Endocarditis	M.	2		1										1		2									1							1
	specified as acute	F.	4	1		1	1				1						3			1						1				1	1		1
	(b) Endocarditis	M.																															
	unspecified	F.	3			2					1						2	1															
	(under 45 years of age)																											1			1	1	
92	Chronic endocarditis,	M.	117		1	3	7	17			3	12	42		32		107	3	2	4	1	10	9	17	15	9	9	7	6	5	13	5	12
	valvular diseases	F.	96			5	2	7			5	12	20		45		84	10	1	1		9	8	9	5	11	6	5	6	10	10	8	9
	(a) Endocarditis specified as chronic and	M.	111		1	3	7	17			3	10	39		31		103	2	2	3	1	9	9	16	14	8	9	7	6	5	12	4	12
	other valvular diseases	F.	94			5	2	7			5	12	20		43		83	10	1			8	8	9	5	11	5	5	6	10	10	8	9
	(b) Endocarditis, unspecified, 45 years	M.	6									2	3		1		4	1		1		1		1	1	1					1	1	
	and over	F.	2												2		1			1		1					1						
93	Diseases of the myocar-	M.	93			1	5	12			1	5	32		37		87	5			1	15	6	10	9	1	9	8	8	8	7	8	4
	dium	F.	94		1		1	12			3	5	12		60		86	4	1	1	2	8	8	11	15	5	10	4	3	5	5	7	13

TABLE XXXIII—Continued

Int. List. No.	Causes of Death		Total	Conjugal Condition: Under 15 years	Single: 15 to 24 years	Single: 25 to 44 years	Single: 45 to 64 years	Single: 65 years and over	Single: Age not stated	Married: 15 to 24 years	Married: 25 to 44 years	Married: 45 to 64 years	Married: 65 years and over	Married: Age not stated	Widowed	Not stated	Nativity: Canada	British	Foreign: United States	Foreign: Other	Not stated	Months: January	February	March	April	May	June	July	August	September	October	November	December
	(a) Acute myocarditis	M.	5					1					2		2		5									1	1	1			1		1
		F.	3					1							2		2	1				1			1								1
	(b) Myocarditis, unspecified, (under 45 years of age)	M.	2			1					1						2								1						1		
		F.	3								3						3						1		1							1	
	(c) Chronic myocarditis and myocardial degeneration	M.	40				1	5				1	15		18		39	1				5	3	6	4		3	3	5	3	1	6	1
		F.	56		1		1	8				4	7		35		54	1			1	4	4	6	7	3	8	3	3	3	4	2	9
	(d) Myocarditis, unspecified, (45 years and over)	M.	46				4	6				4	15		17		41	4			1	10	3	4	4		5	4	3	5	4	2	2
		F.	32					3				1	5		23		27	2	1	1	1	3	3	5	6	2	2	1		2	1	4	3
94	Diseases of the coronary arteries and angina pectoris	M.	179				9	9	1		9	41	68		42		153	21	2	3		11	9	10	12	9	24	17	13	24	19	14	17
		F.	81		1	1	2	6			2	10	18		41		73	7	1			8	9	6	6	7	11	5	4	5	11	5	4
	(a) Diseases of the coronary arteries	M.	4										3		1		4										1			1			2
		F.																															
	(b) Embolism and thrombosis of the coronary arteries	M.	128				6	8	1		7	30	47		29		113	12	1	2		6	6	7	11	6	17	12	10	18	16	10	9
		F.	61		1		2	3			1	7	15		32		55	5	1			7	7	5	6	5	10	4	3	3	5	3	3
	(c) Angina pectoris	M	47				3	1			2	11	18		12		36	9	1	1		5	3	3	1	3	6	5	3	5	3	4	6
		F.	20			1		3			1	3	3		9		18	2				1	2	1		2	1	1	1	2	6	2	1
95	Other diseases of the heart	M.	73			1	2	6				8	33		23		70	3				7	9	9	8	6	8	6	2	5	6	3	4
		F.	77				3	13			3	11	9		38		72	1	3		1	7	5	11	11	6	6	1	4	3	5	9	9
	(a) Functional diseases of the heart	M.	5										3		2		5							2	1			1		1			
		F.	4									1	1		2		3		1			2	1						1				
	(b) Other and unspecified	M.	68			1	2	6				8	30		21		65	3				7	9	7	7	6	8	5	2	4	6	3	4
		F.	73				3	13			3	10	8		36		69	1	2		1	5	4	11	11	6	6	1	3	3	5	9	9
96	Aneurysm (except of the heart)	M.	1									1					1													1			
		F.	1									1					1															1	
97	Arteriosclerosis (of coronary arteries excepted)	M.	239				3	16			1	22	101		96		224	13		2		20	21	19	28	18	21	19	19	19	14	14	27
		F.	242				4	26				16	41		155		217	19	3	2	1	22	21	17	19	23	22	18	22	19	24	19	16

98	Gangrene	M.	18			1		1			1	1	6		8		15	1	1	1		1		1		4		2	1	8	1		
		F.	13					1					1		11		13					2	1	2	2	2	1				2		1
99	Other diseases of the arteries	M.	2										2				1	1				1										1	
		F.	2												2		2					1				1							
100	Diseases of the veins (varices, haemorrhoids, phlebitis, etc.)	M.	3			1						2					3								1	1						1	
		F.	5					1				1	2		1		4	1				1			2				1	1			
101	Diseases of the lymphatic system (lymphangitis, etc.)	M.	1		1												1						1										
		F.																															
102	Idiopathic abnormalities of blood pressure	M.	23				1	1			1	7	8		5		21	1	1			2		3		3	4	1	2	1	2	4	1
		F.	45				3	4				11	5		22		42	2		1		1	3	3	3	6	5	5	4	5	2	5	3
103	Other diseases of the circulatory system	M.	1			1											1						1										
		F.																															
	Class VIII—Diseases of the respiratory system	T.	501	167	11	7	18	22		2	23	57	86		108		467	24	5	3	2	66	54	76	66	48	23	13	19	18	37	38	43
		M.	270	99	6	5	13	11			11	37	60		28		252	11	2	3	2	36	29	41	41	24	14	7	10	9	22	16	21
		F.	231	68	5	2	5	11		2	12	20	26		80		215	13	3			30	25	35	25	24	9	6	9	9	15	22	22
104	Diseases of the nasal fossae and annexa	M.	2	2													2							1	1								
		F.																															
105	Diseases of the larynx	M.	2	1											1		2								1			1					
		F.	1	1													1							1									
	(a) Croup	M.	1	1													1								1								
		F.																															
	(b) Other diseases of the larynx	M.	1												1		1											1					
		F.	1	1													1							1									
106	Bronchitis	M.	14	6				2				1	3		2		13		1			1	2	2	2		2		1		2	1	1
		F.	10	3				1				1	1		4		10					3	1	2		1		1					2
	(a) Acute	M.	9	5				1					2		1		8		1			1	2		1		1				2	1	1
		F.	6	3				1							2		6					2	1	2									1
	(b) Chronic	M.	3					1				1			1		3							1	1				1				
		F.	3										1		2		3					1				1		1					
	(c) Unspecified	M.	2	1									1				2							1			1						
		F.	1									1					1																1
107	Bronchopneumonia	M.	92	50	2		3	4			2	7	17		7		90	2				13	9	10	19	8	3	1	3	3	8	8	7
		F.	85	33				4			1	4	11		32		77	7	1			7	10	10	8	9	5	1	3	3	4	14	11
	(a) Bronchopneumonia	M.	92	50	2		3	4			2	7	17		7		90	2				13	9	10	19	8	3	1	3	3	8	8	7
		F.	85	33				4			1	4	11		32		77	7	1			7	10	10	8	9	5	1	3	3	4	14	11
	(b) Capillary bronchitis	M.																															
		F.																															
108	Lobar pneumonia	M.	74	16	3	2	7	1			7	15	15		8		66	5	1		2	7	7	16	9	10	5	1	1	2	5	3	8
		F.	69	14	3	2	1	4		2	7	9	9		18		65	2	2			12	9	10	12	2	1	3	5	1	6	3	5
109	Pneumonia, unspecified	M.	38	17		1	1	2				6	10		1		36	1		1		8	2	5	6	2	1	3	1	1	3	3	3
		F.	38	12	2		4	2			3	3	1		11		37	1				4	2	9	2	8	2	1	1	2	1	4	2
110	Pleurisy	M.	8	2	1		1					2	2				7			1		1	1	2	1	1			1		1		
		F.	4	1									1		2		4					1	1	1	1								
111	Congestion and haemorrhagic infarct of the lung, etc	M.	12	2				2					5		3		11	1				3	2	2		1	1	1			1	1	
		F.	9	1									3		5		9					2	1	2		1				1	1		1

TABLE XXXIII—Continued

Int. List No.	Causes of Death		Total	Conjugal condition: Under 15 years	Single: 15 to 24 years	Single: 25 to 44 years	Single: 45 to 64 years	Single: 65 yrs and over	Single: Age not stated	Married: 15 to 24 years	Married: 25 to 44 years	Married: 45 to 64 years	Married: 65 years and over	Married: Age not stated	Widowed	Not stated	Nativity: Canada	British	Foreign: United States	Foreign: Other	Not stated	Months: January	February	March	April	May	June	July	August	September	October	November	December
	(a) Pulmonary embolism and thrombosis	M.	2										1		1		1	1						1				1						
		F.																																
	(b) Others under this title	M.	10	2				2					4		2		10					3	2	1		1	1				1	1	
		F.	9	1									3		5		9					2	1	2		1				1	1		1
112	Asthma	M.	20			1	1				2	4	7		5		17	2		1		2	3	1	2	2	2		2	2	2		2
		F.	12								1	3			8		9	3				1			1	3	1			2	2	1	1
113	Pulmonary emphysema	M.																																
		F.																																
114	Other diseases of the respiratory system (tuberculosis excepted)	M.	8	3		1						2	1		1		8					1	3	2					1	1			
		F.	3	3													3						1		1						1		
	(a) Chronic interstitial pneumonia including occupational diseases of the respiratory system	M.																																
		F.																																
	(b) Gangrene of the lung	M.	1	1													1							1										
		F.																																
	(c) Others under this title	M.	7	2		1						2	1		1		7					1	3	1					1	1			
		F.	3	3													3						1		1						1		
	Class IX—Diseases of the digestive system	T.	382	170	14	8	14	9		2	31	46	36		52		358	16	4	4		18	22	30	24	23	23	20	48	69	43	36	26
		M.	205	97	10	5	6	6			17	25	18		21		190	11	1	3		11	7	12	12	16	11	13	19	46	28	15	15
		F.	177	73	4	3	8	3		2	14	21	18		31		168	5	3	1		7	15	18	12	7	12	7	29	23	15	21	11
115	Diseases of the buccal cavity and annexa, and of the pharynx and tonsils (including adenoid vegetations)	M.	11	2	1		1				2	2	1		2		9			2			1		1		1	4			2	1	1
		F.	9	2		2				1		1			3		9					1	1		1		2		1		1	2	
	(a) Diseases of the buccal cavity and annexa	M.	3		1		1								1		3											2					1
		F.	5	1		2				1					1		5					1			1				1		1	1	
	(b) Diseases of the tonsils	M.	2								2						1			1							1	1					
		F.	2												2		2										1					1	
	(c) Others under this title	M.	6	2								2	1		1		5			1			1		1			1			2	1	
		F	2	1								1					2						1				1						

116	Diseases of the oesophagus	M.																																
		F.																																
117	Ulcer of the stomach or duodenum	M.	20		1	3	2	2			6	4	3		1		18	2				3	1	1	2	5	2	3			1	1	1
		F.	11				2				2	2			3		9	1	1				3	2	1		1		2	1			1
	(a) Ulcer of the stomach	M	10			2	1	2			3		3		1		9	1				2		1	1	1	1	2			2	1
		F.	11				2				2	2			3		9	1	1				3	2	1		1		2	1			1
	(b) Ulcer of the duodenum	M.	10		1	1	1				3	4					9	1				1	1		1	4	1	1			1		
		F.						1																										
118	Other diseases of the stomach	M.	8	2							1	1	1		2		7		1					1	1			1	1	1	2	1	
		F.	10	5			1						1		3		10					1	5					1	1			2	
119	Diarrhoea and enteritis (under 2 years of age)	M.	78	78													78					2	1	1	1	2	1	2	12	36	9	7	4
		F.	50	50				2									50					1	1	3			2	1	13	18	3	6	2
120	Diarrhoea and enteritis (2 years and over)	M.	16	5	1		2					3	1		2		14	2						1		1	1	1	2	3	3		4
		F.	19	8	1		1	2			3	1			5		18		1			1			3		1	1	4	2	2	4	1
	(a) Diarrhoea and enteritis	M.	14	5			2					2	1		2		13	1						1		1	1	1		3	3		4
		F.	17	8	1		1				2	1			4		16		1			1			2		1		4	2	2	4	1
	(b) Ulceration of the intestines	M.	2		1							1					1	1											2				
		F.	2					1			1				1		2								1			1					
121	Appendicitis	M.	25	7	6		1				4	1	2		3		24	1				1	2	4	1	3	2	1	2	1	4	1	3
		F.	9	5	1		1				1				1		7	2						4	1	2			1		1		
122	Hernia, intestinal obstruction	M.	20	2		1		1			2	2	6		7		17	2		1		2	2	1	1	1	1		2	1	5	3	1
		F.	27	3	1	1	1			1	3	3	7		6		27					1	1	3	4	2	1	3	2	1	4	4	1
	(a) Hernia	M.	12					1				2	4		6		9	2		1			2	1	1				2		3	2	1
		F.	9								2	1	2		3		9					1			1	1			1		2	2	1
	(b) Intestinal obstruction	M.	8	2		1					2		2		1		8					2				1	1			1	2	1	
		F.	18	3	1	1	1	2		1	1	2	5		3		18						1	3	3	1	1	3	1	1	2	2	
123	Other diseases of the intestines	M.	9		1							3	1		2		7	2				1		2	2		2			1	1		
		F.	1		1												1															1	
124	Cirrhosis of the liver	M.	5								1	3	1				4	1				2			1	1				1			
		F.	3				1					1			1		3						1						1				1
	(a) Specified as alcoholic	M.	1									1					1					1											
		F.																															
	(b) Not specified as alcoholic	M.	4								1	2	1				3	1				1			1	1				1			
		F.	3				1					1			1		3						1						1				1
125	Other diseases of the liver	M.	1			1											1															1	
		F.	2										1		1		2													1			1
	(a) Yellow atrophy of the liver	M.																															
		F.																															
	(b) Others under this title	M.	1			1											1															1	
		F.	2										1		1		2													1			1
126	Biliary calculi	M.	6								1	2	1		2		5	1							1	2				2	1		
		F.	20								2	10	4		4		18	1	1				1	4		1	4		2		3	2	3
127	Other diseases of the gall-bladder and biliary passages	M.	5	1								3	1				5								1	1	1	1					1
		F.	9									1	4		4		8			1		1		1	1	2	1		1		1		1
128	Diseases of the pancreas	M.																																
		F.	1										1				1								1								
129	Peritonitis, cause not specified	M.	1									1					1							1									
		F.	6				1				3	2					5	1				1	2	1				1	1				
	Class X—Diseases of the Genito-urinary system	T.	468	6	3	7	15	40			18	66	152		158	3	424	32	5	4	3	42	39	47	50	38	41	30	30	30	43	32	46
		M.	299	3	1	4	13	26			5	44	125		75	3	276	17		3	3	25	30	27	30	21	27	22	17	20	27	22	31
		F.	169	3	2	3	2	14			13	22	27		83		148	15	5	1		17	9	20	20	17	14	8	13	10	16	10	15

TABLE XXXIII—Continued

Int. List No.	Causes of Death		Total	Conjugal Condition: Under 15 yrs.	Single: 15 to 24 years	Single: 25 to 44 years	Single: 45 to 64 years	Single: 65 years and over	Single: Age not stated	Married: 15 to 24 years	Married: 25 to 44 years	Married: 45 to 64 years	Married: 65 years and over	Married: Age not stated	Widowed	Not stated	Nativity: Canada	British	Foreign: United States	Foreign: Other	Foreign: Not Stated	Months: January	February	March	April	May	June	July	August	September	October	November	December
130	Acute nephritis (including unspecified, under 10 years of age)	M.	8	2	1	1						2	2					8						2	1	1			2					2
		F.	4	2							2							3	1				1						1	1		1		
131	Chronic nephritis	M.	144	1		2	10	11			3	21	58		37	1	134	8		1	1	12	15	19	18	11	13	7	7	12	11	6	13
		F.	118	1	2	2	2	11			5	14	20		61		103	10	4	1		12	6	17	18	12	10	2	8	8	10	5	10
132	Nephritis unspecified (10 years and over)	M.	24			1		1			1	5	5		11		22	2				2	4		3		3	1	2	1	4	1	3
		F.	20			1		1			1	1	5		11		18	1	1			2	2	1	1	2	1	2	3		4	1	1
133	Other diseases of the kidneys and ureters	M.	16					2			1	5	6		1	1	14			2			1	3	1	3	3	1	1			3	
		F.	11					2			2	1			6		10	1				1	1	1		1	1	2	1			2	1
134	Calculi of the urinary passages	M.	6				1					1	2		2		5	1				1					2	1			1		1
		F.	4								2	1	1				3	1							1		1						2
135	Diseases of the bladder (tumours excepted)	M.	8									1	5		2		8					1	1		1			1	1			1	2
		F.	3												3		3											1		1		1	
136	Diseases of the urethra, urinary abscess, etc.	M.	1									1					1																1
		F.																															
	(a) Stricture of the urethra	M.	1									1					1																1
		F.																															
	(b) Others under this title	M.																															
		F.																															
137	Diseases of the prostate	M.	91				2	12				8	46		22	1	83	6			2	9	7	4	6	6	6	9	6	7	11	11	9
138	Diseases of the male genital organs (not specified as venereal)	M.	1										1				1									1							
139	Diseases of the female genital organs (not specified as venereal)	F.	9								1	5	1		2		8	1				1		1		2	1			1	1	1	1
	(a) Of the ovary, Fallopian tube and parametrium	F.	3									2			1		3									1				1			1
	(b) Of the uterus	F.	6								1	3	1		1		5	1				1		1		1	1				1	1	
	(c) Of the breast	F.																															
	(d) Others under this title	F.																															

	Class XI—Diseases of Pregnancy, Childbirth and the Puerperal State ..... Total	35	1	2					7	23	2					30	5				3	5	6	6		3	3	3	1	3	1	1
140	Abortion with septic conditions ..... F.	1								1							1											1				
	(a) Abortion ..... F	1								1							1											1				
	(b) Self-induced abortion ..... F.																															
141	Abortion without mention of septic conditions (haemorrhage included) F.																															
	(a) Abortion ..... F.																															
	(b) Self-induced abortion ..... F.																															
142	Ectopic gestation ..... F.																															
	(a) With septic conditions ..... F.																															
	(b) Without mention of septic conditions ..... F.																															
143	Other accidents of pregnancy (haemorrhages excluded) ..... F.																															
144	Puerperal haemorrhage ..... F.	8							2	5	1					7	1					1	2	1		1	1		1	1		
	(a) Placenta praevia ..... F.	6							1	5						6						1	1	1		1	1			1		
	(b) Other haemorrhages F.	2							1		1					1	1						1						1			
145	Puerperal septicaemia not specified as due to abortion) ..... F.	6							1	5						4	2					1	2	1		1		1				
	(a) Puerperal septicaemia and pyaemia ..... F.	6							1	5						4	2					1	2	1		1		1				
	(b) Puerperal tetanus .. F.																															
146	Puerperal albuminuria and eclampsia ..... F.	11	1	2					3	4	1					10	1				1	2	1	2		1	2			1	1	
147	Other toxaemias of pregnancy ..... F.	2							1	1						2					1			1								
148	Puerperal phlegmasia alba dolens, embolism or sudden death (not specified as septic ..... F.	5								5						5							1	1				1		1		1
	(a) Phlegmasia alba dolens and thrombosis F.	2								2						2												1		1		
	(b) Embolism ..... F.	3								3						3							1	1								1
	(c) Sudden death ..... F.																															
149	Other accidents of childbirth ..... F.	2								2						2					1	1										
	(a) Caesarean operation F.	1								1						1						1										
	(b) Other surgical operation and instrumental delivery F.																															
	(c) Dystocia ..... F.			1						1						1					1											

TABLE XXXIII—Continued

Int. List	Causes of Death		Total	Conjugal Condition												Nativity					Months											
				Under 15 years	Single					Married					Widowed	Not stated	Canada	British	Foreign		Not stated	January	February	March	April	May	June	July	August	September	October	November	December
					15 to 24 years	25 to 44 years	45 to 64 years	65 yrs and over	Age not stated	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Not stated					United States	Other													
	(d) Rupture of uterus in parturition	F.																														
	(e) Others under this title	F.																														
150	Other or unspecified condition of the puerperal state	F.																														
	(a) Puerperal diseases of the breast	F.																														
	(b) Others under this title	F.																														
	Class XII—Diseases of the skin and Cellular Tissue	T.	19	1	2	1		3			2	2	2		6		18			1		1	3	2	3	3			2	1		3	1
		M.	13	1	2	1		2				2	2		3		12			1		1	3	2	1	3			2			1	
		F.	6					1			2				3		6								2					1		2	1
151	Carbuncle	M.	4		1	1		1				1					3			1			1	1		1			1				
		F.	1								1						1															1
152	Cellulitis, acute abscess	M.	7		1			1				1	1		3		7						2		1	2			1			1	
		F.	2								1				1		2								1							1	
153	Other diseases of the skin and annexa and of the cellular tissue	M.	2	1									1				2					1		1									
		F.	3					1							2		3								1					1		1	
	Class XIII—Diseases of the bones and organs of locomotion	T.	12	3				1			2	2	2		2		10	2						2	1	1	1	1	1	1	1	3	
		M.	5	2							2		1				4	1						2				1		1	1		
		F.	7	1				1				2	1		2		6	1							1	1	1		1			3	
154	Osteomyelitis	M.	2	1							1						2											1			1		
		F.	2	1								1					2												1			1	
155	Other diseases of the bones (tuberculosis excepted)	M.																														
		F.	3					1					1		1		2	1							1	1						1	
156	Diseases of the joints and other organs of locomotion	M.	3	1							1		1				2	1						2						1			
		F.	2									1			1		2										1					1	
	(a) Of the joints (tuberculosis and rheumatism excepted)	M.	2								1		1				1	1						1						1			
		F.	1												1		1															1	
	(b) Of other organs of locomotion	M.	1	1													1							1									
		F.	1									1					1										1						

	Class XIV — Congenital T.	80	77	3											79				1	5	8	9	5	9	4	5	7	6	12	4	6
	Malformations M	46	45	1											45				1	2	6	5	3	3	3	1	5	4	7	4	3
	F.	34	32	2											34					3	2	4	2	6	1	4	2	2	5		3
157	Congenital malformations M	46	45	1											45				1	2	6	5	3	3	3	1	5	4	7	4	3
	(stillbirths excluded) F.	34	32	2											34					3	2	4	2	6	1	4	2	2	5		3
	(a) Congenital M	6	6												6						1				1		1	2		1	
	hydrocephalus F	5	4	1											5						1			1				1	1		1
	(b) Spina bifida and M.	10	10												10							2			1		1		4	2	
	meningocele F.	8	7	1											8					1	1			2		1	1		1		1
	(c) Congenital malfor- M.	15	14	1											15						1		2	2	1	1	3	2		1	2
	mations of the heart F.	12	12												12					1		4	2	1		1			2		1
	(d) Monstrosities M.																														
	F.																														
	(e) Others under this M.	15	15												14				1	2	4	3	1	1					3		1
	title F.	9	9												9					1				2	1	2	1	1	1		
	Class XV—Diseases T	311	311												311					30	30	26	29	29	24	20	18	21	27	26	31
	of early infancy M.	166	166												166					18	17	13	15	15	10	10	8	15	12	18	15
	F.	145	145												145					12	13	13	14	14	14	10	10	6	15	8	16
158	Congenital debility M.	16	16												16					2	3		1	1	1	2	2	2		2	
	F.	17	17												17					1	1		4		2	1	2		2	2	2
159	Premature birth M.	92	92												92					7	9	10	9	10	4	5	1	8	10	10	9
	F.	80	80												80					9	6	8	5	8	8	5	5	5	7	5	9
160	Injury at birth M.	23	23												23					4	3	2	1	2	2	1	2	2	1	2	1
	F.	17	17												17					1	3	1	1	3	2		1		4		1
	(a) With mention of M.																														
	caesarean operation F.																														
	(b) Without mention of M	23	23												23					4	3	2	1	2	2	1	2	2	1	2	1
	caesarean operation F.	17	17												17					1	3	1	1	3	2		1		4		1
161	Other diseases peculiar M.	35	35												35					5	2	1	4	2	3	2	3	3	1	4	5
	to early infancy (under																														
	3 months) F.	31	31												31					1	3	4	4	3	2	4	2	1	2	1	4
	(a) Atelectasis M.	4	4												4										1		1	1		1	
	F.	4	4												4							1	1		1	1					
	(b) Icterus of the M.	2	2												2											1		1			
	new-born F.	2	2												2						1					1					
	(c) Sclerema and M.																														
	oedema F.																														
	(d) Athrepsia M.																														
	F																														
	(e) Others, including M.	15	15												15					4	1	1	3		1		1				4
	lack of care F.	20	20												20						2	3	2	3	1	1	2		2	1	3
	(f) No cause given, no M	14	14												14					1	1		1	2	1	1	1	1	1	3	1
	doctor in attendance F.	5	5												5					1			1			1		1			1
	Class XVI— Senility T	254					32					40		182	240	11	2	1		29	20	26	15	18	19	21	16	21	28	20	21
	M.	93					13					27		53	89	3		1		10	5	12	5	7	3	10	4	13	8	6	10
	F.	161					19					13		129	151	8	2			19	15	14	10	11	16	11	12	8	20	14	11
162	Senility M.	93					13					27		53	89	3		1		10	5	12	5	7	3	10	4	13	8	6	10
	F.	161					19					13		129	151	8	2			19	15	14	10	11	16	11	12	8	20	14	11
	(a) With senile demen- M.	5					2					2		1	5						1	2				1	1				
	tia (70 years and over.) F.	10					2							8	10					1		1			1	1	1	1	2	2	
	(b) Without senile	88																													
	dementia (70 years and M.						11					25		52	84	3		1		10	4	10	5	7	3	9	3	13	8	6	10
	over) F.	151					17					13		121	141	8	2			18	15	13	10	11	15	10	11	7	18	12	11

TABLE XXXIII—Continued

Int. List No.	Causes of Death		Total	Conjugal Condition: Single: Under 15 years	Single: 15 to 24 years	Single: 25 to 44 years	Single: 45 to 64 years	Single: 65 yrs and over	Single: Age not stated	Married: 15 to 24 years	Married: 25 to 44 years	Married: 45 to 64 years	Married: 65 years and over	Married: Age not stated	Widowed	Not stated	Nativity: Canada	British	Foreign: United States	Foreign: Other	Not stated	Months: January	February	March	April	May	June	July	August	September	October	November	December
	(c) Premature senility (55 years but under 70 years)	M.																																
		F.																																
	Class XVII—Violent or Accidental Deaths	T.	385	64	49	36	15	17	1	4	56	45	32		62	4	337	27	5	13	3	33	31	29	26	29	36	36	39	30	29	33	34
		M.	276	42	42	33	13	5	1	2	50	34	27		24	3	241	17	3	12	3	24	17	18	17	23	26	27	31	22	23	27	21
		F.	109	22	7	3	2	12		2	6	11	5		38	1	96	10	2	1		9	14	11	9	6	10	9	8	8	6	6	13
163-171	Suicides	M.	24			3	3		1		8	4	3		2		19	1		2	2	1	1	2	4	2	2	3	2	2	2	2	1
		F.	5			1				2		1			1		5						3	1									1
163	Suicide by solid or liquid poisons or by absorption of corrosive substances	M.	1				1										1						1											
		F.	1							1							1																	1
164	Suicide by poisonous gas	M.	3								2	1					2	1													1	1	1
		F.	1							1							1							1									
165	Suicide by hanging or strangulation	M.	2						1		1						1				1					1						1	
		F.	1									1					1						1										
166	Suicide by drowning	M.	1										1				1													1			
		F.	1												1		1						1										
167	Suicide by firearms	M.	13			3	1				2	3	2		2		12				1	1		1	3	1	1	2	2	1	1		
		F.	1			1											1						1										
168	Suicide by cutting or piercing instruments	M.	4				1				3						2			2				1	1		1	1					
		F.																															
169	Suicide by jumping from high places	M.																															
		F.																															
170	Suicide by crushing	M.																															
		F.																															
171	Suicide by other means	M.																															
		F.																															
173-175	Homicides	M.	2			2											2						1			1							
		F.	2		1							1					1	1					1		1								
173	Homicide by firearms	M.																															
		F.	2		1							1					1	1					1		1								

174	Homicide by cutting or piercing ins'ruments M.																															
	F.																															
175	Homicide by other means M.	2			2										2						1			1								
	F.																															
176-198	Other violent deaths M.	250	42	42	28	10	5		2	42	30	24		22	3	220	16	3	10	1	23	15	16	13	20	24	24	29	20	21	25	20
	F.	102	22	6	2	2	12			6	9	5		37	1	90	9	2	1		9	10	10	8	6	10	9	8	8	6	6	12
176	Attack by venomous animals M																															
	F.	1	1													1											1					
177	Food poisoning M.																															
	F.																															
178	Accidental absorption of toxic gasses M.																															
	F.																															
179	Other acute accidental poisonings (except by gas) M.	4			2							1			1	2			2		1					1					2	
	F.	2	1							1						2									1	1						
180	Conflagration M.	3	2		1											3															2	1
	F.																															
181	Accidental burns (conflagration excepted) M.	9	2	1	1						1	2		2		8	1				2	1				1	1	2		1	1	
	F.	9	4	1			1				1			2		8		1			3			2		1	1		1		1	
182	Accidental mechanical suffocation M.	8	7		1											8					2		1		1	1	1			1	1	
	F.	4	4													4					1		2									1
183	Accidental drowning M.	42	10	9	7	1	1			9	2	1		1	1	41			1		5	3	1	4	3	2	6	7	4	1	4	2
	F.	11	3	2	2					1	2				1	9		1	1				1	2	2		1	4		1		
184	Accidental injury by firearms M	2		2												2						1								1		
	F.	1	1													1									1							
185	Accidental injury by cutting or piercing instruments M.	3		3												3							1		1					1		
	F.																															
186	Accidental injury by fall crushing or land-slide M.	154	18	24	16	7	4		2	27	22	18		16		129	14	3	7	1	11	6	12	9	13	16	15	16	13	13	14	16
	F.	61	6	3		1	8			3	6	4		30		54	7				4	8	6	4	2	7	6	2	6	3	4	9
187	Cataclysm M.																															
	F.																															
188	Injuries by animals M.	5	2							1	1			1		4	1						1		1	1				2		
	F	1					1									1						1										
189	Hunger or thirst M.																															
	F.																															
190	Excessive cold M.	1		1												1						1										
	F.	1								1						1																1
191	Excessive heat M.																															
	F.																															
192	Lightning M.	1	1													1												1				
	F.																															
193	Accidents due to electric currents M	3		1						1	1					3										1	1			1		
	F.																															
194	Other accidents M.	11		1		2				2	2	2		2		11					1	3			1	1		3	2			
	F.	11	2			1	2					1		5		9	2				1	1	1			1		2	1	2	1	1
	(a) Foreign body M.																															
	F.	2	2													2										1					1	

TABLE XXXIII—Continued

Int. List No.	Causes of Death		Total	Under 15 years	Conjugal Condition: Single: 15 to 24 years	Single: 25 to 44 years	Single: 45 to 64 years	Single: 65 yrs and over	Single: Age not stated	Married: 15 to 24 years	Married: 25 to 44 years	Married: 45 to 64 years	Married: 65 years and over	Married: Age not stated	Widowed	Not stated	Nativity: Canada	British	Foreign: United States	Foreign: Other	Not stated	Months: January	February	March	April	May	June	July	August	September	October	November	December
	(b) Others under this title	M.	11		1		2				2	2	2		2		11					1	3			1	1		3	2			
		F.	9				1	2					1		5		7	2				1	1	1					2	1	2		1
195	Violent deaths of which the nature (accident, suicide, homicide) is unknown	M.	3								1	1				1	3					1								1		1	
		F.																															
198	Capital punishment	M.	1								1						1																1
		F.																															
	Class XVIII—Ill-defined causes of death	T.	76	25	1	2	3	5		1	2	8	10		19		72	2		2		6	5	8	6	8	4	5	5	6	6	6	11
		M.	48	16	1	1	2	4			1	6	5		12		45	1		2		5	5	7	3	3	1	3	4	4	3	3	7
		F.	28	9		1	1	1		1	1	2	5		7		27	1				1		1	3	5	3	2	1	2	3	3	4
199	Sudden death	M.	21	2			1	3				4	3		8		20	1				4	2	4	1	2	1	2	1	1	1		2
		F.	12	4		1		1					2		4		12								1	2	3			2	1		3
200	Cause of death not specified or ill-defined	M.	27	14	1	1	1	1			1	2	2		4		25			2		1	3	3	2	1		1	3	3	2	3	5
		F.	16	5			1			1	1	2	3		3		15	1				1		1	2	3		2	1		2	3	1

TABLE XXXIII—SPECIAL CLASSES OF ACCIDENTAL DEATHS (INCLUDED ALSO UNDER THE NUMBERS OF THE INTERNATIONAL LIST ABOVE) PROVINCE OF NOVA SCOTIA, 1937

Int. List No.	Causes of Death		Total	Conjugal Conditions: Under 15 Years	Single: 15 to 24 years	Single: 25 to 44 years	Single: 45 to 64 years	Single: 65 yrs and over	Single: Age not stated	Married: 15 to 24 years	Married: 25 to 44 years	Married: 45 to 64 years	Married: 65 yrs and over	Married: Age not stated	Widowed	Not stated	Nativity: Canada	British	Foreign: United States	Foreign: Other	Not Stated	Months: January	February	March	April	May	June	July	August	September	October	November	December
A	Accidents in mines and quarries	M.	30	....	1	4	....	....	....	1	12	9	1	....	2	....	17	8	....	5	....	1	1	3	2	1	4	3	3	3	4	2	3
		F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
B	Accidents caused by machines	M.	8	....	3	1	....	....	....	....	2	2	....	....	....	....	8	....	....	....	....	1	....	1	....	2	....	1	....	1	2	....	....
		F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
C	Railway accidents	M.	12	1	3	1	1	....	....	....	2	2	....	....	2	....	12	....	....	....	....	1	1	2	2	4	....	1	....	....	....	1	....
		F.	2	2	....	....	....	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	2	....	....	....
D	Street car accidents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
E	Automobile and motorcycle accidents	M.	68	13	18	7	2	2	....	....	6	8	6	....	6	....	63	3	2	....	....	5	4	5	2	1	8	6	12	5	7	7	6
		F.	20	3	2	....	1	2	....	....	3	5	....	....	4	....	20	....	....	....	....	1	3	....	....	1	5	3	1	2	....	1	3
F	Other land transportation	M.	10	1	1	1	3	....	....	....	1	....	2	....	1	....	8	2	....	....	....	1	....	1	....	1	....	....	2	1	1	2	1
		F.	3	1	....	....	....	....	....	....	....	....	....	....	2	....	3	....	....	....	....	....	....	....	....	....	....	1	1	....	1	....	....
G	Water transportation	M.	22	3	2	5	2	....	....	....	7	....	1	....	1	1	18	1	....	3	....	....	2	....	2	3	2	4	3	1	1	2	2
		F.	2	....	....	1	....	....	....	....	....	....	....	....	....	1	1	....	....	1	....	....	....	....	1	....	....	1	....	....	....	....	....	....
H	Air transportation	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE XXXIV—CAUSES OF DEATH BY COUNTIES NOVA SCOTIA 1937

Int List No.	Causes of Death		Total	Annapolis	Antigonish	Cape Breton	Colchester	Cumberland	Digby	Guysboro	Halifax	Hants	Inverness	Kings	Lunenburg	Pictou	Queens	Richmond	Shelburne	Victoria	Yarmouth
	Deaths—All causes	T.	6083	224	178	903	298	430	267	155	1224	240	269	277	406	417	127	140	175	75	278
		M.	3244	124	92	491	156	233	148	83	639	135	153	143	225	215	68	63	87	41	148
		F.	2839	100	86	412	142	197	119	72	585	105	116	134	181	202	59	77	88	34	130
	Class I—Infectious and Parasitic Diseases	T.	857	20	35	116	29	43	53	21	176	25	52	57	50	54	10	34	27	7	48
		M.	425	12	18	51	17	24	30	13	82	15	27	26	29	26	3	16	12	4	20
		F.	432	8	17	65	12	19	23	8	94	10	25	31	21	28	7	18	15	3	28
1	Typhoid fever	M.	10			1		1	4		1		1	1							1
		F.	2			1									1						
2	Paratyphoid fever	M.	1	1																	
		F.																			
4	Relapsing fever	M.																			
		F.																			
5	Undulant fever	M.																			
		F.																			
6	Small-pox	M.																			
		F.																			
7	Measles	M.	5																3		2
		F.	5			1					1								1		2
8	Scarlet fever	M.	4			3									1						
		F.	6		1	3					1									1	
9	Whooping-cough	M.	18			3	2		3		4	1		1	3			1			
		F.	26		2	6	1		4		4			2	3		1	2			1
10	Diphtheria	M.	5			2					2			1							
		F.	6			3					3										
11	Influenza	M.	120	6	2	9	3	9	13	3	15	7	6	5	10	14	1	4	6	1	6
		F.	124	6	6	18	2	6	8	3	21	4	8	6	6	9	4	3	7		7
	(a) Sole cause	M.	19	1	2	1					1	1	2	2	2	4		1	2		
		F.	24		4	5		1			2		1	2		1	2	2	2		2
	(b) With bronchitis	M.	4					1			1		1			1					
		F.	8			1				1	2		1			1	1		1		
	(c) With pneumonia	M.	59	2		3	1	7	6	2	9	5	3	2	7	5	1	1		1	4
		F.	52	3		8	2	2	6	2	8	3	2	1	4	4	1		1		5
	(d) With other diseases of the respiratory system	M.	7	1		1		1	2	1						1					
		F.	10	2				1			3		1	2					1		
	(e) With intestinal complications	M.	4			2										1			1		
		F.	4			1					1							1	1		
	(f) With other causes	M.	27	2		2	2		5		4	1		1	1	2		2	3		2
		F.	26	1	2	3		2	2		5	1	3	1	2	3			1		

13	Dysentery	M.	3			1					2									
		F.	2													2				
15	Erysipelas	M.																		
		F.	4				1										1		1	1
16	Poliomyelitis and polioencephalitis (acute)	M.	4				2		1		1									
		F.	4			2	2													
17	Lethargic or epidemic encephalitis	M.	1												1					
		F.																		
18	Epidemic cerebrospinal meningitis	M.	2													2				
		F.	2								1		1							
19	Glanders	M.																		
		F.																		
20	Anthrax, malignant pustule (bacillus anthracis)	M.																		
		F.																		
21	Rabies	M.																		
		F.																		
22	Tetanus	M.																		
		F.																		
23–32	Tuberculosis	M.	223	4	14	28	8	14	6	10	44	6	20	17	14	9	2	11	3	3	10
		F.	238	2	7	28	6	12	9	5	59	6	16	23	10	17	1	12	6	2	17
23	Tuberculosis of the respiratory system	M.	176	4	13	21	6	9	5	9	33	5	16	16	12	7	1	7	2	3	7
		F.	204	1	6	24	6	10	8	4	48	4	13	23	8	16	1	9	6	2	15
24	Tuberculosis of the meninges and central nervous system	M.	25			4	2	4	1		5	1	1		1	1	1	3			1
		F.	19		1	2		2	1		7	1	1		2			2			
25	Tuberculosis of the intestines and peritoneum	M	6		1			1		1					1				1		1
		F.	4	1							1		1								1
26	Tuberculosis of the vertebral column	M	4			2							1								1
		F.	1								1										
27	Tuberculosis of the bones and joints (vertebral column excepted)	M.	1													1					
		F.	2										1								1
	(a) Of bones	M.	1													1					
		F.	1																		1
	(b) Of joints	M.																			
		F.	1										1								
28	Tuberculosis of the skin and sub-cutaneous cellular tissue	M																			
		F.																			
29	Tuberculosis of the lymphatic system (bronchial, mesenteric retroperitoneal glands excepted)	M.	2			1					1										
		F.																			
30	Tuberculosis of the genito-urinary system	M	4								2			1				1			
		F.	1															1			
31	Tuberculosis of other organs	M.																			
		F.																			
32	Disseminated tuberculosis	M.	5								3		2								
		F.	7			2				1	2	1				1					
	(a) Acute	M.	3								2		1								
		F.	2			1						1									
	(b) Chronic	M.																			
		F.																			
	(c) Not specified	M.	2								1		1								
		F.	5			1				1	2					1					

TABLE XXXIV—CAUSES OF DEATH BY COUNTIES—Continued

Int. List No.	Causes of Death		Total	Annapolis	Antigonish	Cape Breton	Colchester	Cumberland	Digby	Guysboro	Halifax	Hants	Inverness	Kings	Lunenburg	Pictou	Queens	Richmond	Shelburne	Victoria	Yarmouth
33	Leprosy	M.																			
		F.																			
34	Syphilis	M.	21	1		4	2				11			1		1					1
		F.	8			2		1	1		3				1						
35	Gonococcus infection and other venereal diseases	M.	1						1												
		F.	1		1																
36	Purulent infection, septicaemia (non-puerperal)	M.	4		2						2										
		F.	4			1			1		1							1			
38	Malaria	M.																			
		F.																			
39	Other diseases due to protozoal parasites	M.																			
		F.																			
40	Ankylostomiasis	M.																			
		F.																			
41	Hydatid cysts	M.																			
		F.																			
	(a) Of the liver	M.																			
		F																			
	(b) Of other organs	M																			
		F.																			
42	Other diseases caused by helminths	M	1						1												
		F.																			
43	Mycoses	M.																			
		F.																			
44	Other infectious or parasitic diseases	M.	2						1			1									
		F.																			
	(a) Chicken- pox	M.																			
		F.																			
	(b) German measles	M.																			
		F.																			
	(c) Others under this title	M.	2						1			1									
		F.																			
	Class II—Cancer and other Tumours	T	746	33	17	100	33	65	32	14	174	29	38	25	53	55	11	12	17	3	35
		M.	361	19	10	47	13	33	17	5	88	13	16	10	26	29	2	6	9	1	17
		F.	385	14	7	53	20	32	15	9	86	16	22	15	27	26	9	6	8	2	18
45–53	Cancer and other malignant tumours	M.	352	18	10	45	13	33	17	5	86	12	15	10	26	27	2	6	9	1	17
		F.	365	14	7	49	19	30	15	8	83	16	22	11	25	23	9	6	8	2	18

45	Cancer of the buccal cavity and pharynx	M.	22			5	2	2	3		1		1	2	1	4					1
		F.	3			1					1					1					
46	Cancer of the digestive tract and peritoneum	M.	239	13	7	28	8	24	12	5	53	7	12	4	20	17	2	5	6	1	15
		F.	184	8	4	24	14	13	7	4	37	7	7	4	11	14	5	6	4	2	13
	(a) Of the oesophagus	M.	5								4										1
		F.																			
	(b) Of the stomach and duodenum	M.	126	6	4	18	4	12	3	2	22	7	9	2	13	7		3	4	1	9
		F.	84	1	1	13	7	5	3	3	13	4	3	1	7	6	1	5	1	1	9
	(c) Of the rectum	M.	19		1	1		3	1		6				2	2	1		1		1
		F.	15	1		2	1	1			3	1		1	1		3		1		
	(d) Of the liver and biliary ducts	M.	15			3	1	3	1		1		1	1	1	1	1				1
		F.	19	1		3		2	1		6					3		1		1	1
	(e) Of the pancreas	M.	19	1		2	1		5	1	6				2	1					
		F.	8	1		1		2	1		1	1	1								
	(f) Of the peritoneum	M	1								1										
		F.	2	1							1										
	(g) Of other organs	M.	54	6	2	4	2	6	2	2	13		2	1	2	6		2	1		3
		F.	56	3	3	5	6	3	2	1	13	1	3	2	3	5	1		2		3
47	Cancer of the respiratory organs	M.	18	1		7			1		6	1				2					
		F	9			1	1	1	1	1	2	1	1								
	(a) Of the larynx	M.																			
		F.	2						1			1									
	(b) Of the lung	M.	14	1		6			1		4	1				1					
		F.	6			1	1	1		1	1		1								
	(c) Of the mediastinum	M.	3			1					2										
		F.																			
	(d) Of other organs of the respiratory system	M.	1													1					
		F.	1								1										
48	Cancer of the uterus	F.	66	1	1	13	2	8	3	1	13	3	4	1	7	2	3		3		1
	(a) Of the uterus	F.	51	1	1	10	2	6	3	1	9	3	4	1	4	1	3		2		
	(b) Of the cervix uteri	F.	15			3		2			4				3	1			1		1
49	Cancer of other female genital organs	F.	8	1		1					4					2					
50	Cancer of the breast	M.																			
		F.	48	2		5	1	4	4	1	12	3	4	2	4	2					4
51	Cancer of the male genito-urinary organs	M.	44	3	2	4	3	5			14	2	1	4	2	2		1	1		
	(a) Of the bladder	M.	8	1	1		1	2			3										
	(b) Of the kidney	M.	2								1			1							
	(c) Of the prostate gland	M.	31	1	1	4	2	3			9	2	1	2	2	2		1	1		
	(d) Of the testicles and annexa	M.	3	1							1			1							
	(e) Of other male genito-urinary organs	M.																			
52	Cancer of the skin	M.	11	1		1		1			2	1	1		2				2		
		F.	8			1		1			2		1	1		2					
53	Cancer of other or unspecified organs	M.	18		1			1	1		10	1			1	2					1
		F.	39	2	2	3	1	3		1	12	2	5	3	3		1		1		
	(a) Of the eye and orbit	M.	2								2										
		F.	2									1	1								
	(b) Of the circulatory system	M.																			
		F.																			
	(c) Of the glandular system	M.	2													1					1
		F.	2				1						1								
	(d) Of the female urinary organs	F.	16	1	2			1		1	3	1	1	2	3		1				

TABLE XXXIV—CAUSES OF DEATH BY COUNTIES—Continued

Int. list No.	Causes of Death		Total	Annapolis	Antigonish	Cape Breton	Colchester	Cumberland	Digby	Guysboro	Halifax	Hants	Inverness	Kings	Lunenburg	Pictou	Queens	Richmond	Shelburne	Victoria	Yarmouth
	(e) Of the bones and joints	M.	2								2										
		F.	3			1					1			1							
	(f) Of the brain	M.	3					1			2										
		F.	2	1				1													
	(g) Of the spine and spinal cord	M.	3		1						2										
		F.	3								3										
	(h) Of the neck	M.																			
		F.																			
	(i) Of the abdomen	M.	3								1				1	1					
		F.	5			2					2								1		
	(j) Of other specified organs	M.	2						1			1									
		F.	2					1			1										
	(k) Multiple cancer	M.	1								1										
		F.																			
	(m) Of unspecified or unknown location	M.																			
		F.	4								2		2								
54	Non-malignant tumours	M.	8	1		1					2	1	1			2					
		F.	17			4	1	1			3			4	2	2					
	(a) Of the ovary	F.	2			1								1							
	(b) Of the uterus	F.	5			1					1			1		2					
	(c) Of other female genital organs	F.																			
	(d) Of the brain	M.	4	1		1							1			1					
		F.	1								1										
	(e) Of the thyroid gland	M.																			
		F.	2								1				1						
	(f) Of the prostate gland	M.	1									1									
	(g) Of other or unspecified sites	M.	3								2					1					
		F.	7			2	1	1						2	1						
55	Tumours, nature not specified	M.	1			1															
		F.	3					1		1						1					
	(a) Of the ovary	F.																			
	(b) Of the uterus	F																			
	(c) Of other female genital organs	F.																			
	(d) Of the brain	M	1			1															
		F.	2					1								1					
	(e) Of the thyroid gland	M																			
		F.																			
	(f) Of the prostate gland	M.																			
	(g) Of other or unspecified sites	M.																			
		F.	1							1											

	CLASS III—Rheumatic Diseases. Diseases of Nutrition and of the Endocrine Glands and other General Diseases	T	116	4	4	20	6	9	8	1	30	2	5	1	6	8	2	2	8	
		M.	40	2	1	6	3	2	3	1	9		3		2	4	1	1	2	
		F.	76	2	3	14	3	7	5		21	2	2	1	4	4	1	1	6	
56	Acute rheumatic fever	M.	5			1					3					1				
		F.	10			1		1			4			1		2			1	
57	Chronic rheumatism, osteo-arthritis	M.	4				1						1			1			1	
		F.	4		1	1					2									
58	Gout	M.																		
		F.																		
59	Diabetes mellitus	M.	27	2	1	5	1	2	3	1	6		1		2	2	1			
		F.	45	2	1	8	3	6	4		9	1	1		3	2		1	4	
60	Scurvy	M.																		
		F.																		
61	Beriberi	M.																		
		F.																		
62	Pellagra	M.																		
		F.																		
63	Rickets	M.	1																1	
		F.																		
64	Osteomalacia	M.	1															1		
		F.																		
65	Diseases of the pituitary gland	M.																		
		F.																		
66	Diseases of the thyroid and parathyroid glands	M.																		
		F.	13		1	2			1		5	1	1		1		1			
	(a) Simple goitre	M.																		
		F.	3		1								1				1			
	(b) Exophthalmic goitre	M.																		
		F.	9			2			1		5	1								
	(c) Myxoedema, cretinism	M.																		
		F.																		
	(d) Tetany	M.																		
		F.	1												1					
	(e) Others under this title	M.																		
		F.																		
67	Diseases of the thymus gland	M.																		
		F.	1			1														
68	Diseases of the adrenals (Addison's disease)	M.	1										1							
		F.	2			1													1	
69	Other general diseases	M.	1				1													
		F.	1								1									
	(a) Fatty or amyloid degeneration	M.	1				1													
		F.																		
	(b) Steatosis	M.																		
		F.																		
	(c) Others under this title	M.																		
		F.	1								1									
	Class IV—Diseases of the blood and blood-forming organs	T.	56			8	1	3	2	1	14	3	1	6	6	4	2	1	2	2
		M.	32			5	1	1		1	10	1	1	4	3	3			1	1
		F.	24			3		2	2		4	2		2	3	1	2	1	1	1

TABLE XXXIV—CAUSES OF DEATH BY COUNTIES—Continued

Int. List No.	Causes of Death		Total	Annapolis	Antigonish	Cape Breton	Colchester	Cumberland	Digby	Guysboro	Halifax	Hants	Inverness	Kings	Lunenburg	Pictou	Queens	Richmond	Shelburne	Victoria	Yarmouth
70	Haemorrhagic conditions	M.	2								1									1	
		F.	3			1		1			1										
	(a) Simple purpura	M.	1																	1	
		F.	3			1		1			1										
	(b) Haemophilia	M.	1								1										
		F.																			
71	Anaemia	M.	20			5	1	1			4		1	4		3			1		
		F.	15			2			1		2	2		1	2	1	2		1	1	
	(a) Pernicious anaemia	M.	16			4	1				3		1	4		3					
		F.	15			2			1		2	2		1	2	1	2		1	1	
	(b) Others under this title	M.	4			1		1			1								1		
		F.																			
72	Leukaemia and aleukaemia	M.	9							1	4	1			3						
		F.	2						1						1						
	(a) Leukaemia	M.	6								3	1			2						
		F.	1												1						
	(b) Aleukaemia (Hodgkin's disease)	M.	3							1	1				1						
		F.	1						1												
73	Diseases of the spleen	M.	1								1										
		F.	4					1			1			1				1			
74	Other diseases of the blood and blood-forming organs	M.																			
		F.																			
	Class V—Chronic poisonings and intoxications	T.	13			4		1			3			1		2			1		1
		M	13			4		1			3			1		2			1		1
		F.																			
75	Alcoholism	M.	12			3		1			3			1		2			1		1
		F.																			
	(a) Delirium tremens	M.	1			1															
		F.																			
	(b) Other alcoholic intoxications	M.	11			2		1			3			1		2			1		1
		F.																			
76	Chronic poisoning, by other organic substances	M.																			
		F.																			
	(a) Chronic morphinism	M.																			
		F.																			
	(b) Chronic cocainism	M.																			
		F.																			
	(c) Occupational	M.																			
		F.																			
	(d) Other organic poisoning	M.																			
		F.																			

77	Chronic poisoning by mineral substances	M	1			1														
		F																		
	(a) Lead (including occupational)	M	1			1														
		F																		
	(b) Occupational, except lead	M																		
		F																		
	(c) Others under this title	M																		
		F																		
	Class VI—Diseases of the Nervous System and of the organs of special sense	T	356	12	12	65	26	26	15	11	60	9	9	22	19	27	6	8	8	5	16
		M	199	9	7	45	12	14	10	6	34	3	6	14	8	10	1	4	4	3	9
		F	157	3	5	20	14	12	5	5	26	6	3	8	11	17	5	4	4	2	7
78	Encephalitis (non-epidemic)	M	4								2					1		1			
		F	7				1	1	1		1				2						1
79	Simple meningitis	M	16	1		3		3	1		3		2	1					1		1
		F	7	1	2						3						1				
80	Progressive locomotor ataxia (tabes dorsalis)	M	1										1								
		F	2						1		1										
81	Other diseases of the spinal cord	M	11	5			1	1			3	1									
		F	10			3										5		2			
82	Cerebral haemorrhage, cerebral embolism and thrombosis	M	85	3	4	16	6	6	3	3	13		2	9	3	7	1	2	1	2	4
		F	75	2	1	10	8	7		4	11	3	3	3	3	8	3	2	3	2	2
	(a) Cerebral haemorrhage	M	65	3	4	13	6	4	1	1	9		2	7	3	7		1		1	3
		F	63	2	1	6	7	6		3	9	3	3	2	3	7	3	2	3	2	1
	(b) Cerebral embolism and thrombosis	M	9			1		2	1		2			2			1				
		F	2					1								1					
	(c) Softening of the brain	M																			
		F	1								1										
	(d) Hemiplegia and other paralysis, cause not specified	M	11			2			1	2	2							1	1	1	1
		F	9			4	1			1	1			1							1
83	General paralysis of the insane	M	4			2					2										
		F	1				1														
84	Dementia praecox and other psychoses	M	12			2	2	1		1	4				1						1
		F	10			1		2			2	1		1	2	1					
	(a) Dementia praecox	M	6			1	1	1			3										
		F	5								2	1			2						
	(b) Other psychoses	M	6			1	1			1	1				1						1
		F	5			1		2						1		1					
85	Epilepsy	M	4		1	1		1			1										
		F	4			1			1			1			1						
86	Convulsions (under 5 years of age)	M	28			13	1		2	1	4	1		2	3			1			
		F	13		1	3	1		2	1	2			1	1				1		
87	Other diseases of the nervous system	M	23		1	5	2	1	4	1	1		1		1	2			2		2
		F	22		1	2	3	2			2	1		3	1	2	1				4
	(a) Chorea	M																			
		F																			
	(b) Neuralgia and neuritis	M	3				2														1
		F	4											2							2
	(c) Paralysis agitans	M	7			3		1			1					1			1		
		F	5				2					1				1					1
	(d) Sclerosis (other than of the spinal cord)	M	5			2							1		1	1					
		F	8		1	1		2			1			1		1					1

TABLE XXXIV—CAUSES OF DEATH BY COUNTIES—Continued

Int. List No.	Causes of Death		Total	Annapolis	Antigonish	Cape Breton	Colchester	Cumberland	Digby	Guysboro	Halifax	Hants	Inverness	Kings	Lunenburg	Pictou	Queens	Richmond	Shelburne	Victoria	Yarmouth
	(e) Others under this title	M.	8		1				4	1									1		1
		F.	5			1	1				1				1		1				
88	Diseases of the organs of vision	M.	1											1							
		F.	1								1										
89	Diseases of the ear and mastoid process	M.	10		1	3		1			1	1		1						1	1
		F.	5								3				1	1					
	(a) Otitis	M.	6			2		1				1		1						1	
		F.	4								2				1	1					
	(b) Diseases of the Mastoid process	M.	4		1	1					1										1
		F.	1								1										
	(c) Others under this title	M.																			
		F.																			
	Class VII—Diseases of the circulatory system	T.	1416	67	31	132	86	110	67	38	319	69	42	47	111	111	38	18	54	12	69
		M	753	35	20	67	52	60	32	21	159	35	23	27	65	58	19	10	27	7	36
		F	663	32	11	65	34	50	35	17	160	34	19	20	46	53	14	8	27	5	33
90-95	Diseases of the heart	M.	465	21	18	47	29	38	23	8	92	19	16	17	47	28	13	5	20	2	22
		F.	355	21	7	40	16	27	18	8	77	13	11	14	31	23	8	5	18	4	14
90	Pericarditis	M.	1																		1
		F.																			
91	Acute endocarditis	M.	2			1					1										
		F.	7			2		1			2	1			1						
	(a) Endocarditis specified as acute	M.	2			1					1										
		F.	4			1		1			2										
	(b) Endocarditis unspecified (under 45 years of age)	M.																			
		F.	3			1						1			1						
92	Chronic endocarditis, valvular diseases	M.	117	4	6	13	9	6	8	1	26	4	6	3	5	7	3	4	5		7
		F.	96	1	3	8	5	11	4	2	24	5	8	3	3	7	2	1	5		4
	(a) Endocarditis specified as chronic and other valvular diseases	M.	111	4	6	10	9	6	8	1	26	3	5	3	5	6	3	4	5		7
		F.	94	1	3	7	5	11	4	2	24	5	7	3	3	7	2	1	5		4
	(b) Endocarditis, unspecified, (45 years and over)	M.	6			3						1	1			1					
		F.	2			1							1								
93	Diseases of the myocardium	M	93	3		6	7	13	2	3	18	6	4	4	13	3	2	1	5		3
		F.	94	7	1	14	5	9	9	2	13	4	2	4	9	5	1	1	5	1	2
	(a) Acute myocarditis	M.	5	1		1									3						
		F.	3		1	1			1												
	(b) Myocarditis, unspecified, (under 45 years of age)	M.	2					2													
		F.	3			1													2		
	(c) Chronic myocarditis and myocardial degeneration	M.	40	1		2	7			3	12	2	1	4	7		1				
		F.	56	5		4	4	3	7	1	10	3	2	3	6	5	1		1	1	
	(d) Myocarditis, unspecified, (45 years and over)	M.	46	1		3		11	2		6	4	3		3	3	1	1	5		3
		F.	32	2		8	1	16	1	1	3	1		1	3			1	2		2

94	Diseases of the coronary arteries and angina pectoris	M.	179	12	3	20	12	5	7	2	38	7	3	8	25	16	6		9		6
		F.	81	9		6	3	2	3	2	23	3		4	11	5	1		3	1	5
	(a) Diseases of the coronary arteries	M.	4					1			1				2						
		F.																			
	(b) Embolism and thrombosis of the coronary arteries	M.	128	9	1	15	7	3	3	2	29	7	2	6	18	9	4		8		5
		F.	61	9		5	3	1	3	1	16	1		2	10	3	1		2	1	3
	(c) Angina pectoris	M.	47	3	2	5	5	1	4		8		1	2	5	7	2		1		1
		F.	20			1		1		1	7	2		2	1	2			1		2
95	Other diseases of the heart	M.	73	2	9	7	1	14	6	2	9	2	3	2	4	2	2		1	2	5
		F.	77	4	3	10	3	4	2	2	15		1	3	7	6	4	3	5	2	3
	(a) Functional diseases of the heart	M.	5				1		2		2										
		F.	4				1		1					1					1		
	(b) Other and unspecified	M.	68	2	9	7		14	4	2	7	2	3	2	4	2	2		1	2	5
		F.	73	4	3	10	2	4	1	2	15		1	2	7	6	4	3	4	2	3
96	Aneurysm (except of the heart)	M.	1							1											
		F.	1													1					
97	Arteriosclerosis (of coronary arteries excepted)	M.	239	12	1	16	22	18	9	11	58	12	6	9	14	25	5		6	4	11
		F.	242	11	3	16	16	21	16	6	71	19	6	5	13	18	3	1	6		11
98	Gangrene	M.	18	1	1	1		2			3	2		1	2	1		3	1		
		F.	13			2	1	1		1		1				2		1	3		1
99	Other diseases of the arteries	M.	2								1	1									
		F.	2													1					1
100	Diseases of the veins (varices haemorrhoids, phlebitis, etc.)	M.	3								1				1	1					
		F.	5								2		2			1					
101	Diseases of the lymphatic system (lymphangitis, etc.)	M.	1										1								
		F.																			
102	Idiopathic abnormalities of blood pressure	M.	23	1		3	1	2			4	1			1	3	1	2		1	3
		F.	45		1	7	1	1	1	2	10	1		1	2	7	3	1		1	6
103	Other diseases of the circulatory system	M.	1							1											
		F.																			
	Class VIII—Diseases of the respiratory system	T.	501	17	10	73	22	36	22	13	106	31	23	20	33	36	8	10	12	6	23
		M.	270	11	4	43	9	15	13	5	54	15	17	11	23	21	6	6	3	4	10
		F.	231	6	6	30	13	21	9	8	52	16	6	9	10	15	2	4	9	2	13
104	Diseases of the nasal fossae and annexa	M.	2			1									1						
		F.																			
105	Diseases of the larynx	M.	2			1									1						
		F.	1				1														
	(a) Croup	M.	1			1															
		F.																			
	(b) Other diseases of the larynx	M.	1												1						
		F.	1				1														
106	Bronchitis	M.	14		1	3	1			1	3	1				3				1	
		F.	10			3		1			2			2		2					
	(a) Acute	M.	9		1	2					3	1				2					
		F.	6			2					2			1		1					
	(b) Chronic	M.	3				1			1						1					
		F.	3			1								1		1					
	(c) Unspecified	M.	2			1														1	
		F.	1					1													

TABLE XXXIV—CAUSES OF DEATH BY COUNTIES—Continued

Int. List No.	Causes of Death		Total	Annapolis	Antigonish	Cape Breton	Colchester	Cumberland	Digby	Guysboro	Halifax	Hants	Inverness	Kings	Lunenburg	Pictou	Queens	Richmond	Shelburne	Victoria	Yarmouth
107	Bronchopneumonia	M.	92	3		16		7	2	1	23	5	9	2	12	4	1	1	1		5
		F.	85	3	1	9	3	6	4	5	26	4		5	5	3	1	2	3	1	4
	(a) Bronchopneumonia	M.	92	3		16		7	2	1	23	5	9	2	12	4	1	1	1		5
		F.	85	3	1	9	3	6	4	5	26	4		5	5	3	1	2	3	1	4
	(b) Capillary bronchitis	M.																			
		F.																			
108	Lobar pneumonia	M.	74	2	1	7	5	6	2	2	19	7	4	4	1	4	2	3	1	2	2
		F.	69	2	3	5	4	9	1	2	16	6	3	2	1	6			2	1	6
109	Pneumonia, unspecified	M.	38	3		7	1		6		5	1	1	2	7	1	2				2
		F.	38	1	2	6	2	3	3	1	3	6	1		2	2	1	1	1		3
110	Pleurisy	M.	8			2		1			1	1	1			2					
		F.	4			1										2			1		
111	Congestion and haemorrhagic infarct of the lung, etc.	M.	12	2		3		1	2	1	1			1	1						
		F.	9			2	1	1			1				2			1	1		
	(a) Pulmonary embolism and thrombosis	M.	2			1								1							
		F.																			
	(b) Others under this title	M.	10	2		2		1	2	1	1				1						
		F.	9			2	1	1			1				2			1	1		
112	Asthma	M.	20	1	2	3	1				1		2	2		6	1	1			
		F.	12			3	2	1	1		2		2						1		
113	Pulmonary emphysema	M.																			
		F																			
114	Other diseases of the respiratory system (tuberculosis excepted)	M.	8				1		1		1					1		1	1	1	1
		F.	3			1					2										
	(a) Chronic interstitial pneumonia including occupational diseases of the respiratory system	M.																			
		F.																			
	(b) Gangrene of the lung	M.	1						1												
		F.																			
	(c) Others under this title	M.	7				1				1					1		1	1	1	1
		F.	3			1					2										
	Class IX—Diseases of the digestive system	T.	382	11	9	109	20	20	9	5	61	8	20	17	25	31	7	4	8	2	16
		M.	205	8	5	62	9	9	4	3	32	4	12	9	11	17	5	2	4	1	8
		F.	177	3	4	47	11	11	5	2	29	4	8	8	14	14	2	2	4	1	8
115	Diseases of the buccal cavity and annexa, and of the pharynx and tonsils (including adenoid vegetations)	M.	11			2	1	1	1		1	1	1		1	1					1
		F.	9			3					1			2		2					1
	(a) Diseases of the buccal cavity and annexa	M.	3			1							1								1
		F.	5			2					1					1					1
	(b) Diseases of the tonsils	M.	2					1			1										
		F.	2											1		1					

	(c) Others under this tite	M.	6			1	1		1			1			1	1				
		F.	2			1								1						
116	Diseases of the oesophagus	M.																		
		F.																		
117	Ulcer of the stomach or duodenum	M.	20	1		1		1	1	1	2	1	1	1	2	5	1		2	
		F.	11			2	2	2			2									3
	(a) Ulcer of the stomach	M.	10	1		1			1	1			1		1	4				
		F.	11			2	2	2			2									3
	(b) Ulcer of the duodenum	M.	10					1			2	1		1	1	1	1		2	
		F.																		
118	Other diseases of the stomach	M.	8	1		2				1				1		1	2			
		F.	10				2	1					2	1	2	1			1	
119	Diarrhoea and enteritis (under 2 years of age)	M.	78	3		42	2	1			16		5	3	1	2		1	2	
		F.	50			25	1	3			5	1	2	2	3	4		2	1	
120	Diarrhoea and enteritis (2 years and over)	M.	16	1		2	2	2	1	1	2		1			2				1
		F.	19			4	2	2	2		3	2			1				1	1
	(a) Diarrhoea and enteritis	M.	14	1		2	2	2		1	2		1			1				1
		F.	17			4	1	2	1		3	2			1				1	1
	(b) Ulceration of the intestines	M.	2						1							1				
		F.	2				1		1											
121	Appendicitis	M.	25	2		7	1	1	1		1		1	2	2	4				3
		F.	9		1	3					2	1			1					1
122	Hernia, intestinal obstruction	M.	20		2	2	1	2			3	2	2	1	2	1				2
		F.	27	1		5	1	1	1	1	8		2	2	1	2			1	1
	(a) Hernia	M.	12			2	1	2			1	1	1	1		1				2
		F.	9			2	1				3			2		1				
	(b) Intestinal obstruction	M.	8		2						2	1	1		2					
		F.	18	1		3		1	1	1	5		2		1	1			1	1
123	Other diseases of the intestines	M.	9		2		2				2		1			1				1
		F.	1				1													
124	Cirrhosis of the liver	M.	5			2					1			1			1			
		F.	3		1						1				1					
	(a) Specified as alcoholic	M.	1								1									
		F.																		
	(b) Not specified as alcoholic	M.	4			2								1			1			
		F.	3		1						1				1					
125	Other diseases of the liver	M.	1					1												
		F.	2			1				1										
	(a) Yellow atrophy of the liver	M.																		
		F.																		
	(b) Others under this title	M.	1					1												
		F.	2			1				1										
126	Biliary calcul	M.	6		1						2				3					
		F.	20	1	1	1	1	1			4		1	1	5	3	1			
127	Other diseases of the gall-bladder and biliary passages	M.	5			2					2						1			
		F.	9	1	1	2	1	1	1				1				1			
128	Diseases of the pancreas	M.																		
		F.	1													1				
129	Peritonitis, cause not specified	M.	1															1		
		F.	6			1			1		3					1				

TABLE XXXIV—CAUSES OF DEATH BY COUNTIES—Continued

Int. List No.	Causes of Death		Total	Annapolis	Antigonish	Cape Breton	Colchester	Cumberland	Digby	Guysboro	Halifax	Hants	Inverness	Kings	Lunenburg	Pictou	Queens	Richmond	Shelburne	Victoria	Yarmouth
	Class X—Diseases of the Genito-urinary system	T.	468	22	17	57	17	40	18	24	90	22	26	26	27	25	12	10	8	6	21
		M.	299	11	9	33	8	27	13	13	58	19	21	12	14	16	10	5	6	6	18
		F.	169	11	8	24	9	13	5	11	32	3	5	14	13	9	2	5	2	...	3
130	Acute nephritis (including unspecified, under 10 years of age)	M.	8	...	2	2	...	1	...	...	1	...	...	...	...	...	1	1	...	...	...
		F.	4	...	1	...	1	...	1	...	...	...	...	...	1	...	...	...	...	...	...
131	Chronic nephritis	M.	144	6	3	16	2	17	5	7	29	5	10	10	6	6	9	...	3	1	9
		F.	118	9	5	13	3	10	4	9	20	3	5	13	8	7	1	5	1	...	2
132	Nephritis unspecified (10 years and over)	M.	24	...	1	4	2	...	...	1	4	4	...	1	...	1	...	1	...	1	4
		F.	20	1	2	4	2	...	...	...	5	...	...	1	2	1	1	...	...	...	1
133	Other diseases of the kidneys and ureters	M.	16	...	...	2	1	1	...	1	3	3	1	1	1	...	...	1	...	1	...
		F.	11	1	...	3	1	...	...	1	3	...	...	...	1	1	...	...	...	...	...
134	Calculi of the urinary passages	M.	6	...	...	2	...	1	...	...	...	1	...	...	...	1	...	...	...	...	1
		F.	4	...	...	2	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...
135	Diseases of the bladder (tumours excepted)	M.	8	...	...	...	...	1	...	...	...	...	1	...	1	2	...	...	3	...	...
		F.	3	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	1	...	...
136	Diseases of the urethra, urinary abscess, etc.	M.	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1
		F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	(a) Stricture of the urethra	M.	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1
		F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	(b) Others under this title	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
137	Diseases of the prostate	M.	91	5	2	7	3	6	8	4	21	6	9	...	6	6	...	2	...	3	3
138	Diseases of the male genital organs (not specified as venereal)	M.	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
139	Diseases of the female genital organs (not specified as venereal)	F.	9	...	...	2	2	3	...	...	2	...	...	...	...	...	...	...	...	...	...
	(a) Of the ovary, Fallopian tube and parametrium	F.	3	...	...	...	1	1	...	...	1	...	...	...	...	...	...	...	...	...	...
	(b) Of the uterus	F.	6	...	...	2	1	2	...	...	1	...	...	...	...	...	...	...	...	...	...
	(c) Of the breast	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	(d) Others under this title	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Class XI—Diseases of pregnancy, childbirth and the puerperal state	T.	35	...	2	8	1	2	...	2	6	...	3	...	1	4	1	1	2	...	2
140	Abortion with septic conditions	F.	1	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...
	(a) Abortion	F.	1	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...
	(b) Self-induced abortion	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
141	Abortion without mention of septic conditions (Haemorrhage included)	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	(a) Abortion	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	(b) Self-induced abortion	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
142	Ectopic gestation	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	(a) With septic conditions	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	(b) Without mention of septic conditions	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...

143	Other accidents of pregnancy (haemorrhage excluded)	F.																		
144	Puerperal haemorrhage	F.	8			2									2	1	1	1		1
	(a) Placenta praevia	F.	6			1									1	1	1	1		1
	(b) Other haemorrhages	F.	2			1									1					
145	Puerperal septicaemia (not specified as due to abortion)	F.	6		1	2					2		1							
	(a) Puerperal septicaemia and pyaemia	F.	6		1	2					2		1							
	(b) Puerperal tetanus	F.																		
146	Puerperal albuminuria and eclampsia	F.	11		1	2	1	2		1	1		1		1			1		
147	Other toxaemias of pregnancy	F.	2			1				1										
148	Puerperal phlegmasia alba dolens, embolism or sudden death (not specified as septic)	F.	5			1					1		1		1					1
	(a) Phlegmasia alba dolens and thrombosis	F.	2			1							1							
	(b) Embolism	F.	3								1				1					1
	(c) Sudden death	F.																		
149	Other accidents of childbirth	F.	2								1				1					
	(a) Caesarean operation	F.	1								1									
	(b) Other surgical operations and Instrumental delivery	F.																		
	(c) Dystocia	F.	1												1					
	(d) Rupture of uterus in parturition	F.																		
	(e) Others under this title	F.																		
150	Other, or unspecified condition of the puerperal state	F.																		
	(a) Puerperal diseases of the breast	F.																		
	(b) Others under this title	F.																		
	Class XII—Diseases of the skin and cellular Tissue	T.	19			3	4	1	1		5			1	3	1				
		M.	13			1	2	1	1		4			1	3					
		F.	6			2	2				1					1				
151	Carbuncle	M.	4			1	2	1												
		F.	1								1									
152	Cellulitis, acute abscess	M.	7						1		2			1	3					
		F.	2				1									1				
153	Other diseases of the skin and annexa and of the cellular tissue	M.	2								2									
		F.	3			2	1													
	Class XIII—Diseases of the bones and organs of locomotion	T.	12	1		1	1	1	1		2				1	2			1	1
		M.	5	1		1	1	1											1	
		F.	7						1		2				1	2				1
154	Osteomyelitis	M.	2			1													1	
		F.	2												1	1				
155	Other diseases of the bones (tuberculosis excepted)	M																		
		F.	3								2									1
156	Diseases of the joints and other organs of locomotion	M.	3	1			1	1												
		F.	2						1							1				
	(a) Of the joints (tuberculosis and rheumatism excepted)	M.	2				1	1												
		F.	1													1				
	(b) Of other organs of locomotion	M.	1	1																
		F.	1						1											
	Class XIV—Congenital malformations	T.	80	1	2	11	2	8	1	3	25		1	3	7	4		1	2		9
		M.	46		1	6	2	5		1	14			3	3	2			2		7
		F.	34	1	1	5		3	1	2	11		1		4	2		1			2
157	Congenital malformations (stillbirths excluded)	M.	46		1	6	2	5		1	14			3	3	2			2		7
		F.	34	1	1	5		3	1	2	11		1		4	2		1			2

TABLE XXXIV—CAUSES OF DEATH BY COUNTIES—Continued

Int. List No.	Causes of Death		Total	Annapolis	Antigonish	Cape Breton	Colchester	Cumberland	Digby	Guysboro	Halifax	Hants	Inverness	Kings	Lunenburg	Pictou	Queens	Richmond	Shelburne	Victoria	Yarmouth
	(a) Congenital hydrocephalus	M.	6			1		1			3										1
		F.	5							1	1				1	1					1
	(b) Spina bifida and meningocele	M.	10			3		1			4										2
		F.	8			2		3			3										
	(c) Congenital malformations of the heart	M.	15				1			1	4			2	3	1			1		2
		F.	12		1	2				1	5		1		1	1					
	(d) Monstrosities	M.																			
		F.																			
	(e) Others under this title	M.	15		1	2	1	3			3			1		1			1		2
		F.	9	1		1			1		2				2			1			1
	Class XV—Diseases of early infancy	T.	311	10	5	76	12	21	12	7	49	16	11	12	19	14	8	11	12	5	11
		M.	166	5	3	40	4	12	7	4	27	11	5	6	12	5	4	6	6	3	6
		F.	145	5	2	36	8	9	5	3	22	5	6	6	7	9	4	5	6	2	5
158	Congenital debility	M.	16		1	5		1			1	1	1		1	1	1	1			2
		F.	17	1		8		2		2	1				2	1					
159	Premature birth	M.	92	3	2	22	2	7	6	1	16	7	3	3	9	4	1	1	2		3
		F.	80	4		14	7	4	3		14	5	4	5	4	3	3	1	6		3
160	Injury at birth	M.	23			8	1	2	1		4	1		1	1		1		2		1
		F.	17		1	5		1	2	1	2			1		2		1			1
	(a) With mention of caesarean operation	M.																			
		F.																			
	(b) Without mention of caesarean operation	M.	23			8	1	2	1		4	1		1	1		1		2		1
		F.	17		1	5		1	2	1	2			1		2		1			1
161	Other diseases peculiar to early infancy (under 3 months)	M.	35	2		5	1	2		3	6	2	1	2	1		1	4	2	3	
		F.	31		1	9	1	2			5		2		1	3	1	3		2	1
	(a) Atelectasis	M.	4	1		2									1						
		F.	4			1		1			2										
	(b) Icterus of the new-born	M.	2								1								1		
		F	2			1									1						
	(c) Sclerema and oedema	M.																			
		F.																			
	(d) Athrepsia	M.																			
		F.																			
	(e) Others, including lack of care	M.	15			3	1	1			3	2	1	1				1	1	1	
		F.	20		1	6	1	1			3		2			3	1			1	1
	(f) No cause given, no doctor in attendance	M.	14	1				1		3	2			1			1	3		2	
		F.	5			1												3		1	
	Class XVI—Senility	T.	254	8	25	33	16	14	8	5	28	3	21	13	12	11	8	18	2	20	9
		M	93	2	11	11	9	4	5	2	9	2	8	2	6	3	3	3		10	3
		F.	161	6	14	22	7	10	3	3	19	1	13	11	6	8	5	15	2	10	6

162	Senility	M	93	2	11	11	9	4	5	2	9	2	8	2	6	3	3	3	.....	10	3
		F.	161	6	14	22	7	10	3	3	19	1	13	11	6	8	5	15	2	10	6
	(a) With senile dementia (70 years and over)	M.	5	.....	.....	1	1	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	...
		F.	10	1	1	1	.....	1	2	1	1	.....	.....	.....	.....	1	1	.....	.....	.....	.....
	(b) Without senile dementia (70 years and over)	M.	88	2	11	10	8	3	3	2	9	2	8	2	6	3	3	3	.....	10	3
		F.	151	5	13	21	7	9	1	2	18	1	13	11	6	7	4	15	2	10	6
	(c) Premature senility (55 years but under 70 years)	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Class XVII—Violent or Accidental Deaths	T.	385	17	7	75	19	25	13	6	68	17	15	20	32	24	17	3	10	2	15
		M.	276	9	3	60	12	21	9	5	51	12	13	12	19	17	12	2	8	.....	11
		F.	109	8	4	15	7	4	4	1	17	5	2	8	13	7	5	1	2	2	4
163–171	Suicides	M.	24	1	.....	2	2	.....	.....	.....	11	.....	1	1	1	1	.....	.....	1	.....	3
		F.	5	.....	1	1	.....	.....	.....	.....	2	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
163	Suicide by solid or liquid poisons or by absorption of corrosive substances	M.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
		F.	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
164	Suicide by poisonous gas	M.	3	1	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
165	Suicide by hanging or strangulation	M.	2	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
166	Suicide by drowning	M.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
		F.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
167	Suicide by firearms	M.	13	.....	.....	.....	1	.....	.....	.....	7	.....	.....	.....	1	1	.....	.....	1	.....	2
		F.	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
168	Suicide by cutting or piercing instruments	M.	4	.....	.....	1	.....	.....	.....	.....	2	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
169	Suicide by jumping from high places	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
170	Suicide by crushing	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
171	Suicide by other means	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
173–175	Homicides	M.	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....
		F.	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
173	Homicide by firearms	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
174	Homicide by cutting or piercing instruments	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
175	Homicide by other means	M.	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
176–198	Other violent deaths	M.	250	8	3	58	10	21	9	5	40	12	12	11	18	14	12	2	7	.....	8
		F.	102	8	3	14	7	4	4	1	14	5	2	8	12	6	5	1	2	2	4
176	Attack by venomous animals	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
177	Food poisoning	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
178	Accidental absorption of toxic gases	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
179	Other acute accidental poisonings (except by gas)	M.	4	.....	.....	.....	1	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	2	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....

TABLE XXXIV—CAUSES OF DEATH BY COUNTIES—Continued

Int. List No.	Causes of Death		Total	Annapolis	Antigonish	Cape Breton	Colchester	Cumberland	Digby	Guysboro	Halifax	Hants	Inverness	Kings	Lunenburg	Pictou	Queens	Richmond	Shelburne	Victoria	Yarmouth
180	Conflagration	M.	3					2						1							
		F.																			
181	Accidental burns (conflagration excepted)	M.	9			4				1				1	3						
		F.	9		2	2				1	1				1	1					1
182	Accidental mechanical suffocation	M	8			2		1		1		1			1		1		1		
		F.	4			1	1		1		1										
183	Accidental drowning	M.	42	1	1	7	1		2	1	8		1	1	6	1	7	2			3
		F.	11					1			3		1	1	1		3	1			
184	Accidental injury by firearms	M.	2									1							1		
		F.	1								1										
185	Accidental injury by cutting or piercing instruments	M.	3		1							1		1							
		F.																			
186	Accidental injuries by fall, crushing or landslide	M.	154	7	1	38	8	16	3	2	29	7	8	6	7	11	3		4		4
		F.	61	8	1	7	5	3	2		5	5	1	6	9	3	2		1	1	2
187	Cataclysm	M.																			
		F.																			
188	Injuries by animals	M.	5			2					1			1		1					
		F.	1																		1
189	Hunger or thirst	M.																			
		F.																			
190	Excessive cold	M.	1										1								
		F.	1			1															
191	Excessive heat	M.																			
		F.																			
192	Lightning	M.	1						1												
		F.																			
193	Accidents due to electric currents	M.	3			1					1						1				
		F.																			
194	Other accidents	M.	11			3			1			2	2		1	1					1
		F.	11			2	1				3				1	2			1	1	
	(a) Foreign body	M.																			
		F.	2			1										1					
	(b) Others under this title	M.	11			3			1			2	2		1	1					1
		F.	9			1	1				3				1	1			1	1	
195	Violent deaths of which the nature (accident, suicide, homicide) is unknown	M.	3			1			1		1										
		F.																			
198	Capital punishment	M.	1																1		
		F.																			

			Total	Annapolis	Antigonish	Cape Breton	Colchester	Cumberland	Digby	Guysborough	Halifax	Hants	Inverness	Kings	Lunenburg	Pictou	Queens	Richmond	Shelburne	Victoria	Yarmouth
	Class XVIII—Ill-defined causes of death	T.	76	1	2	12	3	5	5	4	8	6	2	6	1	4	2	7	1	4	3
		M.	48			9	2	3	4	3	5	5	1	5	1	2	2	2	1	1	2
		F.	28	1	2	3	1	2	1	1	3	1	1	1		2		5		3	1
199	Sudden death	M.	21			3	1	2	3	1	2	2		1		2	1	1	1		1
		F.	12	1	1		1		1		3		1			1		1		1	1
200	Cause of death not specified or ill-defined	M.	27			6	1	1	1	2	3	3	1	4	1		1	1		1	1
		F.	16		1	3		2		1		1		1		1		4		2	

SPECIAL CLASSES OF ACCIDENTAL DEATHS FOR COUNTIES OF NOVA SCOTIA, 1937

(Included also under the numbers of the International List above.)

	Causes of death		Total	Annapolis	Antigonish	Cape Breton	Colchester	Cumberland	Digby	Guysborough	Halifax	Hants	Inverness	Kings	Lunenburg	Pictou	Queens	Richmond	Shelburne	Victoria	Yarmouth
A	Accidents in mines and quarries	M.	30			19		4			2		2			3					
		F.																			
B	Accidents caused by machines	M.	8		1	2		1			1	1		1		1					
		F.																			
C	Railway Accidents	M.	12			4	2	4			1		1								
		F.	2			2															
D	Street car accidents	M.																			
		F.																			
E	Automobile and motorcycle accidents	M.	68	5		10	3	3	1	2	17	5	2	5	6	1	2	1	2		3
		F.	20	6			2				2	3		3	2	1	1				
F	Other land transportation	M.	10			1		1	1		1			1	1	4					
		F.	3								1	1	1								
G	Water transportation	M.	22	1		3					5				5		5				3
		F.	2								1						1				
H	Air transportation	M.																			
		F.																			

TABLE XXXV—CAUSES OF DEATH BY CITIES AND TOWNS OF NOVA SCOTIA, 1937

Int. List No.	CAUSES OF DEATH		Total	Amherst	Antigonish	Bridgetown	Bridgewater	Canso	Dartmouth	Digby	Dominion	Glace Bay	Halifax	Inverness	Joggins	Kentville	Liverpool	Lunenburg	Mahone Bay	New Glasgow	New Waterford	North Sydney	Oxford	Parrsboro	Pictou	Pt. Hawkesb'y	Shelburne	Springhill	Stellarton	Sydney	Sydney Mines	Trenton	Truro	Wedgeport	Westville	Windsor	Wolfville	Yarmouth
	Deaths—All causes	T	2993	123	92	15	89	12	65	47	25	245	858	66	9	49	40	37	12	142	78	103	10	38	35	5	17	66	32	183	91	11	118	14	30	71	36	129
		M.	1584	68	50	8	48	5	31	27	13	150	441	37	5	22	20	19	6	76	48	48	5	16	15	3	9	39	15	90	52	6	58	11	15	43	18	67
		F.	1409	55	42	7	41	7	34	20	12	95	417	29	4	27	20	18	6	66	30	55	5	22	20	2	8	27	17	93	39	5	60	3	15	28	18	62
	Class I—Infectious and Parasitic diseases	T.	431	9	20	1	9	2	7	7	3	25	124	13	....	32	2	4	1	19	9	11	2	4	5	....	2	9	6	38	12	3	15	1	5	8	5	18
		M.	216	6	11	1	6	2	5	4	1	14	56	8	....	16	1	2	....	12	6	4	1	3	2	....	1	4	3	14	6	1	7	1	2	6	3	7
		F.	215	3	9	....	3	....	2	3	2	11	68	5	....	16	1	2	1	7	3	7	1	1	3	....	1	5	3	24	6	2	8	....	3	2	2	11
1	Typhoid fever	M.	7	....	....	....	....	....	....	1	....	....	1	1	....	....	....	....	....	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	1	1
		F.	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2	Paratyphoid fever	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4	Relapsing fever	M	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5	Undulant fever	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6	Small-pox	M	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7	Measles	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
		F.	3	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
8	Scarlet fever	M.	4	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
		F.	4	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	3	....	....	....	....	....	....	....	....	....
9	Whooping-cough	M.	9	....	....	....	....	....	1	....	....	1	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	....	1	....	....	1	....	....
		F.	11	....	1	....	....	....	....	....	....	1	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	3	2	....	1	....	....	....	....	....
10	Diphtheria	M.	4	....	....	....	....	....	....	....	....	1	2	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	6	....	....	....	....	....	....	....	1	1	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
11	Influenza	M.	46	1	....	1	....	....	3	2	....	5	10	....	....	1	....	2	....	5	1	....	....	1	2	....	....	2	....	....	2	....	1	....	2	3	....	2
		F.	48	....	2	....	....	....	2	2	....	3	12	....	....	1	....	2	1	4	2	....	1	1	1	....	1	2	....	2	3	....	1	....	1	1	....	3
	(a) Sole cause	M.	5	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	....	....	....
		F.	3	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	(b) With bronchitis	M.	2	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	2	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
	(c) With pneumonia	M.	24	....	....	....	....	....	3	1	....	3	5	....	....	1	....	2	....	1	....	....	....	....	2	....	....	2	....	....	....	....	....	....	....	3	....	1
		F.	27	....	....	....	....	....	1	2	....	3	5	....	....	....	....	1	....	2	1	....	....	1	1	....	1	1	....	1	2	....	1	....	....	1	....	3
	(d) With other diseases of the respiratory system	M.	4	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....
		F.	3	....	....	....	....	....	....	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	(e) With intestinal complications	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
		F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	(f) With other causes	M.	10	....	....	1	....	....	....	....	....	1	3	....	....	....	....	....	....	2	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
		F.	13	....	1	....	....	....	....	....	....	....	4	....	....	1	....	1	1	1	1	....	....	....	....	....	....	1	....	....	1	....	....	....	1	....	....	1

13 Dysentery	M.																																					
	F.	2																							2													
15 Erysipelas	M																																					
	F.	2													1																	1						
16 Poliomyelitis and polioencephalitis (acute)	M.	2									1																					1						
	F.																																					
17 Lethargic Epidemic or encephalitis	M.	1				1																																
	F.	2																				2																
18 Epidemic cerebrospinal meningitis	M.	2																		2																		
	F.	2									1	1																										
19 Glanders	M.																																					
	F.																																					
20 Anthrax, malignant pustule	M.																																					
	F.																																					
21 Rabies	M.																																					
	F.																																					
22 Tetanus	M.																																					
	F.																																					
23–32 Tuberculosis	M.	120	5	9		4	2	1			7	30	7		15	1			5	2	3	1	2			1	1	3	12	1		2	1		1	2	2	
	F.	126	3	4		3				1	5	45	4		15				3	1	2						3	3	14	1	2	5		2	1	2	7	
23 Tuberculosis of the respiratory system	M.	85	1	8		3	1	1			2	20	3		15				4	1	2	1	2			1	1	2	12	1		1	1		1	1		
	F.	105	1	3		1				1	4	37	3		15				3		1						3	2	13	1	2	5		2		2	6	
24 Tuberculosis of the meninges and central nervous system	M.	17	4								3	4	1			1			1		1											1					1	
	F	14	2	1		2					1	6	1								1																	
25 Tuberculosis of the intestines and peritoneum	M.	3		1		1	1																															1
	F.	2										1																										1
26 Tuberculosis of the vertebral column	M.	4									1		1							1																		
	F.	1										1																										
27 Tuberculosis of bones and joints (vertebral column excepted)	M	1																										1										
	F.																																					
(a) Of bones	M.	1																										1										
	F.																																					
(b) Of joints	M.																																					
	F.																																					
28 Tuberculosis of the skin and sub-cutaneous cellular tissue	M.																																					
	F.																																					
29 Tuberculosis of the lymphatic system (bronchial, mesenteric and retroperitoneal glands excepted)	M.	2									1	1																										
	F.																																					
30 Tuberculosis of the genito-urinary system	M.	3										2																								1		
	F.																																					
31 Tuberculosis of other organs	M.																																					
	F.																																					
32 Disseminated tuberculosis	M.	5										3	2																									
	F.	4																		1								1	1						1			
(a) Acute	M.	3										2	1																									
	F.	2																		1															1			
(b) Chronic	M.																																					
	F.																																					

TABLE XXXV—Continued

Int. List No.	CAUSES OF DEATH		Total	Amherst	Antigonish	Bridgetown	Bridgewater	Canso	Dartmouth	Digby	Dominion	Glace Bay	Halifax	Inverness	Joggins	Kentville	Liverpool	Lunenburg	Mahone Bay	New Glasgow	New Waterford	North Sydney	Oxford	Parrsboro	Pictou	Port Hawkesbury	Shelburne	Springhill	Stellarton	Sydney	Sydney Mines	Trenton	Truro	Wedgeport	Westville	Windsor	Wolfville	Yarmouth
	(c) Not specified	M.	2										1	1																								
		F.	2																																			
33	Leprosy	M.																											1	1								
		F.																																				
34	Syphilis	M.	14										7								1									2		1	2					1
		F.	5							1			2									1								1								
35	Gonococcus infection and other venereal diseases	M.	1							1																												
		F.	1		1																																	
36	Purulent infection, septicaemia (non-puerperal)	M.	4		2								2																									
		F.	2										1									1																
38	Malaria	M.																																				
		F.																																				
39	Other diseases due to protozoal parasites	M.																																				
		F.																																				
40	Ankylostomiasis	M.																																				
		F.																																				
41	Hydatid cysts	M.																																				
		F.																																				
	(a) Of the liver	M.																																				
		F.																																				
	(b) Of other organs	M.																																				
		F.																																				
42	Other diseases caused by helminths	M.																																				
		F.																																				
43	Mycoses	M.																																				
		F.																																				
44	Other infectious or parasitic diseases	M.	1																																			
		F.																																				
	(a) Chicken-pox	M.																																	1			
		F.																																				
	(b) German measles	M.																																				
		F.																																				
	(c) Others under this title	M.	1																																			
		F.																																				
	Class II—Cancer and other tumours	T.	405	20	12	2	14	2	12	2		25	133	12	2	5	5	4	1	18	8	12	2	5	6	1	2	8	4	31	6	1	11	1	5	11	4	18
		M.	192	7	8		3	1	1	1		14	73	5	1	2	2	2	1	10	5	5		4	3		1	5	2	12	2	1	4	1	2	5	1	8
		F.	213	13	4	2	11	1	11	1		11	60	7	1	3	3	2		8	3	7	2	1	3	1	1	3	2	19	4		7			6		10

45–53	Cancer and other malignant	M.	187	7	8		3	1	1	1		14	72	4	1	2	2	2	1	10	3	5		4	2		1	5	2	12	2	1	4	1	2	5	1	8
	tumours	F.	200	12	4	2	11	1	11	1		11	57	7	1	2	3	2		7	2	7	2	1	3	1	1	3	2	18	3		6		3	6		10
45	Cancer of the buccal cavity	M	10									1			1					2		1		1					1	1		1	1						
	and pharynx	F	2									1	1																										
46	Cancer of the digestive	M	122	7	6		2	1	1	1		10	43	3			2	2		5	2	3		2	2			4	1	9	1		2	1	1	2	1	8
	tract and peritoneum	F	93	5	3	1	4		7	1		3	22	3		1	3	1		3	1	6	1		2			2	1	6	2		5		2	1		7
	(a) Of the oesophagus	M	5										4																					1				
		F																																					
	(b) Of the stomach and	M	51	3	3							6	15	2				1		2	1	2		1				1		6			1			2		5
	duodenum	F	39	2	1	1	2		3			2	7	2			1	1		2		3			1			1		4			1			1		4
	(c) Of the rectum	M	14	2	1				1				5				1												1	1					1			1
		F.	9				1		2				1			1	2					2																
	(d) Of the liver and biliary	M	10	1									1				1				1				1			2		2								1
	ducts	F	12						1				5								1		1		1				1		1							1
	(e) Of the pancreas	M	12				2					2	6												1								1					
		F	5	1					1					1														1		1								
	(f) Of the peritoneum	M	1										1																									
		F																																				
	(g) Of other organs	M	29	1	2			1		1		2	11	1				1		3		1		1				1			1						1	1
		F	28	2	2		1			1		1	9							1		1								1	1		4		2			2
47	Cancer of the respiratory	M	12									1	6							1	1	1								1						1		
	organs	F	5					1					2																	1			1					
	(a) Of the larynx	M																																				
		F.																																				
	(b) Of the lung	M.	9										4							1	1	1								1						1		
		F.	4					1					1																	1			1					
	(c) Of the mediastinum	M.	3									1	2																									
		F.																																				
	(d) Of other organs of the	M.																																				
	respiratory system	F.	1										1																									
48	Cancer of the uterus	F.	38	4			4					5	11	1						1							1	1	1	5	1					2		1
	(a) Of the uterus	F.	28	3			3					4	8	1														1	1	4	1					2		
	(b) Of the cervix uteri	F.	10	1			1					1	3							1							1			1								1
49	Cancer of other female																																						
	genital organs	F.	7						1				3							2		1																
50	Cancer of the breast	M.																																				
		F.	26	2					2			1	6	1		1		1		1			1	1						4					1	2		2
51	Cancer of the male genito-	M.	28		1		1					2	12			2			1	2							1	1		1	1		1			2		
	urinary organs																																						
	(a) Of the bladder	M.	5		1								3															1										
	(b) Of the kidney	M.	1										1																									
	(c) Of the prostate gland	M.	21				1					2	7			2			1	2							1			1	1		1			2		
	(d) Of the testicle and annexa	M.	1										1																									
	(e) Of other male genito-	M.																																				
	urinary organs																																					
52	Cancer of the skin	M.	2										1	1																								
		F.	4										2												1					1								
53	Cancer of other or un-	M.	13		1								10											1											1			
	specified organs	F.	25	1	1	1	3		1			1	10	2	1						1					1				1						1		

TABLE XXXV—Continued

Int. List No.	CAUSES OF DEATH		Total	Amherst	Antigonish	Bridgetown	Bridgewater	Canso	Dartmouth	Digby	Dominion	Glace Bay	Halifax	Inverness	Joggins	Kentville	Liverpool	Lunenburg	Mahone Bay	New Glasgow	New Waterford	North Sydney	Oxford	Parrsboro	Pictou	Port Hawkesbury	Shelburne	Springhill	Stellarton	Sydney	Sydney Mines	Trenton	Truro	Wedgeport	Westville	Windsor	Wolfville	Yarmouth
	(a) Of the eye and orbit	M.	2										2																									
		F.	1											1																								
	(b) Of the circulatory system	M.																																				
		F.																																				
	(c) Of the glandular system	M.																																				
		F.	1																							1												
	(d) Of the female urinary organs	F.	9		1		3		1				2	1																						1		
	(e) Of the bones and joints	M.	2										2																									
		F.	2										1																	1								
	(f) Of the brain	M.	3										2											1														
		F.	2	1		1																																
	(g) Of the spine and spinal cord	M.	3		1								2																									
		F.	3										3																									
	(h) Of the neck	M.																																				
		F.																																				
	(i) Of the abdomen	M.	2										1																									
		F.	3									1	1								1														1			
	(j) Of other specified organs	M.																																				
		F.	2										1		1																							
	(k) Multiple cancer	M.	1										1																									
		F.																																				
	(m) Of unspecified or unknown location	M.																																				
		F.	2										2																									
54	Non-malignant tumours	M.	4										1	1							1				1													
		F.	12										3			1				1	1									1	1		1				3	
	(a) Of the ovary	F.	2																		1																1	
	(b) Of the uterus	F.	4										1							1										1							1	
	(c) Of other female genital organs	F.																																				
	(d) Of the brain	M.	2											1							1																	
		F.	1										1																									
	(e) Of the thyroid gland	M.																																				
		F.	1										1																									
	(f) Of the prostate gland	M.																																				
	(g) Of other or unspecified sites	M.	2										1												1													
		F.	4													1															1		1				1	

55	Tumours, nature not specified M.	1																	1																	
	F.	1	1																																	
	(a) Of the ovary F.																																			
	(b) Of the uterus F.																																			
	(c) Of other female genital organs F.																																			
	(d) Of the brain M.	1																	1																	
	F.	1	1																																	
	(e) Of the thyroid gland M.																																			
	F.																																			
	(f) Of the prostate gland M.																																			
	(g) Of other or unspecified M.																																			
	sites F.																																			
	Class III—Rheumatic diseases, Diseases of nutrition M.	60		3		1		1	2	1	6	20	1		1	1	2		2	4	6					1	1	2	2			1			2		
	and of the endocrine glands and other general diseases F.	23		1					2		3	7	1			1	2			1	1						1	2	1								
		37		2		1		1		1	3	13			1				2	3	5					1			1			1			2		
56	Acute rheumatic fever M.	3									1	2																								
	F.	7										4			1				1	1																
57	Chronic rheumatism, osteo- M.																																			
	arthritis F.	1																			1															
58	Gout M.																																			
	F.																																			
59	Diabetes mellitus M	20		1					2		2	5	1			1	2			1	1						1	2	1								
	F.	18		1		1		1			2	5							1		4								1			1			1		
60	Scurvy M.																																			
	F.																																			
61	Beriberi M.																																			
	F.																																			
62	Pellagra M.																																			
	F.																																			
63	Rickets M.																																			
	F.																																			
64	Osteomalacia M.																																			
	F.																																			
65	Diseases of the pituitary M.																																			
	gland F.																																			
66	Diseases of the thyroid and M.																																			
	parathyroid glands F.	7		1								3								2															1		
	(a) Simple goitre M.																																			
	F.	1		1																																
	(b) Exophthalmic goitre M.																																			
	F.	6										3								2															1		
	(c) Myxoedema, cretinism M.																																			
	F.																																			
	(d) Tetany M.																																			
	F.																																			
	(e) Others under this title M.																																			
	F.																																			
67	Diseases of the thymus gland M.																																			
	F	1							1																											

TABLE XXXV—Continued

Int. List No.	CAUSES OF DEATH		Total	Amherst	Antigonish	Bridgetown	Bridgewater	Canso	Dartmouth	Digby	Lornmion	Glace Bay	Halifax	Inverness	Joggins	Kentville	Liverpool	Lunenburg	Mahone Bay	New Glasgow	New Waterford	North Sydney	Oxford	Parrsboro	Pictou	Pt. Hawkesbury	Shelburne	Springhill	Stellarton	Sydney	Sydney Mines	Trenton	Truro	Wedgeport	Westville	Windsor	Wolfville	Yarmouth
68	Diseases of the adrenals	M.																																				
	(Addison's disease)	F.	2									1															1											
69	Other general diseases	M.																																				
		F.	1										1																									
	(a) Fatty or amyloid degeneration	M.																																				
		F.																																				
	(b) Steatosis	M.																																				
		F.																																				
	(c) Others under this title	M.																																				
		F.	1										1																									
	Class IV—Diseases of the blood and blood-forming organs	T.	31	2			1		1	1		2	10			1	2		1	1	3	1	1							1			1		1		1	
		M.	19				1						9			1				1	3		1							1			1				1	
		F.	12	2					1	1		2	1				2		1			1															1	
70	Haemorrhagic conditions	M.	1										1																						1			
		F.	3	1								1	1																									
	(a) Simple purpura	M.																																				
		F.	3	1								1	1																									
	(b) Haemophilia	M.	1										1																									
		F.																																				
71	Anaemia	M.	13										4			1				1	3		1															
		F.	6									1					2		1			1								1			1				1	
	(a) Pernicious anaemia	M.	10										3			1				1	2														1			
		F.	6									1					2		1			1								1			1				1	
	(b) Others under this title	M.	3										1								1		1												1			
		F																																				
72	Leukaemia and aleukaemia	M	4				1						3																									
		F.	1							1																												
	(a) Leukaemia	M	3				1						2																									
		F.																																				
	(b) Aleukaemia (Hodgkin's disease)	M.	1										1																									
		F.	1							1																												
73	Diseases of the spleen	M.	1										1																									
		F.	2	1					1																													
74	Other diseases of the blood and blood-forming organs	M.																																				
		F.																																				

	Class V—Chronic poisonings	T.	8	1							2	3							1												1						
	and intoxications	M.	8	1							2	3							1												1						
		F.																																			
75	Alcoholism	M.	7	1							1	3							1												1						
		F.																																			
	(a) Delirium tremens	M.																																			
		F.																																			
	(b) Other alcoholic intoxi-	M.	7	1							1	3							1												1						
	cations	F.																																			
76	Chronic poisoning, by other	M.																																			
	organic substances	F.																																			
	(a) Chronic morphinism	M.																																			
		F.																																			
	(b) Chronic cocainism	M.																																			
		F.																																			
	(c) Occupational	M.																																			
		F.																																			
	(d) Other organic poison-	M.																																			
	ing	F.																																			
77	Chronic poisoning by min-	M.	1								1																										
	eral substances	F.																																			
	(a) Lead (including occupa-	M.	1								1																										
	tional)	F.																																			
	(b) Occupational, except	M.																																			
	lead	F.																																			
	(c) Others under this	M.																																			
	title	F.																																			
	Class VI—Diseases of the ner-	T.	152	6	7		1	1	4	4	1	25	37	2	1	3	1	1	1	7	4	9		4	1		1	6		5	2		7	1		2	2	6
	vous system and of the or-	M.	86	3	3				4	2	1	17	19	2	1	2			1	3	2	7			1		1	3		3	1		2			1	2	5
	gans of special sense	F.	66	3	4		1	1		2		8	18			1	1	1		4	2	2		4				3		2	1		5	1		1		1
78	Encephalitis (non-epidemic)	M.	2										2																								
		F.	4				1						1															1					1					
79	Simple meningitis	M.	9	2								2	2	1		1																						1
		F.	4		2								2																									
80	Progressive locomotor	M.																																			
	ataxia (Tabes Dorsalis)	F.	1										1																								
81	Other diseases of the spinal	M.	2										2																								
	cord	F.	2									1									1																
82	Cerebral haemorrhage, cerebral	M.	34	1	2				1			7	8	1	1	1			1	3								1		2	1		1				1	2
	embolism and thrombosis	F.	27					1				4	6				1	1		2	1	1		4				1		1	1		2			1		
	(a) Cerebral haemorrhage	M.	27		2				1			7	5	1		1			1	3								1		1	1		1					2
		F.	24					1				3	5				1	1		2	1	1		4				1		1			2			1		
	(b) Cerebral embolism and	M.	6	1									2		1															1							1	
	thrombosis	F.																																			
	(c) Softening of the brain	M.																																			
		F.	1										1																								
	(d) Hemiplegia and other	M.	1										1																								
	paralysis, cause not specified	F.	2									1																			1						

TABLE XXXV—Continued

Int. List No.	CAUSES OF DEATH		Total	Amherst	Antigonish	Bridgetown	Bridgewater	Canso	Dartmouth	Digby	Dominion	Glace Bay	Halifax	Inverness	Joggins	Kentville	Liverpool	Lunenburg	Mahone Bay	New Glasgow	New Waterford	North Sydney	Oxford	Parrsboro	Pictou	Pt. Hawkesbury	Shelburne	Springhill	Stellarton	Sydney	Sydney Mines	Trenton	Truro	Wedgeport	Westville	Windsor	Wolfville	Yarmouth
83	General paralysis of the insane	M.	1																			1																
		F.																																				
84	Dementia praecox and other psychoses	M.	3										1									1																1
		F.	4	2									1							1																		
	(a) Dementia praecox	M.	2										1									1																
		F.	1										1																									
	(b) Other psychoses	M.	1																																			1
		F.	3	2																1																		
85	Epilepsy	M.	2									1	1																									
		F.																																				
86	Convulsions (under 5 years of age)	M.	16						2	2		4	2									4											1			1		
		F.	8		1					2		1	1									1								1			1					
87	Other diseases of the nervous system	M.	9						1		1	1									2	1			1		1	1										
		F.	11	1	1							2	2			1												1					1	1				1
	(a) Chorea	M.																																				
		F.																																				
	(b) Neuralgia and Neuritis	M.																																				
		F.	1													1																						
	(c) Paralysis agitans	M.	6						1		1										1	1			1			1										
		F.	2																																			
	(d) Sclerosis (other than of the spinal cord)	M.	2									1									1												1					1
		F.	6	1	1							1	1															1						1				
	(e) Others under this title	M.	1																								1											
		F.	2									1	1																									
88	Diseases of the organs of vision	M.	1																																		1	
		F.	1										1																									
89	Diseases of the ear and mastoid process	M.	7		1							2	1															1		1								1
		F.	4										3							1																		
	(a) Otitis	M.	3									2																1										
		F.	3										2							1																		
	(b) Diseases of the Mastoid process	M.	4		1								1																	1								1
		F.	1										1																									
	(c) Others under this title	M.																																				
		F.																																				
	Class VII—Diseases of the circulatory system	T.	641	34	16	3	9	2	24	11	2	30	217	7	4	2	10	17	6	32	3	18	3	11	7	1	2	18	9	36	12	3	22	3	11	14	6	36
		M.	322	21	8	1	5		14	5	1	18	100	3	2		4	8	4	18	3	6	2	4	3	1	1	11	3	19	8	2	13	3	4	7	3	17
		F.	319	13	8	2	4	2	10	6	1	12	117	4	2	2	6	9	2	14		12	1	7	4		1	7	6	17	4	1	9		7	7	3	19

90-95	Diseases of the heart	M	197	16	7		3		7	3	1	13	58	1	1		3	7	3	12	1	4	1	2		1	1	4	1	13	6	1	6	2	1	4	2	12
		F.	158	10	4	1	3		5	1		9	51	1	2	1	3	7	1	4		10		2	3		1	2	1	8	3	1	6		3	5	2	8
90	Pericarditis	M	1																																			1
		F.																																				
91	Acute endocarditis	M.	2										1																	1								
		F.	6	1									1					1				2														1		
	(a) Endocarditis specified	M.	2										1																	1								
	as acute	F.	3	1									1									1																
	(b) Endocarditis unspecified	M.																																				
	(under 45 years of age)	F.	3															1				1														1		
92	Chronic endocarditis, valvular	M.	41		2				1			5	16		1		1			2	1	2		1				2		1	2		1	1				2
	diseases	F.	44	2	1		1		1			2	15	1	2			1		2		3			1			2		3		1	2			2		2
	(a) Endocarditis specified as	M.	38		2				1			5	16		1		1			2	1			1				2		1	1		1	1				2
	chronic and other valvular diseases	F.	43	2	1		1		1			2	15	1	2			1		2		2			1			2		3		1	2			2		2
	(b) Endocarditis, unspecified	M	3																			2									1							
	(45 years and over)	F.	1																			1																
93	Diseases of the myocardium	M.	41	12					1	1			12	1				2	1			2								3			1			1	1	3
		F.	36	5	1	1	1		2			3	8					1				2		2	1					2	1		1		2	1	1	1
	(a) Acute myocarditis	M.	2															1				1																
		F.	2		1																	1																
	(b) Myocarditis, unspecified,	M	2	2																																		
	(under 45 years of age)	F.	1																												1							
	(c) Chronic myocarditis	M.	14						1				6	1				1	1											2			1				1	
	and myocardial degeneration	F.	20				1		2			2	6					1						2	1					1					2	1	1	
	(d) Myocarditis, unspecified	M.	23	10						1			6									1								1						1		3
	(45 years and over)	F.	13	5		1						1	2									1								1			1					1
94	Diseases of the coronary arteries and angina pectoris	M.	88	1			2		5	1	1	5	25				2	5	2	10						1	1	2	1	6	3	1	4	1	1	3	1	4
		F.	37	1					2	1		3	12			1		4	1	1					1		1			2	1		1		1	1	1	2
	(a) Diseases of the coronary arteries	M	1										1																									
		F.																																				
	(b) Embolism and thrombosis of the coronary arteries	M.	59	1			2		4		1	4	18				1	4	1	5						1	1	1	1	5			1	1		3	1	3
		F.	25	1					1	1		3	7			1		4	1						1		1			2			1					1
	(c) Angina pectoris	M.	28						1	1		1	6				1	1	1	5								1		1	3	1	3		1			1
		F.	12						1				5							1											1				1	1	1	1
95	Other diseases of the heart	M.	24	3	5		1			1		3	4										1	1						2	1							2
		F.	35	1	2		1					1	15				3			1		3							1	1	1		2					3
	(a) Functional diseases of	M.	1										1																									
	the heart	F.																																				
	(b) Others and unspecified	M.	23	3	5		1			1		3	3										1	1						2	1							2
		F.	35	1	2		1					1	15				3			1		3							1	1	1		2					3
96	Aneurysm (except of	M.																																				
	the heart)	F.																																				
97	Arteriosclerosis (of coronary	M.	104	3	1	1	1		6	2		3	38	2	1			1	1	4	2	1		2	3			7	1	6	1	1	6	1	3	1	1	4
	arteries excepted)	F.	121	2	3	1	1	1	5	5		2	55	3			1	1	1	5		2		5	1			5	2	5			3		4	2	1	5
98	Gangrene	M	8	2					1				1							1		1														2		
		F.	5	1																1									1	1	1							
99	Other diseases of the arteries	M.																																				
		F	2																	1																		1

TABLE XXXV—Continued

Int. List No.	CAUSES OF DEATH		Total	Amherst	Antigonish	Bridgetown	Bridgewater	Canso	Dartmouth	Digby	Dominion	Glace Bay	Halifax	Inverness	Joggins	Kentville	Liverpool	Lunenburg	Mahone Bay	New Glasgow	New Waterford	North Sydney	Oxford	Parrsboro	Pictou	Pt. Hawkesbury	Shelburne	Springhill	Stellarton	Sydney	Sydney Mines	Trenton	Truro	Wedgeport	Westville	Windsor	Wolfville	Yarmouth
100	Diseases of the veins (varices, haemorrhoids, phlebitis, etc.)	M.																																				
		F.	2										2																									
101	Diseases of the lymphatic system (lymphangitis,etc.)	M.																																				
		F.																																				
102	Idiopathic abnormalities of blood pressure	M.	13				1					2	3				1			1			1						1		1		1					1
		F.	31		1			1			1	1	9			1	2	1		3			1						2	3								5
103	Other diseases of the circulatory system	M.																																				
		F.																																				
	Class VIII—Diseases of the respiratory system	T.	244	9	6	2	10	3	7	3	3	20	75	4		2	4	2		8	7	5		5	4	2	1	3	2	10	8		12	3	2	8	3	11
		M.	126	2	1		7		3	2	2	14	34	3			2	1		6	5	2		3	2	1		2	1	5	5		6	2	2	6	3	4
		F.	118	7	5	2	3	3	4	1	1	6	41	1		2	2	1		2	2	3		2	2	1	1	1	1	5	3		6	1		2		7
104	Diseases of the nasal fossae and annexa	M.	2				1														1																	
		F.																																				
105	Diseases of the larynx	M.																																				
		F.	1																														1					
	(a) Croup	M.																																				
		F.																																				
	(b) Other diseases of the larynx	M.																																				
		F.	1																														1					
106	Bronchitis	M.	6						1												2	1							1				1					
		F.	6										2								1	1		1							1							
	(a) Acute	M.	4						1												1	1							1									
		F.	4										2								1	1																
	(b) Chronic	M.	1																														1					
		F.	2																					1							1							
	(c) Unspecified	M.	1																		1																	
		F.																																				
107	Bronchopneumonia	M.	49	1			5		2		2	9	15	1						1		1		2	1			2		1	3			1	1			1
		F.	51	2	1	2	3	3	2			3	22			1	1					1		1	2					1	1		2	1				2
	(a) Bronchopneumonia	M.	49	1			5		2		2	9	15	1						1		1		2	1			2		1	3			1	1			1
		F	51	2	1	2	3	3	2			3	22			1	1					1		1	2					1	1		2	1				2
	(b) Capillary bronchitis	M.																																				
		F.																																				
108	Lobar pneumonia	M.	36	1			1					3	14	1			2			2				1	1	1				1			2			4	1	1
		F.	34	5	2							3	12			1				1								1	1	1			2			2		3
109	Pneumonia, unspecified	M.	11							2			1					1			1									1	1		1			1		2
		F.	12		2					1			2				1	1				1								1	1							2

110 Pleurisy M.	5								1	1	1						1															1		
F.	1																1																	
111 Congestion and haemorrhagic M.	4									1								1								1							1	
infarct of the lung, etc. F.	3									1														1				1						
(a) Pulmonary embolism M.	2																									1							1	
and thrombosis F.																																		
(b) Others under this title M.	2									1								1																
F.	3									1														1				1						
112 Asthma M.	10		1						1	1							2									1	1		1		1		1	
F.	7						1		1	1	1							1					1			1								
113 Pulmonary emphysema M.																																		
F.																																		
114 Other diseases of the respiratory system (tuberculosis M.	3									1																		1	1					
excepted) F.	3						1			1																1								
(a) Chronic interstitial pneumonia including occupational diseases of the respiratory M.																																		
system F.																																		
(b) Gangrene of the lung M.																																		
F.																																		
(c) Others under this title M.	3									1																		1	1					
F.	3						1			1																1								
Class IX—Diseases of the T.	253	4	6	1	17		1	4	10	41	50	8	1	2	1	1		13	4	11		2	5		1	4	2	16	13	1	15		1	4	2	12
digestive system M.	138	3	4	1	9		1	2	5	25	26	4	1	1	1			8	3	5			2			3		8	8	1	7			3		6
F.	115	1	2		8			2	5	16	24	4		1		1		5	1	6		2	3		1	1	2	8	5		8			1	2	6
115 Diseases of the buccal cavity and annexa, and of the pharynx and tonsils (includ- M.	6				1					1	1		1																				1		1
ing adenoid vegetations) F.	6									1	1			1													1	1							1
(a) Diseases of the buccal M.	1																																		1
cavity and annexa F.	3									1	1																								1
(b) Diseases of the tonsils M.	2										1		1																						
F.	2													1													1								
(c) Others under this title M.	3				1					1																							1		
F.	1																											1							
116 Diseases of the oesophagus M.																																			
F.																																			
117 Ulcer of the stomach or M.	12				2			1			2						2						1			1		1		1			1		
duodenum F.	4									1									1																2
(a) Ulcer of the stomach M.	6				1			1									2											1		1					
F.	4									1									1																2
(b) Ulcer of the duodenum M.	6				1						2												1			1							1		
F.																																			
118 Other diseases of the M.	2																1											1							
stomach F.	3																										1				2				
119 Diarrhoea and enteritis (under M	59			1					5	21	13	3		1					1	4			1					1	6		2					
2 years of age) F.	36								3	13	5	1								4		1	3		1			1	2		1					1
120 Diarrhoea and enteritis M.	7	1									2						1			1						1					1					
(2 years and over) F.	7				1						2											1							2		1					

TABLE XXXV—Continued

Int. List No.	CAUSES OF DEATH		Total	Amherst	Antigonish	Bridgetown	Bridgewater	Canso	Dartmouth	Digby	Dominion	Glace Bay	Halifax	Inverness	Joggins	Kentville	Liverpool	Lunenburg	Mahone Bay	New Glasgow	New Waterford	North Sydney	Oxford	Parrsboro	Pictou	Pt. Hawkesbury	Shelburne	Springhill	Stellarton	Sydney	Sydney Mines	Trenton	Truro	Wedgeport	Westville	Windsor	Wolfville	Yarmouth
	(a) Diarrhoea and	M.	6	1									2									1						1					1					
	enteritis	F.	6				1						2											1							2							
	(b) Ulceration of the	M.	1																	1																		
	intestines	F.	1																														1					
121	Appendicitis	M.	21	1			2			1		1	1	1						3	2									3	1		1		1			3
		F.	9		1		1						2									1								1	1					1		1
122	Hernia, intestinal obstruction	M.	13	1	2		1		1			1	1							1								1			1		1			1		1
		F.	22				1			1	2	1	7	1						2								1		2			1				2	1
	(a) Hernia	M.	7	1								1								1								1			1		1					1
		F.	8								1	1	2							1													1				2	
	(b) Intestinal obstruction	M.	6		2		1		1				1																							1		
		F.	14				1			1	1		5	1						1								1		2								1
123	Other diseases of the	M.	6		1								2																				2					1
	intestines	F.	1																														1					
124	Cirrhosis of the liver	M.	2									1					1																					
		F.	1															1																				
	(a) Specified as alcoholic	M.																																				
		F.																																				
	(b) Not specified as alcoholic	M.	2									1					1																					
		F.	1															1																				
125	Other diseases of the liver	M.																																				
		F.																																				
	(a) Yellow atrophy of the	M.																																				
	liver	F.																																				
	(b) Others under this	M.																																				
	title	F.																																				
126	Biliary calculi	M.	6		1		3						2																									
		F.	16	1	1		5						4	1						2										1			1					
127	Other diseases of the gall-	M.	4										2																	2								
	bladder and biliary passages	F.	4											1							1									1			1					
128	Diseases of the pancreas	M.																																				
		F.																																				
129	Peritonitis, cause not	M.																																				
	specified	F.	6							1			3							1										1								
	Class X—Diseases of the	T.	218	13	11	2	10	1	4	4		12	65	4		1	3	1		10	6	2	1	1	1			7	2	11	15		8	3		9	2	9
	genito-urinary system	M.	144	6	7	2	7	1	1	3		8	44	4			3			4	3	2	1		1			5	2	7	10		4	3		8	1	7
		F.	74	7	4		3		3	1		4	21			1		1		6	3			1				2		4	5		4			1	1	2

130	Acute nephritis (including unspecified, (under 10 years of age)	M.	7		2						1	1				1					1						1										
		F.	1						1																												
131	Chronic nephritis	M.	60	3	2	2	1		1	1		3	18	4			2			1	2	1						2	1		8		1	2			1	4
		F	44	6	3		1					3	13			1		1		5	2			1						3		1			1	1	1
132	Nephritis unspecified (10 years and over)	M	14		1							1	4																	2	1		2	1		2		
		F	10		1				3				2																	1	2							1
133	Other diseases of the kidneys and ureters	M.	9	1									3																	2			1			2		
		F.	6				1						2							1										1			1					
134	Calculi of the urinary passages	M.	4									1																1			1					1		
		F.	3				1						1																	1								
135	Diseases of the bladder (tumours excepted)	M.	2				1																1														
		F.	1										1																								
136	Diseases of the urethra, urinary abscess, etc.	M.	1																																		1
		F.																																			
	(a) Stricture of the urethra	M.	1																																		1
		F.																																			
	(b) Others under this title	M.																																			
137	Diseases of the prostate	M.	46	2	1		5	1		2		2	18							3	1				1			1	1	3						3		2
138	Diseases of the male genital organs (not specified as venereal)	M.	1		1																																
139	Diseases of the female genital organs (not specified as venereal)	F.	9	1								1	2								1							2					2					
	(a) Of the ovary, Fallopian tube and parametrium	F.	3										1															1					1					
	(b) Of the uterus	F.	6	1								1	1								1							1					1					
	(c) Of the breast	F.																																			
	(d) Others under this title	F.																																			
	Class XI—Diseases of pregnancy, childbirth and the puerperal state	T.	23	1	1		1		1			1	4	2						3	1	2			1					3	1		1					
140	Abortion with septic conditions	F.	1										1																								
	(a) Abortion	F.	1										1																								
	(b) Self-induced abortion	F.																																			
141	Abortion without mention of septic conditions (haemorrhage included)	F.																																			
	(a) Abortion	F																																			
	(b) Self-induced abortion	F																																			
142	Ectopic gestation	F.																																			
	(a) With septic conditions	F.																																			
	(b) Without mention of septic conditions	F.																																			
143	Other accidents of pregnancy (haemorrhage excluded)	F.																																			
144	Puerperal haemorrhage	F.	4																	1		1			1						1						

TABLE XXXV—Continued

Int. List No.	CAUSES OF DEATH		Total	Amherst	Antigonish	Bridgetown	Bridgewater	Canso	Dartmouth	Digby	Dominion	Glace Bay	Halifax	Inverness	Joggins	Kentville	Liverpool	Lunenburg	Mahone Bay	New Glasgow	New Waterford	North Sydney	Oxford	Parrsboro	Pictou	Pt. Hawkesbury	Shelburne	Springhill	Stellarton	Sydney	Sydney Mines	Trenton	Truro	Wedgeport	Westville	Windsor	Wolfville	Yarmouth
	(a) Placenta praevia	F.	2																						1							1						
	(b) Other haemorrhages	F.	2																	1		1																
145	Puerperal septicaemia (not specified as due to abortion)	F.	5						1			1	1	1							1																	
	(a) Puerperal septicaemia and pyaemia	F.	5						1			1	1	1							1																	
	(b) Puerperal tetanus	F.																																				
146	Puerperal albuminuria and eclampsia	F.	7	1	1								1							1		1								1			1					
147	Other toxaemias of pregnancy	F.	1																											1								
148	Puerperal phlegmasia alba dolens, embolism or sudden death (not specified as septic)	F.	3				1							1																1								
	(a) Phlegmasia alba dolens and thrombosis	F.	2											1																1								
	(b) Embolism	F.	1				1																															
	(c) Sudden death	F.																																				
149	Other accidents of childbirth	F.	2										1							1																		
	(a) Caesarean operation	F.	1										1																									
	(b) Dystocia	F.	1																	1																		
	(c) Other surgical operations and instrumental delivery	F.																																				
	(d) Rupture of uterus in parturition	F.																																				
	(e) Others under this title	F.																																				
150	Other or unspecified condition of the puerperal state	F.																																				
	(a) Puerperal diseases of the breast	F.																																				
	(b) Others under this title	F.																																				
	Class XII—Diseases of the skin and cellular tissue	T.	12	1			1			1		2	4							1		1																
		M.	7	1			1			1		1	3																				1					
		F.	5									1	1							1		1																
151	Carbuncle	M.	2	1								1																					1					
		F.	1										1																									
152	Cellulitis, acute abscess	M.	4				1			1			2																									
		F.	1																	1																		

153	Other diseases of the skin and annexa and of the cellular tissue	M	1									1																									
		F.	3								1										1											1					
	Class XIII—Diseases of the bones and organs of locomotion	T.	7	1		1					1	1							2													1					
		M.	3	1							1																					1					
		F.	4			1						1							2																		
154	Osteomyelitis	M.	1								1																										
		F.	2			1													1																		
155	Other diseases of the bones (tuberculosis excepted)	M.																																			
		F.	1									1																									
156	Diseases of the joints and other organs of locomotion	M.	2	1																												1					
		F.	1																1																		
	(a) Of the joints (tuberculosis and rheumatism excepted)	M.	2	1																												1					
		F.	1																1																		
	(b) Of other organs of locomotion	M.																																			
		F.																																			
	Class XIV—Congenital Malformations	T.	53	1	1		1					5	23	1				1			2			1	1		2	3	2	3					1			5
		M.	33	1	1							3	13					1			1			1	1		2	1		2					1			5
		F.	20				1					2	10	1							1							2	2	1								
157	Congenital malformations (stillbirths excluded)	M.	33	1	1							3	13					1			1			1	1		2	1		2					1			5
		F.	20				1					2	10	1							1							2	2	1								
	(a) Congenital hydrocephalus	M.	4										2								1																1
		F.	2										1																1								
	(b) Spina bifida and meningocele	M.	8									2	4																	1							1
		F.	6									2	2															2									
	(c) Congenital malformations of the heart	M.	9										4					1									1								1		2
		F.	8										5	1							1								1								
	(d) Monstrosities	M.																																			
		F.																																			
	(e) Others under this title	M.	12	1	1						1		3											1	1		1	1		1								1
		F.	4				1						2																	1								
	Class XV—Diseases of early infancy	T.	181	9	3	2	4	1		2	4	28	34	8	1		6	2		10	12	12		1			1	2		3	9	2	6	2	1	8	3	5
		M.	90	6	2	2	1	1		1	3	13	17	3			3	2		4	5	9		1						1	4		3	1	1	4	1	2
		F.	91	3	1		3			1	1	15	17	5	1		3			6	7	3					1	2		2	5	2	3	1		4	2	3
158	Congenital debility	M.	9		1							1						1		1	2	2												1				
		F.	9				1					5	1							1	1																
159	Premature birth	M.	58	5	1	2	1	1		1		8	11	2			1	1		3	1	5		1						1	4		2		1	4		2
		F.	49	2			1			1		6	11	4			2			3	2	1					1	1		1	3		2	1		4	2	1
160	Injury at birth	M.	14	1							3	3	4				1				1																1	
		F.	11		1						1	2	2		1					1	1	1																1
	(a) With mention of caesarean operation	M																																			
		F.																																			
	(b) Without mention of caesarean operation	M.	14	1							3	3	4				1				1															1	
		F.	11		1						1	2	2		1					1	1	1																1
161	Other diseases peculiar to early infancy (under 3 months)	M.	9									1	2	1			1				1	2											1					
		F.	22	1			1					2	3	1			1			1	3	1						1		1	2	2	1					1
	(a) Atelectasis	M.	2																		1	1																
		F.	3										1								1							1										

TABLE XXXV—Continued

Int. List No.	CAUSES OF DEATH		Total	Amherst	Antigonish	Bridgetown	Bridgewater	Canso	Dartmouth	Digby	Dominion	Glace Bay	Halifax	Inverness	Joggins	Kentville	Liverpool	Lunenburg	Mahone Bay	New Glasgow	New Waterford	North Sydney	Oxford	Parrsboro	Pictou	Pt. Hawkesbury	Shelburne	Springhill	Stellarton	Sydney	Sydney Mines	Trenton	Truro	Wedgeport	Westville	Windsor	Wolfville	Yarmouth
	(b) Icterus of the new-born	M.	1										1																									
		F.	2				1																															
	(c) Sclerema and oedema	M.																													1							
		F.																																				
	(d) Athrepsia	M.																																				
		F.																																				
	(e) Others, including lack	M.	5									1	1	1								1											1					
	of care	F.	16	1								2	2	1			1			1	2	1								1		2	1					1
	(f) No cause given No	M.	1														1																					
	Doctor in attendance	F.	1																												1							
	Class XVI—Senility	T.	43	1	1	1			1				8					1	1	3	3	6	1	3	3					1	2		3		1		3	
		M.	12		1								3					1		1	1	1									1		2				1	
		F	31	1		1			1				5						1	2	2	5	1	3	3					1	1		1		1		2	
162	Senility	M.	12		1								3					1		1	1	1									1		2				1	
		F.	31	1		1			1				5						1	2	2	5	1	3	3					1	1		1		1		2	
	(a) With senile dementia	M.																																				
	(70 years and over)	F.	1																					1														
	(b) Without senile dementia	M.	12		1								3					1		1	1	1									1		2				1	
	(70 years and over)	F.	30	1		1			1				5						1	2	2	5	1	2	3					1	1		1		1		2	
	(c) Premature senility (55	M.																																				
	years but under 70 years)	F.																																				
	Class XVII—Violent or acci-	T.	213	11	5	1	9		2	5	1	20	45	4			5	1	1	12	12	7		1	1	1	4	4	2	19	9		12		2	4	5	8
	dental deaths	M.	155	10	3	1	8		2	3		17	31	4			3			8	10	6				1	3	4	2	15	5		7		2	2	2	6
		F.	58	1	2		1			2	1	3	14				2	1	1	4	2	1		1	1		1			4	4		5			2	3	2
163	Suicides	M.	11									1	5							1																		
-171		F.	3										1							1	1						1			1			1					1
163	Suicide by solid or liquid																																					
	poisons or by absorption	M.																																				
	of corrosive substances	F.	1																		1																	
164	Suicide by poisonous gas	M.	1										1																									
		F.	1										1																									
165	Suicide by hanging or	M.	2																																			
	strangulation	F.																												1			1					
166	Suicide by drowning	M.	1																																			
		F.	1																																			1
167	Suicide by firearms	M.	4										2							1																		
		F.																																				

168 Suicide by cutting or piercing instruments	M.	3								1	2																										
	F.																																				
169 Suicide by jumping from high places	M.																																				
	F.																																				
170 Suicide by crushing	M.																																				
	F.																																				
171 Suicide by other means	M.																																				
	F.																																				
173–175 Homicides	M.	1																										1									
	F.	1									1																										
173 Homicide by firearms	M.																																				
	F.	1									1																										
174 Homicide by cutting or piercing instruments	M.																																				
	F.																																				
175 Homicide by other means	M.	1																										1									
	F.																																				
176–198 Other violent deaths	M.	143	10	3	1	8		2	3		16	26	4			3			7	10	6				1	2	4	1	14	5		6		2	2	2	5
	F.	54	1	2		1			2	1	3	12				2	1	1	3	1	1		1	1		1			4	4		5			2	3	2
176 Attack by venemous animals	M.																																				
	F.	1																											1								
177 Food Poisoning	M.																																				
	F.																																				
178 Accidental absorption of toxic gases	M.																																				
	F.																																				
179 Other acute accidental poisonings (except by gas)	M.	4	2						1																							1					
	F.	1							1																												
180 Conflagration	M.	3	2																																	1	
	F.																																				
181 Accidental burns (conflagration excepted)	M.	7				3					1									1									2								
	F.	6		1							1	1							1	1																	1
182 Accidental mechanical suffocation	M.	4	1																	1						1			1								
	F.	3								1		1																				1					
183 Accidental drowning	M.	10		1				1			2	1	1																2			1					1
	F.	4										2				2																					
184 Accidental injury by firearms	M.																																				
	F.	1										1																									
185 Accidental injury by cutting or piercing instruments	M.	1		1																																	
	F.																																				
186 Accidental injuries resulting from falling, crushing or landslide	M.	101	5	1	1	4		1	2		12	24	3			2			5	6	4				1		4	1	8	5		4		2	1	1	4
	F.	30	1	1		1			1		1	5					1	1					1	1		1			2	4		3			2	3	1
187 Cataclysm	M.																																				
	F.																																				
188 Injuries by animals	M.	2																	1		1																
	F.																																				
189 Hunger or thirst	M.																																				
	F.																																				
190 Excessve cold	M.																																				
	F.	1																			1																

TABLE XXXV—Continued

Int. List No.	CAUSES OF DEATH		Total	Amherst	Antigonish	Bridgetown	Bridgewater	Canso	Dartmouth	Digby	Dominion	Glace Bay	Halifax	Inverness	Joggins	Kentville	Liverpool	Lunenburg	Mahone Bay	New Glasgow	New Waterford	North Sydney	Oxford	Parrsboro	Pictou	Pt. Hawkesbury	Shelburne	Springhill	Stellarton	Sydney	Sydney Mines	Trenton	Truro	Wedgeport	Westville	Windsor	Wolfville	Yarmouth
191	Excessive heat	M.																																				
		F.																																				
192	Lightning	M																																				
		F.																																				
193	Accidents due to electric	M.	2														1				1																	
	currents	F.																																				
194	Other accidents	M.	6				1													1	1	1								1						1		
		F.	7									1	2							2										1			1					
	(a) Foreign body	M.																																				
		F.	2																	1										1								
	(b) Others under this title	M.	6				1													1	1	1								1						1		
		F.	5									1	2							1													1					
195	Violent deaths of which the nature (accident, suicide, homicide) is unknown	M.	2									1	1																									
		F.																																				
198	Capital punishment	M.	1																								1											
		F.																																				
	Class XVIII—Ill-defined	T.	18							1			5															1	1	4	2		2			1		1
	causes of death	M.	10							1			3																	2	2		1			1		
		F.	8										2															1	1	2			1					1
199	Sudden death	M.	7							1			2																	1	1		1			1		
		F.	4										2																				1					1
200	Cause of death not specified	M.	3										1																	1	1							
	or ill-defined	F.	4																									1	1	2								

SPECIAL CLASSES OF ACCIDENTAL DEATHS FOR CITIES AND TOWNS OF NOVA SCOTIA, 1937

(Included also under the numbers of the International List above)

	CAUSES OF DEATH		Total	Amherst	Antigonish	Bridgetown	Bridgewater	Canso	Dartmouth	Digby	Dominion	Glace Bay	Halifax	Inverness	Joggins	Kentville	Liverpool	Lunenburg	Mahone Bay	New Glasgow	New Waterford	North Sydney	Oxford	Parrsboro	Pictou	Port Hawkesbury	Shelburne	Springhill	Stellarton	Sydney	Sydney Mines	Trenton	Truro	Wedgeport	Westville	Windsor	Wolfville	Yarmouth
A	Accidents in mines and quarries	M.	26	....	....	....	....	....	....	....	....	7	....	2	....	....	....	....	....	....	6	....	....	....	....	....	....	4	1	....	4	....	....	....	2	....	....	....
		F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
B	Accidents caused by machines	M.	5	....	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....
		F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
C	Railway accidents	M.	6	....	....	....	....	....	....	....	....	2	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....
		F.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....
D	Street car accidents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
E	Automobile and motorcycle accidents	M.	43	3	....	1	5	....	....	1	....	2	15	....	....	....	1	....	....	....	1	2	....	....	....	1	....	....	....	4	....	....	2	....	....	1	1	3
		F.	7	....	....	....	1	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	1	....	....	1	1	....
F	Other land transportation	M	7	1	....	....	....	....	....	1	....	1	1	....	....	....	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
G	Water transportation	M.	9	....	....	....	2	....	....	....	....	1	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....
		F.	2	....	....	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
H	Air transportation	M	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE XXXVI—CAUSES OF DEATH BY SEX AND AGE, IN THE CITY OF HALIFAX 1937

Int. List No.	Causes of Death		Total	Ages: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
	Deaths—All causes	T.	858	110	12	6	3	3	21	8	19	22	28	15	35	30	35	48	49	68	76	81	79	56	34	14	4	1	1
		M.	441	66	8	3	2	2	11	2	6	9	7	5	15	16	20	29	28	38	46	38	38	31	16	4	....	....	1
		F.	417	44	4	3	1	1	10	6	13	13	21	10	20	14	15	19	21	30	30	43	41	25	18	10	4	1	....
	Class I—Infectious and parasitic diseases	T.	124	16	5	....	1	1	9	1	6	13	13	7	12	7	6	3	4	8	3	3	4	1	....	....	1	....	....
		M.	56	11	4	....	1	1	2	....	....	5	1	2	8	3	5	2	3	2	2	1	2	1	....	....	....	....	....
		F.	68	5	1	....	....	....	7	1	6	8	12	5	4	4	1	1	1	6	1	2	2	....	....	....	1	....	....
1	Typhoid fever	M.	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2	Paratyphoid fever	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4	Relapsing fever	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5	Undulant fever	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6	Small-pox	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7	Measles	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8	Scarlet Fever	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9	Whooping-cough	M.	3	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	3	2	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

10	Diphtheria	M.	2					1	1																			
		F.	3						3																			
11	Influenza	M.	10	2	1									1				1		1	1	2	1					
		F.	12	3								1	1		1				2	1	1	1				1		
	(a) Sole cause	M.	1																			1						
		F.																										
	(b) With bronchitis	M.	1																	1								
		F.																										
	(c) With pneumonia	M.	5	1										1							1	1	1					
		F.	5	2															1	1						1		
	(d) With other diseases of the	M.																										
	respiratory system	F.	3	1									1		1													
	(e) With intestinal complications	M.																										
		F.																										
	(f) With other causes	M.	3	1	1													1										
		F.	4									1							1		1	1						
13	Dysentery	M.																										
		F.																										
15	Erysipelas	M.																										
		F.																										
16	Poliomyelitis and polioencephalitis (acute)	M.	1											1														
		F.																										
17	Lethargic or epidemic encephalitis	M.																										
		F.																										
18	Epidemic cerebrospinal meningitis	M.																										
		F.	1								1																	
19	Glanders	M.																										
		F.																										
20	Anthrax, malignant pustule	M.																										
	(bacillus anthracis)	F.																										
21	Rabies	M.																										
		F.																										
22	Tetanus	M.																										
		F.																										
23-32	Tuberculosis	M.	30	2	2		1		1			3	1	2	4	3	5	1	2	2	1							
		F.	45						2	1	5	8	11	4	4	3		1	1	3		1	1					
23	Tuberculosis of the respiratory system	M.	20									2	1	2	3	3	4	1	2	1	1							
		F.	37								2	7	11	3	4	3		1	1	3		1	1					

TABLE XXXVI—Continued

Int. List No.	Causes of Death		Total	Ages: Under 1 year	1 year	2 years	3 years	4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
24	Tuberculosis of the meninges and central nervous system	M.	4	1	1				1								1												
		F.	6						2	1	2	1																	
25	Tuberculosis of the intestines and peritoneum	M.																											
		F.	1											1															
26	Tuberculosis of the vertebral column	M.																											
		F.	1								1																		
27	Tuberculosis of the bones and joints (vertebral column excepted)	M.																											
		F.																											
	(a) Of bones	M.																											
		F.																											
	(b) Of joints	M.																											
		F.																											
28	Tuberculosis of the skin and sub-cutaneous cellular tissue	M																											
		F.																											
29	Tuberculosis of the lymphatic system (bronchial, mesenterid, and retroperitoneal glands excepted)	M.	1	1																									
		F.																											
30	Tuberculosis of the genito-urinary system	M.	2									1			1														
		F.																											
31	Tuberculosis of other organs	M.																											
		F.																											
32	Disseminated tuberculosis	M.	3		1		1													1									
		F.																											

	(a) Acute	M.	2		1		1																						
		F.																											
	(b) Chronic	M.																											
		F.																											
	(c) Not specified	M.	1																1										
		F.																											
33	Leprosy	M.																											
		F.																											
34	Syphilis	M.	7	3	1									2			1												
		F.	2		1											1													
35	Gonococcus infection and other venereal diseases	M.																											
		F.																											
36	Purulent infection, septicaemia (non puerperal)	M.	2	1							1																		
		F.	1																1										
38	Malaria	M.																											
		F.																											
39	Other diseases due to protozoal parasites	M.																											
		F.																											
40	Ankylostomiasis	M.																											
		F.																											
41	Hydatid cysts	M.																											
		F.																											
	(a) Of the liver	M.																											
		F.																											
	(b) Of other organs	M.																											
		F.																											
42	Other diseases caused by helminths	M.																											
		F.																											
43	Mycoses	M.																											
		F.																											
44	Other infectious or parasitic diseases	M.																											
		F.																											
	(a) Chicken-pox	M.																											
		F.																											
	(b) German measles	M.																											
		F.																											
	(c) Others under this title	M.																											
		F.																											

TABLE XXXVI—Continued

Int. List No.	Causes of Death		Total	Ages: Under 1 year	1 year	2 years	3 years	4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
	Class II—Cancer and other Tumours	T.	133							1	3	1	4	1	6	6	10	14	20	13	19	11	13	7	3	1			
		M.	73							1	2	1	1	1	1	2	5	9	10	7	13	6	8	4	2				
		F.	60								1		3		5	4	5	5	10	6	6	5	5	3	1	1			
45–53	Cancer and other malignant tumours	M.	72							1	1	1	1	1	1	2	5	9	10	7	13	6	8	4	2				
		F.	57								1		2		4	3	5	5	10	6	6	5	5	3	1	1			
45	Cancer of the buccal cavity and pharynx	M.																											
		F.	1																		1								
46	Cancer of the digestive tract and peritoneum	M.	43								1	1		1	1	2	2	5	6	5	7	6	3	2	1				
		F.	22												1	2	2	1	4		2	3	4	1	1	1			
	(a) Of the oesophagus	M.	4																1	2		1							
		F.																											
	(b) Of the stomach and duodenum	M.	15									1			1			3	1	2	2	3		2					
		F.	7												1	1	1		2		1				1				
	(c) Of the rectum	M.	5											1		1	1				1	1							
		F.	1															1											
	(d) Of the liver and biliary ducts	M.	1															1											
		F.	5													1						2	1	1					
	(e) Of the pancreas	M.	6													1	1	1	1	1	1								
		F.																											
	(f) Of the peritoneum	M.	1								1																		
		F.																											
	(g) Of other organs	M.	11																3		3	1	3		1				
		F.	9														1		2		1	1	3			1			

47	Cancer of the respiratory organs	M.	6									1				1		2				1	1					
		F.	2																1	1								
	(a) Of the larynx	M.																										
		F.																										
	(b) Of the lung	M.	4													1		1				1	1					
		F.	1																1									
	(c) Of the mediastinum	M.	2									1						1										
		F.																										
	(d) Of other organs of the respiratory system	M.																										
		F.	1																	1								
48	Cancer of the uterus	F.	11									1		2			1	3	2		1		1					
	(a) Of the uterus	F.	8											1			1	2	2		1		1					
	(b) Of the cervix uteri	F.	3									1		1				1										
49	Cancer of other female genital organs	F.	3												1			1			1							
50	Cancer of the breast	M.																										
		F.	6													1		1	1	2		1						
51	Cancer of the male genito-urinary organs	M.	12														1	1	1	5		3		1				
	(a) Of the bladder	M.	3																1	2								
	(b) Of the kidney	M.	1														1											
	(c) Of the prostate gland	M.	7															1		2		3		1				
	(d) Of the testicles and annexa	M.	1																	1								
	(e) Of other male genito-urinary organs	M.																										
52	Cancer of the skin	M.	1																			1						
		F.	2											1		1												
53	Cancer of other or unspecified organs	M.	10						1							2	3	1	1	1			1					
		F.	10							1		1				1	3	1	2				1					
	(a) Of the eye and orbit	M.	2																	1			1					
		F.																										
	(b) Of the circulatory system	M.																										
		F.																										
	(c) Of the glandular system	M.																										
		F.																										
	(d) Of the female urinary organs	F.	2														1		1									
	(e) Of the bones and joints	M.	2						1										1									
		F.	1														1											
	(f) Of the brain	M.	2														1	1										
		F.																										

TABLE XXXVI—Continued

Int. List No.	Causes of Death		Total	Ages: Under 1 year	1 year	2 years	3 years	4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
	(g) Of the spine and spinal cord	M.	2														1	1											
		F.	3								1		1						1										
	(h) Of the neck	M.																											
		F.																											
	(i) Of the abdomen	M.	1														1												
		F.	1																					1					
	(j) Of other specified organs	M.																											
		F.	1															1											
	(k) Multiple cancer	M.	1															1											
		F.																											
	(m) Of unspecified or unknown location	M.																											
		F.	2														1			1									
54	Non-malignant tumours	M.	1								1																		
		F.	3										1		1	1													
	(a) Of the ovary	F.																											
	(b) Of the uterus	F.	1												1														
	(c) Of other female genital organs	F.																											
	(d) Of the brain	M.																											
		F.	1													1													
	(e) Of the thyroid gland	M.																											
		F.	1										1																
	(f) Of the prostate gland	M.																											
	(g) Of other or unspecified sites	M.	1								1																		
		F.																											

55	Tumours, nature not specified	M.																											
		F.																											
	(a) Of the ovary	F.																											
	(b) Of the uterus	F.																											
	(c) Of other female genital organs	F.																											
	(d) Of the brain	M.																											
		F.																											
	(e) Of the thyroid gland	M.																											
		F.																											
	(f) Of the prostate gland	M.																											
	(g) Of other or unspecified sites	M.																											
		F.																											
	Class III—Rheumatic diseases, diseases of	T.	20			1			1	1	3		1			2		2	3	3		2	1						
	nutrition and of the endocrine glands	M.	7						1		1					1		1		2		1							
	and other general diseases	F.	13			1				1	2		1			1		1	3	1		1	1						
56	Acute rheumatic fever	M.	2						1		1																		
		F.	4							1	1		1						1										
57	Chronic rheumatism, osteo-arthritis	M.																											
		F.																											
58	Gout	M.																											
		F.																											
59	Diabetes mellitus	M.	5													1		1		2		1							
		F.	5															1	2			1	1						
60	Scurvy	M.																											
		F.																											
61	Beriberi	M.																											
		F.																											
62	Pellagra	M.																											
		F.																											
63	Rickets	M.																											
		F.																											
64	Osteomalacia	M.																											
		F.																											
65	Diseases of the pituitary gland	M.																											
		F.																											
66	Diseases of the thyroid and parathyroid	M.																											
	glands	F.	3								1					1				1									

TABLE XXXVI—Continued

Int. List No.	Causes of Death		Total	Under 1 year	1 year	2 years	3 years	4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95–99 years	100 years and over	Not stated
	(a) Simple goitre	M.																											
		F.																											
	(b) Exophthalmic goitre	M.																											
		F.	3								1					1				1									
	(c) Myxoedema, cretinism	M.																											
		F.																											
	(d) Tetany	M.																											
		F.																											
	(e) Others under this title	M.																											
		F.																											
67	Diseases of the thymus gland	M.																											
		F.																											
68	Diseases of the adrenals (Addison's disease)	M.																											
		F.																											
69	Other general diseases	M.																											
		F.	1			1																							
	(a) Fatty or amyloid degeneration	M.																											
		F.																											
	(b) Steatosis	M.																											
		F.																											
	(c) Others under this title	M.																											
		F.	1			1																							
	Class IV—Diseases of the blood and blood-forming organs	T.	10	1		1	1		3		1							1					1						1
		M.	9	1		1	1		2		1							1					1						1
		F.	1						1																				

70	Haemorrhagic conditions	M.	1					1																				
		F.	1					1																				
	(a) Simple purpura	M.																										
		F.	1					1																				
	(b) Haemophilia	M.	1					1																				
		F.																										
71	Anaemia	M.	4	1		1											1					1						
		F.																										
	(a) Pernicious anaemia	M.	3			1											1					1						
		F.																										
	(b) Others under this title	M.	1	1																								
		F.																										
72	Leukaemia and aleukaemia	M.	3					1		1																		1
		F.																										
	(a) Leukaemia	M.	2					1		1																		
		F.																										
	(b) Aleukaemia (Hodgkin's disease)	M.	1																									1
		F.																										
73	Diseases of the spleen	M.	1				1																					
		F.																										
74	Other diseases of the blood and blood-forming organs	M.																										
		F.																										
	Class V.—Chronic poisonings and intoxications	T.	3												1		2											
		M.	3												1		2											
		F.																										
75	Alcoholism	M.	3												1		2											
		F.																										
	(a) Delirium tremens	M.																										
		F.																										
	(b) Other alcoholic intoxications	M.	3												1		2											
		F.																										
76	Chronic poisoning, by other organic substances	M.																										
		F.																										
	(a) Chronic morphinism	M.																										
		F.																										
	(b) Chronic cocainism	M.																										
		F.																										

TABLE XXXVI—Continued

Int. List No.	Causes of Death		Total	Ages: Under 1 year	1 year	2 years	3 years	4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
	(c) Occupational	M.																											
		F.																											
	(d) Other organic poisoning	M.																											
		F.																											
77	Chronic poisoning by mineral substances	M.																											
		F.																											
	(a) Lead (including occupational)	M.																											
		F.																											
	(b) Occupational, except lead	M.																											
		F.																											
	(c) Others under this title	M																											
		F.																											
	Class VI—Diseases of the nervous system and of the organs of special sense	T.	37	3	3			1	1	1	3			1		2	5	2	1	2	1	3	3	2	3				
		M.	19	2	1			1	1		1						3	2	1	1		2	1	2	1				
		F.	18	1	2					1	2			1		2	2			1	1	1	2		2				
78	Encephalitis (non-epidemic)	M.	2						1													1							
		F.	1														1												
79	Simple meningitis	M.	2															1		1									
		F.	2							1				1															
80	Progressive locomotor ataxia (tabes dorsalis)	M.																											
		F.	1																	1									
81	Other diseases of the spinal cord	M.	2		1												1												
		F.																											

82	Cerebral haemorrhage, cerebral embolism	M.	8													1	1	1			1	1	2	1				
	and thrombosis	F.	6		1										1						1	2		1				
	(a) Cerebral haemorrhage	M.	5													1	1				1		1	1				
		F.	5		1										1						1	2						
	(b) Cerebral embolism and thrombosis	M.	2															1				1						
		F.																										
	(c) Softening of the brain	M.																										
		F.	1																					1				
	(d) Hemiplegia and other paralysis,	M.	1																				1					
	cause not specified	F.																										
83	General paralysis of the insane	M.																										
		F.																										
84	Dementia praecox and other psychoses	M.	1													1												
		F.	1							1																		
	(a) Dementia praecox	M.	1													1												
		F.	1							1																		
	(b) Other psychoses	M.																										
		F.																										
85	Epilepsy	M.	1					1																				
		F.																										
86	Convulsions (under 5 years of age)	M.	2	2																								
		F.	1		1																							
87	Other diseases of the nervous system	M.																										
		F.	2													1								1				
	(a) Chorea	M.																										
		F.																										
	(b) Neuralgia and neuritis	M.																										
		F.																										
	(c) Paralysis agitans	M.																										
		F.																										
	(d) Sclerosis (other than of the spinal	M.																										
	cord)	F.	1													1												
	(e) Others under this title	M.																										
		F.	1																					1				
88	Diseases of the organs of vision	M.																										
		F.	1																	1								
89	Diseases of the ear and mastoid process	M.	1							1																		
		F.	3	1						1					1													

TABLE XXXVI—Continued

Int. List No.	Causes of Death		Total	Under 1 year	1 year	2 years	3 years	4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
	(a) Otitis	M.																											
		F.	2	1												1													
	(b) Diseases of the mastoid process	M.	1								1																		
		F.	1								1																		
	(c) Others under this title	M.																											
		F.																											
	Class VII—Diseases of the circulatory system	T.	217								1	1		2	2	6	3	11	13	22	27	43	30	28	19	7	1	1	
		M.	100								1			1		4	1	3	7	12	19	16	12	14	9	1			
		F.	117									1		1	2	2	2	8	6	10	8	27	18	14	10	6	1	1	
90–95	Diseases of the heart	M.	58								1			1		3		3	5	6	13	7	8	5	6				
		F.	51									1		1	2	2	2	3	4	2	2	13	6	7	3	2		1	
90	Pericarditis	M.																											
		F.																											
91	Acute endocarditis	M.	1																		1								
		F.	1														1												
	(a) Endocarditis specified as acute	M.	1																		1								
		F	1														1												
	(b) Endocarditis unspecified (under 45 years of age)	M.																											
		F.																											
92	Chronic endocarditis, valvular diseases	M.	16								1			1		1		1	2	2	6	1	1						
		F.	15												2	2	1	1	1			3	1	2	2				
	(a) Endocarditis specified as chronic and other valvular diseases	M.	16								1			1		1		1	2	2	6	1	1						
		F.	15												2	2	1	1	1			3	1	2	2				

	(b) Endocarditis, unspecified, (45 years and over)	M.																											
		F.																											
93	Diseases of the myocardium	M.	12															1		2	2	1	2	4					
		F.	8								1									1		2	2		1		1		
	(a) Acute myocarditis	M.																											
		F.																											
	(b) Myocarditis, unspecified, (under 45 years of age)	M.																											
		F.																											
	(c) Chronic myocarditis and myocardial degeneration	M.	6																	1	1		1	3					
		F.	6								1											2	1		1		1		
	(d) Myocarditis, unspecified, (45 years and over)	M.	6															1		1	1	1	1	1					
		F.	2																	1			1						
94	Diseases of the coronary arteries and angina pectoris	M.	25													2		2	2	3	4	4	5	1	2				
		F.	12										1						2	1	1	4	2	1					
	(a) Diseases of the coronary arteries	M	1																			1							
		F.																											
	(b) Embolism and thrombosis of the coronary arteries	M.	18													2		2	1	2	2	2	4	1	2				
		F.	7																1		1	3	1	1					
	(c) Angina pectoris	M.	6																1	1	2	1	1						
		F.	5										1						1	1		1	1						
95	Other diseases of the heart	M.	4																	1			1	2					
		F.	15															2	1	1		6	1	2	1	1			
	(a) Functional diseases of the heart	M.	1																					1					
		F.																											
	(b) others and unspecified	M.	3																	1			1	1					
		F.	15															2	1	1		6	1	2	1	1			
96	Aneurysm (except of the heart)	M.																											
		F.																											
97	Arteriosclerosis (of coronary arteries excepted)	M.	38													1			2	5	5	8	4	9	3	1			
		F.	55															1	1	7	5	13	10	7	6	4	1		
98	Gangrene	M.	1																	1									
		F.																											
99	Other diseases of the arteries	M.																											
		F.																											
100	Diseases of the veins (varices, haemorrhoids, phlebitis, etc.)	M.																											
		F.	2																	1	1								
101	Diseases of the lymphatic system (lymphangitis, etc.)	M.																											
		F.																											

TABLE XXXVI—Continued

Int. List No.	Causes of Death		Total	Ages: Under 1 year	1 year	2 years	3 years	4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
102	Idiopathic abnormalities of blood pressure	M.	3														1				1	1							
		F.	9															4	1			1	2		1				
103	Other diseases of the circulatory system	M.																											
		F.																											
	Class VIII—Diseases of the respiratory system	T.	75	17	2	2	1			1	1	2	2		4	1	3	3	2	8	7	5	6	5	1	2			
		M.	34	9	2							1	1		2	1	1	2	1	6	2	3		2		1			
		F.	41	8		2	1			1	1	1	1		2		2	1	1	2	5	2	6	3	1	1			
104	Diseases of the nasal fossae and annexa	M.																											
		F.																											
105	Diseases of the larynx	M.																											
		F.																											
	(a) Croup	M.																											
		F.																											
	(b) Other diseases of the larynx	M.																											
		F.																											
106	Bronchitis	M.																											
		F.	2																				1	1					
	(a) Acute	M.																											
		F.	2																				1	1					
	(b) Chronic	M.																											
		F.																											
	(c) Unspecified	M.																											
		F.																											

107	Bronchopneumonia	M.	15	6	2										1		1	1		1	2			1				
		F.	22	7		2									1		1		1		5	1	1	2	1			
	(a) Bronchopneumonia	M.	15	6	2										1		1	1		1	2			1				
		F.	22	7		2									1		1		1		5	1	1	2	1			
	(b) Capillary bronchitis	M.																										
		F.																										
108	Lobar pneumonia	M.	14	1							1	1		1	1			1	4		3		1					
		F	12	1			1			1	1	1		1		1	1		1		1	2						
109	Pneumonia, unspecified	M.	1	1																								
		F.	2																1			1						
110	Pleurisy	M.	1	1																								
		F.																										
111	Congestion and haemorrhagic infarct of the lung, etc	M.	1																						1			
		F.	1																						1			
	(a) Pulmonary embolism and thrombosis	M																										
		F.																										
	(b) Others under this title	M.	1																						1			
		F.	1																						1			
112	Asthma	M.	1																1									
		F.	1																			1						
113	Pulmonary emphysema	M.																										
		F.																										
114	Other diseases of the respiratory system (tuberculosis excepted)	M.	1															1										
		F.	1						1																			
	(a) Chronic interstitial pneumonia including occupational diseases of the respiratory system	M.																										
		F.																										
	(b) Gangrene of the lung	M.																										
		F.																										
	(c) Others under this title	M.	1															1										
		F.	1						1																			
	Class IX—Diseases of the digestive system	T.	50	20		1			1	1		1	2	2	3	1	3	4	1	2	4	3	1					
		M.	26	14		1				1				1			1	3	1	1	1	2						
		F	24	6					1			1	2	1	3	1	2	1		1	3	1	1					
115	Diseases of the buccal cavity and annexa, and of the pharynx and tonsils (including adenoid vegetations)	M.	1											1														
		F	1												1													

TABLE XXXVI—Continued

Int. List No.	Causes of Death		Total	Ages: Under 1 year	1 year	2 years	3 years	4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
	(a) Diseases of the buccal cavity and annexa	M.																											
		F.	1												1														
	(b) Diseases of the tonsils	M.	1											1															
		F.																											
	(c) Others under this title	M.																											
		F.																											
116	Diseases of the oesophagus	M.																											
		F.																											
117	Ulcer of the stomach or duodenum	M.	2															1		1									
		F.																											
	(a) Ulcer of the stomach	M.																											
		F.																											
	(b) Ulcer of the duodenum	M.	2															1		1									
		F.																											
118	Other diseases of the stomach	M.																											
		F.																											
119	Diarrhoea and enteritis (under 2 years of age)	M.	13	13																									
		F.	5	5																									
120	Diarrhoea enteritis (2 years and over)	M.	2																1			1							
		F.	2						1				1																
	(a) Diarrhoea and enteritis	M.	2																1			1							
		F.	2						1				1																
	(b) Ulceration of the intestines	M.																											
		F.																											

121	Appendicitis	M.	1						1																			
		F.	2								1		1															
122	Hernia, intestinal obstruction	M.	1	1																								
		F.	7	1								1				1	1			2		1						
	(a) Hernia	M.																										
		F.	2																	2								
	(b) Intestinal obstruction	M.	1	1																								
		F.	5	1								1				1	1					1						
123	Other diseases of the intestines	M.	2														1			1								
		F.																										
124	Cirrhosis of the liver	M.																										
		F																										
	(a) Specified as alcoholic	M.																										
		F.																										
	(b) Not specified as alcoholic	M.																										
		F.																										
125	Other diseases of the liver	M.																										
		F.																										
	(a) Yellow atrophy of the liver	M.																										
		F.																										
	(b) Others under this title	M.																										
		F.																										
126	Biliary calculi	M.	2													1					1							
		F.	4													1			1	1	1							
127	Other diseases of the gall-bladder and biliary passages	M.	2			1											1											
		F.																										
128	Diseases of the pancreas	M.																										
		F.																										
129	Peritonitis, cause not specified	M.																										
		F.	3											2	1													
	Class X—Diseases of the genito-urinary system	T.	65									2		4	1	2	4	2	5	11	5	15	6	6	2			
		M.	44									1		2	1	1	3	2	4	6	5	11	4	2	2			
		F.	21									1		2		1	1		1	5		4	2	4				
130	Acute nephritis (including unspecified, under 10 years of age)	M.	1																1									
		F.																										
131	Chronic nephritis	M.	18									1		1		1	1	1	2	2	3	4	1		1			
		F.	13											1			1			2		4	2	3				

TABLE XXXVI—Continued

Int. List No.	Causes of Death		Total	Ages																									
				Under 1 year	1 year	2 years	3 years	4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
132	Nephritis, unspecified (10 years and over)	M.	4															1			1				1	1			
		F.	2																	1	1								
133	Other diseases of the kidneys and ureters	M.	3												1	1					1								
		F.	2																		1				1				
134	Calculi of the urinary passages	M.																											
		F.	1										1																
135	Diseases of the bladder (tumours excepted)	M.																											
		F.	1																		1								
136	Diseases of the urethra, urinary abscess, etc.	M.																											
		F.																											
	(a) Stricture of the urethra	M.																											
		F.																											
	(b) Others under this title	M.																											
		F.																											
137	Diseases of the prostate	M.	18															1	1	1	2	2	7	3	1				
138	Diseases of the male genital organs (not specified as venereal)	M.																											
139	Diseases of the female genital organs (not specified as venereal)	F.	2												1		1												
	(a) Of the ovary, Fallopian tube and parametrium	F.	1												1														
	(b) Of the uterus	F.	1														1												
	(c) Of the breast	F.																											
	(d) Others under this title	F.																											

	Class XI—Diseases of pregnancy, childbirth and the puerperal state	T.	4							1		1	2														
140	Abortion with septic conditions	F.	1										1														
	(a) Abortion	F.	1										1														
	(b) Self-induced abortion	F.																									
141	Abortion without mention of septic conditions (haemorrhage included)	F.																									
	(a) Abortion	F.																									
	(b) Self-induced abortion	F.																									
142	Ectopic gestation	F.																									
	(a) With septic conditions	F.																									
	(b) Without mention of septic conditions	F																									
143	Other accidents of pregnancy (haemorrhage excluded)	F.																									
144	Puerperal haemorrhage	F.																									
	(a) Placenta praevia	F.																									
	(b) Other haemorrhages	F.																									
145	Puerperal septicaemia (not specified as due to abortion)	F.	1							1																	
	(a) Puerperal septicaemia and pyaemia	F.	1							1																	
	(b) Puerperal tetanus	F.																									
146	Puerperal albuminuria and eclampsia	F.	1									1															
147	Other toxaemias of pregnancy	F.																									
148	Puerperal phlegmasia alba dolens, embolism or sudden death (not specified as septic)	F.																									
	(a) Phlegmasia alba dolens and thrombosis	F.																									
	(b) Embolism	F.																									
	(c) Sudden death	F.																									
149	Other accidents of childbirth	F.	1										1														
	(a) Caesarean operation	F.	1										1														
	(b) Dystocia [ental delivery]	F.																									
	(c) Other surgical operations and Instrum-	F.																									
	(d) Rupture of uterus in parturition	F.																									
	(e) Others under this title	F.																									
150	Other or unspecified conditions of the puerperal state	F.																									

TABLE XXXVI—Continued

Int. List No.	Causes of Death		Total	Ages																									
				Under 1 year	1 year	2 years	3 years	4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
	(a) Puerperal diseases of the breast	F.																											
	(b) Others under this title	F.																											
	Class XII—Diseases of the skin and cellular tissue	T.	4												1		1				1			1					
		M.	3														1				1			1					
		F.	1												1														
151	Carbuncle	M.																											
		F.	1												1														
152	Cellulitis, acute abscess	M.	2														1							1					
		F.																											
153	Other diseases of the skin and annexa and of the cellular tissue	M.	1																		1								
		F.																											
	Class XIII—Diseases of the bones and organs of locomotion	T.	1																							1			
		M.																											
		F.	1																							1			
154	Osteomyelitis	M.																											
		F.																											
155	Other diseases of the bones (tuberculosis excepted)	M.																											
		F.	1																							1			
156	Diseases of the joints and other organs of locomotion	M.																											
		F.																											
	(a) Of the joints (tuberculosis and rheumatism excepted)	M.																											
		F.																											
	(b) Of other organs of locomotion	M.																											
		F.																											

	Class XIV—Congenital malformations	T.	23	18	1	1			1	1		1																	
		M.	13	12		1																							
		F.	10	6	1				1	1		1																	
157	Congenital malformations (stillbirths excluded)	M.	13	12		1																							
		F.	10	6	1				1	1		1																	
	(a) Congenital hydrocephalus	M.	2	2																									
		F.	1						1																				
	(b) Spina bifida and meningocele	M.	4	3		1																							
		F.	2	1								1																	
	(c) Congenital malformations of the heart	M.	4	4																									
		F.	5	3	1					1																			
	(d) Monstrosities	M.																											
		F.																											
	(e) Others under this title	M.	3	3																									
		F.	2	2																									
	Class XV—Diseases of early infancy	T.	34	34																									
		M.	17	17																									
		F.	17	17																									
158	Congenital debili ty	M.																											
		F.	1	1																									
159	Premature birth	M.	11	11																									
		F.	11	11																									
160	Injury at birth	M.	4	4																									
		F.	2	2																									
	(a) With mention of caesarean operation	M.																											
		F.																											
	(b) Without mention of caesarean operation	M.	4	4																									
		F.	2	2																									
161	Other diseases peculiar to early infancy (under 3 mos)	M.	2	2																									
		F.	3	3																									
	(a) Atelectasis	M.																											
		F.	1	1																									
	(b) Icterus of the new-born	M.	1	1																									
		F.																											
	(c) Sclerema and oedema	M.																											
		F.																											
	(d) Athrepsia	M.																											
		F.																											

TABLE XXXVI—Continued

Int. List No.	Causes of Death		Total	Ages: Under 1 year	1 year	2 years	3 years	4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
	(e) Others, including lack of care	M.	1	1																										
		F.	2	2																										
	(f) No cause given, no doctor in Attendance	M.																												
		F.																												
	Class XVI—Senility	T.	8																				3	2		1	2			
		M.	3																				2	1						
		F.	5																				1	1		1	2			
162	Senility	M.	3																				2	1						
		F.	5																				1	1		1	2			
	(a) With senile dementia (70 years and over)	M.																												
		F.																												
	(b) Without senile dementia (70 years and over)	M.	3																				2	1						
		F.	5																				1	1		1	2			
	(c) Premature senility (55 years but under 70 years)	M																												
		F.																												
	Class XVII—Violent or accidental deaths	T.	45	1				1	5	1		3	3		3	3	2	2	2	4	3	5	2	3	2					
		M.	31						5			2	3		2	3	2	1	2	3	2	2	1	1	2					
		F.	14	1				1		1		1			1			1		1	1	3	1	2						
163–171	Suicides	M.	5												1	1			1	1					1					
		F.	1									1																		
163	Suicide by solid or liquid poisons or by absorption of corrosive substances	M.																												
		F.																												
164	Suicide by poisonous gas	M.	1													1														
		F.	1									1																		

165	Suicide by hanging or strangulation	M.																										
		F.																										
166	Suicide by drowning	M.																										
		F.																										
167	Suicide by firearms	M.	2															1					1					
		F.																										
168	Suicide by cutting or piercing instruments	M.	2											1					1									
		F.																										
169	Suicide by jumping from high places	M.																										
		F.																										
170	Suicide by crushing	M.																										
		F.																										
171	Suicide by other means	M.																										
		F.																										
173–175	Homicides	M.																										
		F.	1														1											
173	Homicide by firearms	M.																										
		F.	1														1											
174	Homicide by cutting or piercing instruments	M.																										
		F.																										
175	Homicide by other means	M.																										
		F.																										
176–198	Other violent deaths	M.	26					5			2	3		1	2	2	1	1	2	2	2	1	1	1				
		F.	12	1			1		1					1					1	1	3	1	2					
176	Attack by venomous animals	M.																										
		F.																										
177	Food poisoning	M.																										
		F.																										
178	Accidental absorption of toxic gases	M.																										
		F.																										
179	Other acute accidental poisonings (except by gas)	M.																										
		F.																										
180	Conflagration	M.																										
		F.																										
181	Accidental burns (conflagration excepted)	M.																										
		F.																			1							
182	Accidental mechanical suffocation	M.																										
		F.	1	1																								

TABLE XXXVI—Continued

Int. List No.	Causes of Death		Total	Ages: Under 1 year	1 year	2 years	3 years	4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
183	Accidental drowning	M.	1																		1								
		F.	2					1							1														
184	Accidental injury by firearms	M.																											
		F.	1							1																			
185	Accidental injury by cutting or piercing instruments	M.																											
		F.																											
186	Accidental injuries by fall, crushing or landslide	M.	24						5			2	3		1	1	2	1	1	2	1	2	1	1	1				
		F.	5																	1		2		2					
187	Cataclysm	M.																											
		F.																											
188	Injuries by animals	M.																											
		F.																											
189	Hunger or thirst	M.																											
		F.																											
190	Excessive cold	M.																											
		F.																											
191	Excessive heat	M.																											
		F.																											
192	Lightning	M.																											
		F.																											
193	Accidents due to electric currents	M.																											
		F.																											
194	Other accidents	M.																											
		F.	2																		1		1						

	(a) Foreign body	M.																											
		F.																											
	(b) Others under this title	M.																											
		F.	2																	1		1							
195	Violent deaths of which the nature (accident, suicide, homicide) is unknown	M.	1												1														
		F.																											
198	Capital punishment	M.																											
		F.																											
	Class XVIII—Ill-defined causes of death	T.	5		1													1	1		1		1						
		M.	3		1													1					1						
		F.	2																1		1								
199	Sudden death	M.	2															1					1						
		F.	2																1		1								
200	Cause of death not specified or ill-defined	M.	1		1																								
		F.																											

SPECIAL CLASSES OF ACCIDENTAL DEATHS

(Included also under the numbers of the International List above.)
Halifax, 1937

A	Accidents in mines and quarries	M.																											
		F.																											
B	Accidents caused by machines	M.	1												1														
		F.																											
C	Railway accidents	M.	1															1											
		F.																											
D	Street car accidents	M.																											
		F.																											
E	Automobile and motorcycle accidents	M.	15					3			2	2				1	1		2	1	1	1	1						
		F.	2																1		1								
F	Other land transportation	M.	1					1																					
		F.	1																										
G	Water transportation	M.	3									1		1						1									
		F.	1											1															
H	Air transportation	M.																											
		F.																											

TABLE XXXVII—CAUSES OF DEATH FOR EACH SEX BY CONJUGAL CONDITION, NATIVITY AND MONTH OF DEATH IN THE CITY OF HALIFAX, 1937

Int. List No	CAUSES OF DEATH		Total	CONJUGAL CONDITION													NATIVITY					MONTHS												
					Single					Married									Foreign															
				Under 15 years	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated	Widowed	Not stated	Canada	British	United States	Other	Not stated	January	February	March	April	May	June	July	August	September	October	November	December
	Deaths- All Causes-Total		858	163	36	25	43	59	1	5	79	131	111	....	200	5	712	110	12	14	10	76	66	104	70	60	73	49	57	59	88	66	90
		M.	441	94	15	6	29	25	1	....	36	78	78	....	74	5	365	54	4	10	8	34	29	48	33	31	41	25	28	39	56	30	47
		F.	417	69	21	19	14	34	....	5	43	53	33	....	126	....	347	56	8	4	2	42	37	56	37	29	32	24	29	20	32	36	43
	Class 1—Infectious and	T.	124	33	17	8	4	1	....	2	29	15	3	....	12	....	108	10	3	3	....	20	7	21	9	6	14	4	7	10	5	6	15
	Parasitic diseases.....	M.	56	19	5	1	4	1	....	....	13	8	1	....	4	....	48	6	....	2	....	10	2	9	3	3	7	1	4	7	3	2	5
		F.	68	14	12	7	....	....	....	2	16	7	2	....	8	....	60	4	3	1	....	10	5	12	6	3	7	3	3	3	2	4	10
1	Typhoid fever.....	M.	1	....	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
		F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2	Paratyphoid fever.....	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4	Relapsing fever.....	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5	Undulant fever.....	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

6	Small-pox	M.																															
		F.																															
7	Measles	M.																															
		F.	1	1															1				1										
8	Scarlet fever	M.																															
		F.																															
9	Whooping-cough	M.	3	3												3					1	1			1								
		F.	3	3												3					2		1										
10	Diphtheria	M.	2	2												2											1						1
		F.	3	3												3						1											2
11	Influenza	M.	10	3					1	1	1		4		8	2				1		6	1		1								1
		F.	12	3					3	1	2		3		11		1			4		2	2		2				1	1			
	(a) Sole cause	M.	1								1				1							1											
		F.																															
	(b) With bronchitis	M.	1										1			1						1											
		F.																															
	(c) With pneumonia	M.	5	1					1				3		4	1				1		2	1										
		F.	5	2							1		2		4		1			1		1	2						1				
	(b) With other diseases	M.																															
	of the resqiratory system	F.	3	1					2						3					2		1											
	(e) With intestinal	M.																															
	complications	F.																															
	(f) With other causes	M.	3	2						1					3							2			1								
		F.	4						1	1	1		1		4					1					2					1			
13	Dysentery	M.																															
		F.																															
15	Erysipelas	M.																															
		F.																															
16	Poliomyelitis and	M.	1						1						1														1				
	polioencephalitis (acute)	F.																															

TABLE XXXVII—Continued

Int. List. No.	CAUSES OF DEATH		Total	CONJUGAL CONDITION												NATIVITY					MONTHS											
					Single					Married								Foreign														
				Under 15 years	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated	Widowed	Not stated	Canada	British	United States	Other	Not Stated	January	February	March	April	May	June	July	August	September	October	November	December
17	Lethargic or epidemic	M.																														
	encephalitis	F.																														
18	Epidemic cerebro-	M.																														
	spinal meningitis	F.	1		1												1					1										
19	Glanders	M.																														
		F.																														
20	Anthrax, malignant	M.																														
	pustule	F.																														
21	Rabies	M.																														
		F.																														
22	Tetanus	M.																														
		F.																														
23–	Tuberculosis	M.	30	6	3	1	3	1			9	7					24	4		2		7	1	3		1	5		4	4	2	2	1
32		F.	45	3	11	7				2	13	4			5		40	4	1			3	3	7	4	3	5	3	3	3	1	3	7
23	Tuberculosis of the	M.	20		2	1	1	1			8	7					15	3		2		5	1	3		1	4		2	1	1	2	
	respiratory system	F.	37		7	7				2	12	4			5		32	4	1			2	3	6	4	2	4	1	3	3	1	1	7

24	Tuberculosis of the meninges and central nervous system	M.	4	3			1										3	1									1		2	1			
		F.	6	3	3												6							1		1	1	2				1	
25	Tuberculosis of the intestines and peritoneum	M.																															
		F.	1							1							1															1	
26	Tuberculosis of the vertebral column	M.																															
		F.	1		1												1					1											
27	Tuberculosis of the bones and joints (vertebral column excepted)	M.																															
		F.																															
	(a) Of bones	M.																															
		F.																															
	(b) Of joints	M.																															
		F.																															
28	Tuberculosis of the skin and sub-cutaneous cellular tissue	M.																															
		F.																															
29	Tuberculosis of the lymphatic system (bronchial, mesenteric and retroperitoneal glands excepted)	M.	1	1													1													1			
		F.																															
30	Tuberculosis of the genito-urinary system	M.	2		1					1							2					2											
		F.																															
31	Tuberculosis of other organs	M.																															
		F.																															
32	Disseminated Tuberculosis	M.	3	2			1										3													1	1		1
		F.																															

TABLE XXXVII— Continued

Int. List No.	CAUSES OF DEATH		Total	CONJUGAL CONDITION												NATIVITY					MONTHS											
					Single					Married									Foreign													
				Under 15 years	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated	Widowed	Not stated	Canada	British	United States	Others	Not stated	January	February	March	April	May	June	July	August	September	October	November	December
	(a) Acute	M.	2	2													2													1			1
		F.																															
	(b) Chronic	M.																															
		F.																															
	(c) Not specified	M.	1				1										1														1		
		F.																															
33	Leprosy	M.																															
		F.																															
34	Syphilis	M.	7	4			1				2						7								1	1				2	1		2
		F.	2	1								1					1		1				1	1									
35	Gonococcus infection and other venereal diseases	M.																															
		F.																															
36	Purulent infection septicaemia (non puerperal)	M.	2	1	1												2					1					1						
		F.	1									1					1																1
38	Malaria	M.																															
		F.																															

39	Other diseases due	M.																													
	to protozoal parasites	F.																													
40	Ankylostomiasis	M.																													
		F.																													
41	Hydatid cysts	M.																													
		F.																													
	(a) Of the liver	M.																													
		F.																													
	(b) Of other organs	M.																													
		F.																													
42	Other diseases caused	M.																													
	by helminths	F.																													
43	Mycoses	M.																													
		F.																													
44	Other infectious or	M.																													
	parasitic diseases	F.																													
	(a) Chicken Pox	M.																													
		F.																													
	(b) German measles	M.																													
		F.																													
	(c) Others under this	M.																													
	title	F.																													
	CLASS II—Cancer	T.	133	1	4	6	12	5			11	38	26		29	1	101	29	1	1	1	10	7	20	8	11	6	9	10	15	12	11	14
	and other tumors	M.	73	1	3	2	7	2			3	22	19		13	1	55	17	1			5	4	6	3	5	3	6	6	9	10	6	10
		F.	60		1	4	5	3			8	16	7		16		46	12		1	1	5	3	14	5	6	3	3	4	6	2	5	4
45-	Cancer and other	M.	72	1	2	2	7	2			3	22	19		13	1	54	17	1			5	4	6	3	5	3	6	6	9	10	6	9
53	malignant tumors	F.	57		1	3	5	3			6	16	7		16		45	12				5	2	14	5	5	3	3	4	6	2	4	4
45	Cancer of the buccal	M.																															
	cavity and pharynx	F.	1										1				1							1									

TABLE XXXVII—Continued

Int. List No.	CAUSES OF DEATH		Total	CONJUGAL CONDITION												NATIVITY					MONTHS											
					Single					Married								Foreign														
				Under 15 years	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not Stated	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated	Widowed	Not stated	Canada	British	United States	Others	Not stated	January	February	March	April	May	June	July	August	September	October	November	December
46	Cancer of the digestive	M.	43		2	2	5	1			2	12	12		6	1	34	8	1			3	3	4	2	2	2	4	3	8	7	3	2
	tract and peritoneum,	F.	22			1		2			2	5	3		9		20	2				1	1	3	4	2	1	2	1	2	2	1	2
	(a) Of the oesophagus	M.	4				2					1	1				3	1										1	1	1	1		
		F.																															
	(b) Of the stomach	M.	15		1	1						5	3		4	1	13	2				1	2	1		1	1	1		3	2	1	2
	and duodenum	F.	7					1			2	3			1		6	1				1		2		2				1			1
	(c) Of the rectum	M.	5					1			2	1	1				3	2						2							2	1	
		F.	1												1		1											1					
	(d) Of the liver and	M.	1				1										1								1								
	biliary ducts	F.	5			1		1					1		2		5								2		1	1				1	
	(e) Of the pancreas	M.	6		1	2						2	1				5	1						1		1	1			1	1	1	
		F.																															
	(f) Of the peritoneum	M	1		1												1											1					
		F.																															
	(g) Of other organs	M.	11									3	6		2		8	2	1			2	1		1			1	2	3	1		
		F.	9									2	2		5		8	1					1	1	2				1	1	2		1
47	Cancer of the respir-	M.	6				1				1	1	1		2		6							1	1	1					2		1
	atory organs	F.	2									1	1				1	1				1						1					

	(a) Of the larynx M.																														
	F.																														
	(b) Of the lung M.	4			1				1	1		1		4						1		1				1		1			
	F.	1							1						1								1								
	(c) Of the mediastinum M.	2						1				1		2							1					1					
	F.																														
	(d) Of other organs of the respiratory system M.																														
	F.	1								1				1					1												
48	Cancer of the uterus F.	11						3	4	1		3		7	4				1		4	1	1			1	3				
	(a) Of the uterus F.	8						1	4	1		2		4	4				1		3	1				1	2				
	(b) Of the cervix uteri F.	3						2				1		3							1		1				1				
49	Cancer of other female genital organs F.	3			1				1	1				3							1								1	1	
50	Cancer of the breast M.																														
	F.	6			3	1						2		4	2						1		1	1		1	1		1		
51	Cancer of the male genito-urinary organs M.	12				1			3	4		4		7	5				2						2	1	1	1	2	3	
	(a) Of the bladder M.	3				1			1			1		1	2				1						2						
	(b) Of the kidney M.	1							1					1					1												
	(c) Of the prostate gland M.	7							1	3		3		4	3											1		1	2	3	
	(d) Of the testicles and annexa M.	1								1				1													1				
	(e) Of other male genito-urinary organs M.																														
52	Cancer of the skin M.	1								1					1								1								
	F.	2			1			1						2							2										
53	Cancer of other or unspecified organs M.	10	1		1				6	1		1		7	3					1	1		1	1		2			1	3	
	F.	10		1	1	1			5			2		7	3				2	1	2		1	1		1			1	1	
	(a) Of the eye and orbit M.	2								1		1		1	1								1							1	
	F.																														

TABLE XXXVII—Continued

Int. List No.	CAUSES OF DEATH		Total	CONJUGAL CONDITION												NATIVITY					MONTHS											
					Single					Married									Foreign													
				Under 15 years	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not Stated	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated	Widowed	Not stated	Canada	British	United States	Other	Not stated	January	February	March	April	May	June	July	August	September	October	November	December
	(b) Of the circulatory system	M.																														
		F.																														
	(c) Of the glandular system	M.																														
		F.																														
	(d) Of female urinary organs	F.	2			1					1						2				1											1
	(e) Of the bones and joints	M.	2	1							1				1	1					1							1				
		F	1								1						1											1				
	(f) Of the brain	M.	2			1					1				2																1	1
		F.																														
	(g) Of the spine and spinal cord	M.	2								2				2							1				1						
		F.	3		1	1					1				3						1	2										
	(h) Of the neck	M.																														
		F.																														
	(i) Of the abdomen	M.	1								1				1													1				
		F.	1											1	1											1						
	(j) Of other specified organs	M.																														
		F.	1								1				1																1	

	(k) Multiple cancer M.	1								1						1															1
	F.																														
	(m) Of unspecified M.																														
	or unknown location F.	2								1			1		2					1				1							
54	Non-malignant M.	1		1											1																1
	tumors F.	3			1				2						1			1	1		1			1						1	
	(a) Of the ovary F.																														
	(b) Of the uterus F.	1							1						1									1							
	(c) Of other female genital organs F.																														
	(d) Of the brain M.																														
	F.	1							1									1												1	
	(e) Of the thyroid M.																														
	gland F.	1			1														1		1										
	(f) Of the prostate gland M.																														
	(g) Of other or un- M.	1		1											1																1
	specified sites F.																														
55	Tumours, nature not M.																														
	specified F.																														
	(a) Of the ovary F.																														
	(b) Of the uterus F.																														
	(c) Of other female genital organs F.																														
	(d) Of the brain M.																														
	F.																														
	(e) Of the thyroid M.																														
	gland F.																														
	(f) Of the prostate gland M.																														
	(g) Of other or un- M.																														
	specified sites F.																														

TABLE XXXVII—Continued

Int. List No.	CAUSES OF DEATH		Total	CONJUGAL CONDITION												NATIVITY					MONTHS											
					Single					Married									Foreign												
				Under 15 years	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated	Widowed	Not stated	Canada	British	United States	Other	Not stated	January	February	March	April	May	June	July	August	September	October	November	December
	Class III—Rheumatic diseases, diseases of nutrition and of the endocrine glands and other general diseases	T.	20	3	3	1	2	....	....	....	2	5	2	....	2	....	17	....	1	2	....	1	1	1	1	....	1	4	3	1	2	1	4
		M.	7	1	1	....	....	....	....	....	1	2	1	....	1	....	6	....	....	1	....	....	1	....	....	....	1	1	1	1	1	....	1
		F.	13	2	2	1	2	....	....	....	1	3	1	....	1	....	11	....	1	1	....	1	....	1	1	....	....	3	2	....	1	1	3
56	Acute rheumatic fever	M.	2	1	1	....	....	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....
		F.	4	1	1	....	....	....	....	....	1	1	....	....	....	....	3	....	....	1	....	....	....	....	....	....	....	2	....	....	....	1	1
57	Chronic rheumatism, Osteo-arthritis	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
58	Gout	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
59	Diabetes mellitus	M.	5	....	....	....	....	....	....	....	1	2	1	....	1	....	4	....	....	1	....	....	1	....	....	....	1	....	1	1	....	....	1
		F.	5	....	....	....	1	....	....	....	....	2	1	....	1	....	4	....	1	....	....	1	....	1	1	....	....	1	....	....	....	....	1
60	Scurvy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
61	Beriberi	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

62	Pellagra	M.																															
		F.																															
63	Rickets	M.																															
		F.																															
64	Osteomalacia	M.																															
		F.																															
65	Diseases of the pituitary gland	M.																															
		F.																															
66	Diseases of the thyroid and parathyroid glands	M.																															
		F.	3		1	1	1									3											2				1	
	(a) Simple goitre	M.																															
		F.																															
	(b) Exophthalmic goitre	M.																															
		F.	3		1	1	1									3											2				1	
	(c) Myxoedema, cretinism	M.																															
		F.																															
	(d) Tetany	M.																															
		F.																															
	(e) Others under this title	M.																															
		F.																															
67	Diseases of the thymus gland	M.																															
		F.																															
68	Diseases of the adrenals (Addison's disease)	M.																															
		F.																															
69	Other general diseases	M.																															
		F.	1	1												1													1			
	(a) Fatty or amyloid degeneration	M.																															
		F.																															

TABLE XXXVII—Continued

Int. List No.	CAUSES OF DEATH		Total	CONJUGAL CONDITION												NATIVITY					MONTHS											
					Single					Married									Foreign													
				Under 15 years	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated	Widowed	Not stated	Canada	British	United States	Other	Not Stated	January	February	March	April	May	June	July	August	September	October	November	December
	(b) Steatosis	M.																														
		F.																														
	(c) Others under	M.																														
	this title	F.	1	1													1													1		
	Class IV—Diseases of	T.	10	6	1				1			1			1		8		1		1	1	1		1	1		2	1		1	2	
	the blood and blood-	M.	9	5	1				1			1			1		7		1		1	1	1		1	1		1	1		1	2	
	forming organs	F.	1	1													1											1					
70	Haemorrhagic con-	M.	1	1													1											1					
	ditions	F.	1	1													1											1					
	(a) Simple purpura	M.																														
		F.	1	1													1											1					
	(b) Haemophilia	M.	1	1													1											1					
		F.																														
71	Anaemia	M.	4	2								1			1		4					1							1		1	1	
		F																														
	(a) Pernicious	M.	3	1								1			1		3					1							1			1	
	anaemia	F.																														
	(b) Others under	M.	1	1													1													1		
	this title	F.																														

72 Leukaemia, and aleukaemia	M.	3	1	1				1								1		1		1		1		1							1
	F.																														
(a) Leukaemia	M.	2	1	1												1		1				1		1							
	F.																														
(b) Aleukaemia (Hodgkin's disease)	M.	1						1												1											1
	F.																														
73 Diseases of the spleen	M.	1	1													1									1						
	F.																														
74 Other diseases of the blood and blood forming organs	M.																														
	F																														
Class V—Chronic poisonings and intoxications	Total	3							1	1				1	3					1						1					1
	M.	3							1	1				1	3					1						1					1
	F.																														
75 Alcoholism	M.	3							1	1				1	3					1						1					1
	F.																														
(a) Delirium tremens	M.																														
	F.																														
(b) Other alcoholic intoxications	M.	3							1	1				1	3					1						1					1
	F.																														
76 Chronic poisoning by other organic substances	M.																														
	F.																														
(a) Chronic morphinism	M.																														
	F.																														
(b) Chronic cocainism	M.																														
	F.																														
(c) Occupational	M.																														
	F.																														
(d) Other organic poisoning	M																														
	F.																														

TABLE XXXVII—Continued

Int. List No.	CAUSES OF DEATH		Total	CONJUGAL CONDITION												NATIVITY					MONTHS											
				Single					Married									Foreign														
				Under 15 years	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not Stated	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated	Widowed	Not stated	Canada	British	United States	Other	Not stated	January	February	March	April	May	June	July	August	September	October	November	December
77	Chronic poisoning by mineral substances..	M.																														
		F.																														
	(a) Lead (including occupational)	M.																														
		F.																														
	(b) Occupational, except lead	M.																														
		F.																														
	(c) Others under this title	M.																														
		F.																														
	Class VI—Diseases of the nervous system and of the organs of special sense	Total	37	9	3		1	2			3	9	2		8		33	4				6	8	4	4	4	1	2	3		1	3	1
		M.	19	5	1		1					6	2		4		18	1				1	5	2	4	4			2		1		
		F.	18	4	2			2			3	3			4		15	3				5	3	2			1	2	1			3	1
78	Encephalitis (non epidemic)	M.	2	1									1				2									2							
		F.	1									1					1							1									
79	Simple meningitis	M.	2				1					1					1	1					1								1		
		F.	2	1							1						1	1				1	1										
80	Progressive locomotor ataxia (tabes dorsalis)	M.																														
		F.	1									1					1										1						

81 Other diseases of the	M.	2	1								1					2					1							1			
spinal cord	F.																														
82 Cerebral haemorrhage,	M.	8									3	1		4		8						2	2	2	1			1			
cerebral Embolism and thrombosis	F.	6	1				2			1				2		5	1				1	1	1				1			1	1
(a) Cerebral haem-	M.	5									2			3		5						1	2	2							
orrhage	F.	5	1				1			1				2		4	1				1		1				1			1	1
(b) Cerebral embol-	M.	2									1	1				2									1			1			
ism and thrombosis	F.																														
(c) Softening of the	M.																														
brain	F.	1					1									1						1									
(d) Hemiplegia and other paralysis, cause	M.	1												1		1						1									
not specified	F.																														
83 General paralysis of	M.																														
the insane	F.																														
84 Dementia praecox	M.	1									1					1									1						
and other psychoses	F.	1		1												1					1										
(a) Dementia praecox	M.	1									1					1									1						
	F.	1		1												1					1										
(b) Other psychoses	M.																														
	F.																														
85 Epilepsy	M.	1	1													1						1									
	F.																														
86 Convulsions (under 5	M.	2	2													2						1		1							
years of age)	F.	1	1													1														1	
87 Other diseases of the	M.																														
nervous system	F.	2									1			1		2					1	1									
(a) Chorea	M.																														
	F.																														
(b) Neuralgia and	M.																														
Neuritis	F.																														

TABLE XXXVII—Continued

Int. List	CAUSES OF DEATH		Total	CONJUGAL CONDITION													NATIVITY					MONTHS											
					Single					Married									Foreign														
				Under 15 years	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated	Widowed	Not stated	Canada	British	United States	Other	Not stated	January	February	March	April	May	June	July	August	September	October	November	December
	(c) Paralysis agitans....	M.																															
		F.																															
	(d) Sclerosis (other	M.																															
	than of the spinal cord)	F.	1									1					1					1											
	(e) Others under this..	M.																															
	title.....	F.	1												1		1						1										
88	Diseases of the organs	M.																															
	of vision.....	F.	1												1			1				1											
89	Diseases of the ear and	M.	1		1												1								1								
	mastoid process.....	F.	3	1	1						1						3											1	1			1	
	(a) Otitis.....	M.																															
		F.	2	1							1						2												1			1	
	(b) Diseases of the	M.	1		1												1								1								
	Mastoid process.....	F.	1		1												1											1					
	(c) Others under this	M.																															
	title.....	F.																															

90	Class VII—Diseases Tot'l	217	.....	2	3	13	33	....	....	7	30	45	....	84	....	173	31	6	4	3	13	22	25	20	18	26	12	10	13	27	9	22
	of the circulatory M.	100	.....	1	....	7	13	....	....	5	16	33	....	25	....	79	14	2	3	2	5	8	15	8	6	14	5	4	8	14	3	10
	system.....F.	117	.....	1	3	6	20	....	....	2	14	12	....	59	....	94	17	4	1	1	8	14	10	12	12	12	7	6	5	13	6	12
-95	Diseases of the heart....M.	58	.....	1	....	6	10	....	....	4	8	16	....	13	....	43	10	2	1	2	2	5	9	3	2	11	3	....	3	9	3	8
	F.	51	.....	1	3	3	11	....	....	2	6	2	....	23	....	43	5	3	.....	....	4	3	5	6	6	7	2	1	1	5	3	8
90	Pericarditis..... M.	.....	.....	....	....	....	....	....	....	....	.....	....	....	.....	....	.....	.....	....	.....	....	.....	....	....	.....	....	....	....	....	....	....	....	....
	F.	.....	.....	....	....	....	....	....	....	....	.....	.....	....	.....	....	.....	.....	....	.....	....	.....	....	....	.....	....	....	....	....	....	....	....	....
91	Acute endocarditis..... M.	1	.....	....	....	....	....	....	....	....	.....	.....	....	1	....	1	.....	....	.....	....	.....	....	....	.....	....	....	....	....	....	....	....	1
	F.	1	.....	....	....	1	....	....	....	....	.....	.....	....	.....	....	1	.....	....	.....	....	.....	....	....	.....	....	....	....	....	....	....	....	1
	(a) Endocarditis M.	1	.....	....	....	....	....	....	....	....	.....	.....	....	1	....	1	.....	....	.....	....	.....	....	....	.....	....	....	....	....	....	....	....	1
	specified as acute.....F.	1	.....	....	....	1	....	....	....	....	.....	.....	....	.....	....	1	.....	....	.....	....	.....	....	....	.....	....	....	....	....	....	....	....	1
	(b) Endocarditis unspecified (under 45 M.	.....	.....	....	....	....	....	....	....	....	.....	.....	....	.....	....	.....	.....	....	.....	....	.....	....	....	.....	....	....	....	....	....	....	....	....
	years of age).....F.	.....	.....	....	....	....	....	....	....	....	.....	.....	....	.....	....	.....	.....	....	.....	....	.....	....	....	.....	....	....	....	....	....	....	....	....
92	Chronic endocarditis, M.	16	.....	1	....	3	4	....	....	2	2	3	....	1	....	11	2	1	1	1	1	1	5	.....	1	3	....	....	....	2	....	3
	valvular diseases..... F.	15	.....	....	2	....	1	....	....	2	2	1	....	7	....	11	4	....	.....	....	1	2	1	.....	3	1	1	1	1	1	1	2
	(a) Endocarditis specified as chronic and other M.	16	.....	1	....	3	4	....	....	2	2	3	....	1	....	11	2	1	1	1	1	1	5	.....	1	3	....	....	....	2	....	3
	valvular diseases..... F.	15	.....	....	2	....	1	....	....	2	2	1	....	7	....	11	4	....	.....	....	1	2	1	.....	3	1	1	1	1	1	1	2
	(b) Endocarditis, unspecified, (45 years and M.	.....	.....	....	....	....	....	....	....	....	.....	.....	....	.....	....	.....	.....	....	.....	....	.....	....	....	.....	....	....	....	....	....	....	....	....
	over)..... F.	.....	.....	....	....	....	....	....	....	....	.....	.....	....	.....	....	.....	.....	....	.....	....	.....	....	....	.....	....	....	....	....	....	....	....	....
93	Diseases of the myo- M.	12	.....	....	....	1	3	....	....	....	.....	2	....	6	....	8	3	....	.....	1	.....	2	2	1	....	2	1	....	1	1	1	1
	cardium.....F.	8	.....	1	....	....	2	....	....	....	.....	....	....	5	....	6	1	1	.....	....	1	....	....	1	....	....	1	....	....	1	....	4
	(a) Acute myocarditis M.	.....	.....	....	....	....	....	....	....	....	.....	.....	....	.....	....	.....	.....	....	.....	....	.....	....	....	.....	....	....	....	....	....	....	....	....
	F.	.....	.....	....	....	....	....	....	....	....	.....	.....	....	.....	....	.....	.....	....	.....	....	.....	....	....	.....	....	....	....	....	....	....	....	....
	(b) Myocarditis, unspecified, (under 45 M.	.....	.....	....	....	....	....	....	....	....	.....	.....	....	.....	....	.....	.....	....	.....	....	.....	....	....	.....	....	....	....	....	....	....	....	....
	years of age).....F.	.....	.....	....	....	....	....	....	....	....	.....	.....	....	.....	....	.....	.....	....	.....	....	.....	....	....	.....	....	....	....	....	....	....	....	....

TABLE XXXVII—Continued

Int. List No	CAUSES OF DEATH		Total	CONJUGAL CONDITION												NATIVITY					MONTHS											
				Single					Married									Foreign														
				Unde. 15 years	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated	Widowed	Not stated	Canada	British	United States	Other	Not stated	January	February	March	April	May	June	July	August	September	October	November	December
	(c) Chronic myocarditis and myocardial degeneration	M.	6					3					1		2		5	1					1	2			1	1				1	
		F.	6		1			1							4		5	1							1						1		4
	(d) myocarditis, unspecified, (45 years and over)	M.	6				1						1		4		3	2			1		1		1		1			1	1		1
		F.	2					1							1		1		1			1						1					
94	Diseases of the coronary arteries and angina pectoris	M.	25				2	3			2	5	8		5		20	4	1			1	2	1	1	1	4	2		2	6	2	3
		F.	12			1		2				2	1		6		12					2			1	2	3				3	1	
	(a) Diseases of the coronary arteries	M	1										1				1										1						
		F.																															
	(b) Embolism and thrombosis of the coronary arteries	M.	18				1	2			2	4	5		4		16	2				1	2	1	1	1	2	1		1	6	1	1
		F.	7					1				1	1		4		7					2			1	1	3						
	(c) Angina pectoris	M.	6				1	1				1	2		1		3	2	1								1	1		1		1	2
		F.	5			1		1				1			2		5									1					3	1	
95	Other diseases of the heart	M.	4									1	3				3	1						1	1		2						
		F.	15				2	6				2			5		13		2				1	4	4	1	3					1	1

	(a) Functional diseases of the heart	M.	1									1				1							1									
		F.																														
	(b) Other and unspecified	M.	3								1	2				2	1							1		2						
		F	15				2	6				2			5	13		2				1	4	4	1	3					1	1
96	Aneurysm (except of the heart)	M.																														
		F.																														
97	Arteriosclerosis (of coronary arteries excepted)	M.	38				1	3			1	6	15		12	34	3		1		3	3	5	5	2	3	2	3	5	5		2
		F.	55				3	8				5	9		30	40	12	1	1	1	4	10	5	4	5	4	4	3	4	7	2	3
98	Gangrene	M.	1									1							1						1							
		F.																														
99	Other diseases of the arteries	M.																														
		F.																														
100	Diseases of the veins (varices, haemorrhoids, phlebitis, etc.)	M.																														
		F.	2					1							1	2								1				1				
101	Diseases of the lymphatic system (lymphangitis, etc.)	M.																														
		F.																														
102	Idiopathic abnormalities of blood pressure	M.	3								1	2				2	1						1		1			1				
		F.	9								3	1			5	9						1		1	1	1	1	1		1	1	1
103	Other diseases of the circulatory system	M.																														
		F.																														
	Class VIII—Diseases of Respiratory System	Total	75	23	2	2	5	5		1	5	8	9		15	61	13			1	12	5	10	7	5	4	3	4	4	8	8	5
		M.	34	11	1	1	4	1			3	5	5		3	28	5			1	6	1	4	4	3	4	1	2	1	4	2	2
		F.	41	12	1	1	1	4		1	2	3	4		12	33	8				6	4	6	3	2		2	2	3	4	6	3
104	Diseases of the nasal fossae and annexa	M.																														
		F.																														
105	Diseases of the larynx	M.																														
		F.																														
	(a) Croup	M.																														
		F.																														
	(b) Other diseases of the larynx	M.																														
		F.																														

TABLE XXXVII—Continued

Int. List No.	CAUSES OF DEATH		Total	CONJUGAL CONDITION												NATIVITY					MONTHS											
					Single					Married									Foreign													
				Under 15 years	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated	Widowed	Not stated	Canada	British	United States	Other	Not Stated	January	February	March	April	May	June	July	August	September	October	November	December
106	Bronchitis	M.																														
		F.	2												2		2							1									1
	(a) Acute	M.																														
		F	2												2		2							1									1
	(b) Chronic	M.																														
		F.																														
	(c) Unspecified	M.																														
		F.																														
107	Bronchopneumonia	M.	15	8			1	1			1	2	1		1		14	1				4		1	1	3			2		1	2	1
		F.	22	9				1			1	1	4		6		17	5				4	3	2	2				1	1	3	4	2
	(a) Bronchopneumonia	M.	15	8			1	1			1	2	1		1		14	1				4		1	1	3			2		1	2	1
		F.	22	9				1			1	1	4		6		17	5				4	3	2	2				1	1	3	4	2
	(b) Capillary bronchitis	M.																														
		F.																														
108	Lobar pneumonia	M.	14	1	1	1	3				2	1	3		2		9	4			1	1		2	3		3	1		1	2		1
		F.	12	2	1	1		3		1	1	2			1		10	2				2	1	2	1	1		2	1	1		1	

109 Pneumonia, unspecified	M.	1	1												1					1											
	F.	2				1							1		2									1						1	
110 Pleurisy	M.	1	1												1							1									
	F.																														
111 Congestion and haemorrhagic infarct of the lung, etc.	M.	1									1				1									1							
	F.	1											1		1							1									
(a) Pulmonary embolism and thrombosis	M.																														
	F.																														
(b) Others under this title	M.	1									1				1									1							
	F.	1											1		1							1									
112 Asthma	M.	1								1					1													1			
	F.	1											1			1											1				
113 Pulmonary emphysema	M.																														
	F.																														
114 Other diseases of the respiratory system (tuberculosis excepted)	M.	1								1					1						1										
	F.	1	1												1													1			
(a) Chronic interstitial pneumonia including occupational diseases of the respiratory system	M.																														
	F.																														
(b) Gangrene of the lung	M.																														
	F.																														
(c) Others under this title	M.	1								1					1						1										
	F.	1	1												1													1			
Class IX—Diseases of the digestive system	Total	50	23	1	2	2	1			6	7	4		4	45	5				3		6	1	1	4	2	6	10	8	6	3
	M.	26	16			2	1			1	4	1		1	23	3				1		1		1	2	1	3	7	7	1	2
	F.	24	7	1	2					5	3	3		3	22	2				2		5	1		2	1	3	3	1	5	1

TABLE XXXVII—Continued

Int. List No.	CAUSES OF DEATH		Total	CONJUGAL CONDITION												NATIVITY					MONTHS											
					Single					Married									Foreign													
				Under 15 years	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated	Widowed	Not Stated	Canada	British	United States	Other	Not Stated	January	February	March	April	May	June	July	August	September	October	November	December
115	Diseases of the buccal cavity and annexa, and of the pharynx and tonsils (including adenoid vegetations)	M.	1								1						1										1					
		F.	1			1											1					1										
	(a) Diseases of the buccal cavity and annexa	M.																														
		F.	1			1											1					1										
	(b) Diseases of the tonsils	M.	1								1						1										1					
		F.																														
	(c) Others under this title	M.																														
		F.																														
116	Diseases of the oesophagus	M.																														
		F.																														
117	Ulcer of the stomach or duodenum	M.	2				1					1					1	1				1				1						
		F.																														
	(a) Ulcer of the stomach	M.																														
		F.																														

	(b) Ulcer of the duo- M.	2				1					1					1	1				1					1							
	denum F.																																
118	Other diseases of the M.																																
	stomach F.																																
119	Diarrhoea and enteritis M.	13	13													13												2	5	3	1	2	
	(under 2 years of age) F.	5	5													5													3	1	1		
120	Diarrhoea and enteritis M.	2				1	1									2														2			
	(2 years and over) F.	2	1							1						2												1			1		
	(a) Diarrhoea and M.	2				1	1									2														2			
	enteritis F.	2	1							1						2												1			1		
	(b) Ulceration of the M.																																
	intestines F.																																
121	Appendicitis M.	1	1													1												1					
	F.	2		1						1						1	1						1					1					
122	Hernia, intestinal M.	1	1													1													1				
	obstruction F.	7	1		1						1	2		2		7							2	1			1				2	1	
	(a) Hernia M.																																
	F.	2										2				2															1	1	
	(b) Intestinal ob- M.	1	1													1													1				
	struction F.	5	1		1						1			2		5							2	1			1				1		
123	Other diseases of the M.	2									1			1		1	1						1							1			
	intestines F.																																
124	Cirrhosis of the liver M.																																
	F.																																
	(a) Specified as M.																																
	alcoholic F.																																
	(b) Not specified as M.																																
	alcoholic F.																																
125	Other diseases of the M.																																
	liver F.																																

TABLE XXXVII— Continued

Int. List No.	CAUSES OF DEATH		Total	CONJUGAL CONDITION												NATIVITY					MONTHS											
					Single					Married									Foreign													
				Under 15 years	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated	Widowed	Not Stated	Canada	British	United States	Other	Not stated	January	February	March	April	May	June	July	August	September	October	November	December
	(a) Yellow atrophy of the liver	M.																														
		F.																														
	(b) Others under this title	M.																														
		F.																														
126	Biliary calculi	M.	2									1	1				1	1												1	1	
		F.	4									2	1		1		3	1						1			2					1	
127	Other diseases of the gall-bladder and biliary passages	M.	2	1								1					2									1	1					
		F.																														
128	Diseases of the pancreas	M.																														
		F.																														
129	Peritonitis, cause not specified	M.																														
		F.	3								3						3					1		1					1			
	Class X—Diseases of the Genito-Urinary System	T.	65			1	2	9			4	8	16		23	2	55	7		1	2	2	7	4	7	3	8	4	2	2	11	9	6
		M.	44			1	2	5			2	6	14		12	2	36	5		1	2	1	4	4	2	2	5	4		2	9	7	4
		F.	21					4			2	2	2		11		19	2				1	3		5	1	3		2		2	2	2
130	Acute nephritis (including unspecified, under 10 years of age)	M.	1									1					1						1									
		F.																														

131	Chronic nephritis..... M.	18			1	2	2			1	2	3		7		17	1					1	4	2	2	2	1			2	2	2
	F.	13					3			1	1	2		6		11	2				1	2		5	1	2		1		1		
132	Nephritis, unspecified M.	4										1		3		2	2				1					1				1	1	
	(10 years and over).....F.	2												2		2						1				1						
133	Other diseases of the M.	3								1		1			1	2			1							2					1	
	kidneys and ureters.....F.	2					1							1		2												1			1	
134	Calculi of the urinary M.																															
	passages.....F.	1								1						1																1
135	Diseases of the bladder M.																															
	(tumours excepted)..... F.	1												1		1															1	
136	Diseases of the urethra, M.																															
	urinary abscess, etc.....F.																															
	(a) Stricture of the M.																															
	urethra.....F.																															
	(b) Others under this M.																															
	title.....F.																															
137	Diseases of the prostate M.	18					3				3	9		2	1	14	2			2		2					3		2	6	3	2
138	Diseases of the male genital organs (not specified as venereal) ..M.																															
139	Diseases of the female genital organs (not specified as venereal)....F.	2									1			1		2														1		1
	(a) Of the ovary, Fallopian tube and parametrium.....F.	1												1		1																1
	(b) Of the uterus.....F.	1									1					1														1		
	(c) Of the breast..... ..F.																															
	(d) Others under this title..... F.																															

TABLE XXXVII—Continued

Int. List No.	CAUSES OF DEATH	Total	CONJUGAL CONDITION												NATIVITY					MONTHS											
				Single					Married								Foreign														
			Under 15 years	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated	Widowed	Not stated	Canada	British	United States	Other	Not stated	January	February	March	April	May	June	July	August	September	October	November	December
	Class XI— Diseases of pregnancy, childbirth and the puerperal state ..Total	4							1	3						2	2					2						1			1	
140	Abortion with septic conditions..... F.	1								1							1											1				
	(a) Abortion..... F.	1								1							1											1				
	(b) Self-induced abortion.....F.																															
141	Abortion without mention of septic conditions (haemorrhage included) .....F.																															
	(a) Abortion..... F.																															
	(b) Self-induced abortion.....F.																															
142	Ectopic gestation..... F.																															
	(a) With septic conditions..... ..... F.																															
	(b) Without mention of septic conditions .....F.																															

143	Other accidents of pregnancy (haemorrhage excluded) F.																															
144	Puerperal haemorrhage F.																															
	(a) Placenta praevia F.																															
	(b) Other haemorrhage F.																															
145	Puerperal septicaemia (not specified as due to abortion) F.	1						1								1					1											
	(a) Puerperal septicaemia and pyaemia F.	1						1								1					1											
	(b) Puerperal tetanus F.																															
146	Puerperal albuminuria and eclampsia F.	1							1						1																1	
147	Other toxaemias of pregnancy F.																															
148	Puerperal phlegmasia alba dolens, embolism or sudden death (not specified as septic) F.																															
	(a) Phlegmasia alba dolens and thrombosis F.																															
	(b) Embolism F.																															
	(c) Sudden death F.																															
149	Other accidents of childbirth F.	1							1						1						1											
	(a) Caesarean operation F.	1							1						1						1											
	(b) Other surgical operations and instrumental delivery F.																															
	(c) Dystocia F.																															

TABLE XXXVII—Continued

Int. List No.	CAUSES OF DEATH		Total	CONJUGAL CONDITION												NATIVITY					MONTHS											
					Single					Married									Foreign													
				Under 15 years	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated	Widowed	Not stated	Canada	British	United States	Other	Not stated	January	February	March	April	May	June	July	August	September	October	November	December
	(d) Rupture of uterus in parturition	F.																														
	(e) Others under this title	F.																														
150	Other or unspecified condition of the puerperal state	F.																														
	(a) Puerperal diseases of the breast	F.																														
	(b) Others under this title	F.																														
	Class—XII Diseases of the skin and cellular tissue	Total	4					1			1	1	1				4						1	1		1						1
		M.	3					1				1	1				3						1	1		1						
		F.	1								1						1															1
151	Carbuncle	M.																														
		F.	1								1						1															1
152	Cellulitis, acute abscess	M.	2					1				1					2						1			1						
		F.																														

153	Other diseases of the skin and annexa and	M.	1										1				1							1								
	of the cellular tissue..	F.																														
	Class XIII—Diseases of the bones and organs of locomotion	Total	1												1			1													1	
		M.																														
		F.	1												1			1													1	
154	Osteomyelitis	M.																														
		F.																														
155	Other diseases of the bones (tuberculosis excepted)	M.																														
		F.	1												1			1													1	
156	Diseases of the joints and other organs of locomotion	M.																														
		F.																														
	(a) Of the joints (tuberculosis and rheumatism excepted)	M.																														
		F.																														
	(b) Of other organs of locomotion	M.																														
		F.																														
	Class XIV—Congenital Malformations	Total	23	22	1												23					1	2	3	1	1	2	1	2	1	5	1	3
		M.	13	13													13						1	1	1		2		1	1	3	1	2
		F.	10	9	1												10					1	1	2		1		1	1		2		1
157	Congenital malformations (stillbirths excluded)	M.	13	13													13						1	1	1		2		1	1	3	1	2
		F	10	9	1												10					1	1	2		1		1	1		2		1
	(a) Congenital hydrocephalus	M.	2	2													2										1			1			
		F.	1	1													1																1
	(b) Spina bifida and meningocele	M.	4	4													4										1				2	1	
		F.	2	1	1												2						1						1				
	(c) Congenital malformations of the heart	M.	4	4													4						1		1				1				1
		F.	5	5													5					1		2							2		

TABLE XXXVII—Continued

Int. List No.	CAUSES OF DEATH	Total	CONJUGAL CONDITION												NATIVITY					MONTH											
				Single					Married								Foreign														
			Under 15 years	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated	Widowed	Not stated	Canada	British	United States	Other	Not stated	January	February	March	April	May	June	July	August	September	October	November	December
	(d) Monstrosities M.																														
	F.																														
	(e) Others under this M.	3	3												3							1								1	1
	title F.	2	2												2									1		1					
	Class XV—Diseases Total	34	34												34					2		1	4	4	5	3	2	1	5	2	5
	of early infancy M.	17	17												17					1		1	2	2	1	3	1	1	1	1	3
	F.	17	17												17					1			2	2	4		1		4	1	2
158	Congenital debility M.																														
	F.	1	1												1																1
159	Premature birth M.	11	11												11					1		1	1	1	1	3			1	1	1
	F.	11	11												11					1			1	2	2				3	1	1
160	Injury at birth M.	4	4												4								1	1			1				1
	F.	2	2												2										1				1		
	(a) With mention of M.																														
	caesarean operation F.																														
	(b) Without mention M.	4	4												4								1	1			1				1
	of caesarean operation F.	2	2												2										1				1		
161	Other diseases peculiar M.	2	2												2													1			1
	to early infancy F.	3	3												3								1		1		1				
	(under 3 months)																														

(a) Atelectasis	M.																															
	F.	1	1												1								1									
(b) Icterus of the	M.	1	1												1													1				
new-born	F.																															
(c) Sclerema and	M.																															
oedema	F.																															
(d) Athrepsia	M.																															
	F.																															
(e) Others, including	M.	1	1												1																	1
lack of care	F.	2	2												2										1		1					
(f) No cause given, no	M.																															
doctor in attendance	F.																															
Class XVI—Senility Total		8										1		7		7	1				1	1	1		1			2	1			1
	M.	3												3		3									1				1			1
	F.	5										1		4		4	1				1	1	1					2				
162 Senility	M.	3												3		3									1				1			1
	F.	5										1		4		4	1				1	1	1					2				
(a) With senile dement-	M.																															
ia (70 years and over)	F.																															
(b) Without senile																																
dementia (70 years	M.	3												3		3									1				1			1
and over)	F.	5										1		4		4	1				1	1	1					2				
(c) Premature senility																																
(55 years but under	M.																															
70 years)	F.																															
Class XVII Violent Total		45	8	2	2	2	2		1	7	7	2		11	1	33	7		3	2	3	2	6	6	3	2	2	4	1	3	5	8
or accidental deaths	M.	31	5	2	1	2	1			7	5	1		6	1	23	3		3	2	2	1	3	4	2	2	1	3	1	2	4	6
	F.	14	3		1		1		1		2	1		5		10	4				1	1	3	2	1		1	1		1	1	2

TABLE XXXVII—Continued

Int. List No.	CAUSES OF DEATH		Total	CONJUGAL CONDITION													NATIVITY					MONTHS											
					Single					Married									Foreign														
				Under 15 years	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated	Widowed	Not stated	Canada	British	United States	Other	Not stated	January	February	March	April	May	June	July	August	September	October	November	December
163–171	Suicides	M.	5				1				2				2		2	1		1	1	1		1	1		1						1
		F.	1							1							1							1									
163	Suicide by solid or liquid poisons or by absorption of corrosive substances	M.																															
		F.																															
164	Suicide by poisonous gas	M.	1								1							1															1
		F.	1							1							1							1									
165	Suicide by hanging or strangulation	M.																															
		F.																															
166	Suicide by drowning	M.																															
		F.																															
167	Suicide by firearms	M.	2												2		1				1	1			1								
		F.																															
168	Suicide by cutting or piercing instruments	M.	2				1				1						1			1				1			1						
		F.																															
169	Suicide by jumping from high places	M.																															
		F.																															
170	Suicide by crushing	M.																															
		F.																															

171	Suicide by other means	M.																															
		F.																															
173-	Homicides	M.																															
175		F.	1								1						1								1								
173	Homicide by firearms	M.																															
		F.	1								1						1								1								
174	Homicide by cutting or piercing instruments	M.																															
		F.																															
175	Homicide by other means	M.																															
		F.																															
176–198	Other violent deaths	M.	26	5	2	1	1	1			5	5	1		4	1	21	2		2	1	1	1	2	3	2	1	1	3	1	2	4	5
		F.	12	3		1		1				1	1		5		9	3				1	1	2	1	1		1	1		1	1	2
176	Attack by venomous animals	M.																															
		F.																															
177	Food poisoning	M.																															
		F.																															
178	Accidental absorption of toxic gases	M.																															
		F.																															
179	Other acute accidental poisonings (except by gas)	M.																															
		F.																															
180	Conflagration	M.																															
		F.																															
181	Accidental burns (conflagration excepted)	M.																															
		F.	1												1		1															1	
182	Accidental mechanical suffocation	M.																															
		F.	1	1													1							1									

TABLE XXXVII—Continued

Int. List No.	CAUSES OF DEATH		Total	CONJUGAL CONDITION													NATIVITY					MONTHS											
					Single					Married									Foreign															
				Under 15 years	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated	Widowed	Not stated	Canada	British	United States	Other	Not stated	January	February	March	April	May	June	July	August	September	October	November	December
183	Accidental drowning..	M.	1													1				1													1	
		F.	2	1		1											2							1				1					
184	Accidental injury by firearms	M.																																
		F.	1	1													1									1								
185	Accidental injury by cutting or piercing instruments	M.																																
		F.																																
186	Accidental injury by fall, crushing or landslide	M.	24	5	2	1	1	1			4	5	1		4		20	2		1	1	1	1	2	3	2	1	1	3	1	2	2	5
		F.	5					1				1			3		4	1				1	1		1						1		1
187	Cataclysm	M.																																
		F.																																
188	Injuries by animals	M.																																
		F.																																
189	Hunger or thirst	M.																																
		F.																																
190	Excessive cold	M.																																
		F.																																
191	Excessive heat	M.																																
		F.																																

192	Lightning	M.																															
		F.																															
193	Accidents due to electric currents	M.																															
		F.																															
194	Other accidents	M.																															
		F.	2									1		1			2											1				1
	(a) Foreign body	M.																															
		F.																															
	(b) Others under this title	M.																															
		F.	2									1		1			2											1				1
195	Violent deaths of which the nature (accident, suicide, homicide) is unknown	M.	1								1						1															1	
		F.																															
198	Capital punishment	M.																															
		F.																															
	Class XVIII–Ill-de-fined causes of death	Total	5	1								1		3			5							1	1	1							2
		M.	3	1								1		1			3							1	1								1
		F.	2											2			2									1							1
199	Sudden death	M.	2									1		1			2							1									1
		F.	2											2			2									1							1
200	Cause of death not specified or ill-defined	M.	1	1													1								1								
		F.																															

SPECIAL CLASSES OF ACCIDENTAL DEATHS
(INCLUDED ALSO UNDER THE NUMBERS OF THE INTERNATIONAL LIST ABOVE)
HALIFAX, 1937

	CAUSES OF DEATH		Total	CONJUGAL CONDITION												NATIVITY					MONTHS											
					Single					Married									Foreign													
				Under 15 years	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated	Widowed	Not stated	Canada	British	United States	Other	Not stated	January	February	March	April	May	June	July	August	September	October	November	December
A	Accidents in mines and quarries	M.	30	...	1	4	...	...	...	1	12	9	1	...	2	...	17	8	...	5	...	1	1	3	2	1	4	3	3	3	4	2	3
		F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
B	Accidents caused by machines	M.	8	...	3	1	...	...	...	...	2	2	...	...	...	...	8	...	...	...	...	1	...	1	...	2	...	1	...	1	2	...	...
		F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
C	Railway Accidents	M.	12	1	3	1	1	...	...	...	2	2	...	...	2	...	12	...	...	...	...	1	1	2	2	4	...	1	...	...	...	1	...
		F.	2	2	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...
D	Street Car Accidents	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
E	Automobile and motor-cycle accidents	M.	68	13	18	7	2	2	...	...	6	8	6	...	6	...	63	3	2	...	...	5	4	5	2	1	8	6	12	5	7	7	6
		F.	20	3	2	...	1	2	...	...	3	5	...	...	4	...	20	...	...	...	...	1	3	...	...	1	5	3	1	2	...	1	3
F	Other land transportation	M.	10	1	1	1	3	...	...	...	1	...	2	...	1	...	8	2	...	...	...	1	...	1	...	1	...	...	2	1	1	2	1
		F.	3	1	...	...	...	...	...	...	...	...	...	...	2	...	3	...	...	...	...	...	...	...	...	...	...	1	1	...	1	...	...
G	Water transportation	M.	22	3	2	5	2	...	...	...	7	...	1	...	1	1	18	1	...	3	...	...	2	...	2	3	2	4	3	1	1	2	2
		F.	2	...	...	1	...	...	...	...	...	...	...	...	...	1	1	...	...	1	...	...	...	...	1	...	...	1	...	...	...	...	...
H	Air transportation	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...

SPECIAL CLASSES OF ACCIDENTAL DEATHS
(Included also under the numbers of the International List)
PROVINCE OF NOVA SCOTIA, 1937

	CAUSE OF DEATH	Male	Female
	A.—Accidents in mines and quarries	30	.....
186	Accidental injury by fall, crushing or landslide	29	.....
194	Other accidents	1	.....
	B.—Accidents caused by machines	8	.....
185	Accidental injury by cutting or piercing instruments	3	.....
186	Accidental injury by fall, crushing or landslide	5	.....
	C.—Railway accidents	12	2
186	Accidental injury by fall, crushing or landslide	12	2
	E.—Automobile and motorcycle accidents	68	20
181	Accidental burns (conflagration excepted)	1	.....
183	Accidental drowning	2	.....
186	Accidental injury by fall, crushing or landslide	65	20
	F.—Other land transportation	10	3
186	Accidental injury by fall, crushing or landslide	10	3
	G.—Water transportation	22	2
181	Accidental burns (conflagration excepted)	2	.....
183	Accidental drowning	16	2
186	Accidental injury by fall, crushing or landslide	4	.....

TABLE XXXVIII—MARRIAGES BY MONTHS IN THE PROVINCE OF NOVA SCOTIA 1937

COUNTIES (Including Cities and Towns)	MONTHS												
	Total	January	February	March	April	May	June	July	August	September	October	November	December
Annapolis	145	10	8	9	8	12	13	17	15	14	12	9	18
Antigonish	59	2	2	....	3	3	3	8	5	7	8	16	2
Cape Breton	879	55	60	34	54	45	102	89	76	115	91	114	44
Colchester	203	13	14	8	11	18	29	11	13	18	22	22	24
Cumberland	353	18	22	14	18	27	30	36	21	52	36	46	33
Digby	157	10	8	8	14	9	11	12	10	28	23	18	6
Guysboro	92	7	9	2	8	1	10	16	6	12	5	8	8
Halifax	900	41	53	39	58	77	111	64	94	113	91	99	60
Hants	181	11	10	13	8	15	18	13	12	23	28	11	19
Inverness	100	11	5	3	6	3	5	9	15	11	9	20	3
Kings	247	13	10	21	12	15	22	30	19	30	23	21	31
Lunenburg	218	15	11	9	10	13	18	22	21	21	24	20	34
Pictou	309	19	19	17	17	17	29	21	29	38	37	36	30
Queens	77	7	2	4	9	6	6	8	6	10	3	6	10
Richmond	70	10	7	2	2	2	4	4	12	10	9	7	1
Shelburne	117	6	5	4	14	4	21	10	13	10	14	9	7
Victoria	34	3	1	2	1	1	....	4	6	5	4	6	1
Yarmouth	196	10	11	4	12	11	26	24	23	22	22	24	7
Total	4,337	261	257	193	265	279	458	398	396	539	461	492	338

TABLE XXXIX—MARRIAGES ACCORDING TO AGES, IN THE PROVINCE OF NOVA SCOTIA, 1937.

Counties (Including Cities and Towns)	Total	Ages of Men								Ages of Women							
		Under 21	21 to 25	26 to 30	31 to 40	41 to 50	51 to 60	Over 60	Not stated	Under 21	21 to 25	26 to 30	31 to 40	41 to 50	51 to 60	Over 60	Not stated
Annapolis	145	6	65	42	20	7	3	2	.....	58	57	18	8	1	2	1	.....
Antigonish	59	1	10	16	21	9	1	1	.....	12	27	10	7	3	.....	.....	.....
Cape Breton	879	48	356	283	143	23	17	9	.....	259	386	150	61	12	7	3	1
Colchester	203	14	78	57	37	12	4	1	.....	57	92	28	20	3	2	1	.....
Cumberland	353	12	159	104	42	17	13	6	.....	123	150	41	23	8	6	2	.....
Digby	157	8	61	35	31	10	6	6	.....	47	52	27	18	7	2	4	.....
Guysboro	92	2	31	37	13	5	3	1	.....	28	39	16	5	2	1	1	.....
Halifax	900	67	333	265	162	42	17	14	.....	236	395	158	86	15	7	3	.....
Hants	181	17	78	43	26	11	4	2	.....	72	69	26	10	2	.....	2	.....
Inverness	100	3	26	35	30	2	4	.....	.....	30	36	20	10	3	1	.....	.....
Kings	247	10	132	60	25	11	7	2	.....	87	106	36	11	4	2	1	.....
Lunenburg	218	6	93	62	41	10	4	2	.....	76	89	30	14	7	1	1	.....
Pictou	309	18	121	87	60	14	6	3	.....	93	129	48	27	9	2	1	.....
Queens	77	5	36	18	11	2	4	1	.....	35	24	11	2	3	2	.....	.....
Richmond	70	.....	17	28	14	6	3	2	.....	19	26	15	6	3	.....	1	.....
Shelburne	117	8	62	29	15	2	1	.....	.....	49	49	11	6	2	.....	.....	.....
Victoria	34	2	7	13	8	3	1	.....	.....	6	12	10	6	.....	.....	.....	.....
Yarmouth	196	8	75	57	37	9	3	7	.....	59	82	27	18	5	4	1	.....
Total	4337	235	1740	1271	736	195	101	59	.....	1346	1820	682	338	89	39	22	1

TABLE XL—MARRIAGES REPORTED IN RURAL AND URBAN PARTS OF COUNTIES, NOVA SCOTIA, 1937.

COUNTIES	Total	Rural	Urban
Total for the Province	4337	1673	2664
Annapolis	145	127	18
Antigonish	59	34	25
Cape Breton	879	145	734
Colchester	203	72	131
Cumberland	353	70	283
Digby	157	121	36
Guysboro	92	82	10
Halifax	900	225	675
Hants	181	109	72
Inverness	100	84	16
Kings	247	110	137
Lunenburg	218	110	108
Pictou	309	69	240
Queens	77	45	32
Richmond	70	70	.....
Shelburne	117	90	27
Victoria	34	34	.....
Yarmouth	196	76	120

TABLE XLI—MARRIAGES—CONJUGAL CONDITION OF CONTRACTING PARTIES IN THE PROVINCE OF NOVA SCOTIA, 1937.

	Total Marriages	Marriages between									Per cent. of bridegrooms who were			Per cent. of brides who were		
		Bachelors and			Widowers and			Divorced men and								
		Spinsters	Widows	Divorced Women	Spinsters	Widows	Divorced Women	Spinsters	Widows	Divorced Women	Bachelors	Widowers	Divorced	Spinsters	Widows	Divorced
Total for the province.....	4,337	3,903	83	23	188	87	4	43	3	3	92.4	6.4	1.1	95.3	4.0	0.7

TABLE XLII—MARRIAGES—AGES OF BRIDEGROOMS AND BRIDES, NOVA SCOTIA 1937

Age of Bridegroom	Total Grooms	Age of Bride: Under 16	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50–54	55–59	60–46	69–65	70–74	75 & over	not stated
Under 18	6		2	4																																							
18	31	2	2	10	8	6	2		1																																		
19	77	3	5	11	19	13	7	9	5	3	2																																
20	121	1	6	21	18	26	22	9	13	2	2				1																												
21	316	7	14	32	45	48	48	64	27	7	8	8	4		1		2	1																									
22	332	2	10	26	41	44	43	60	38	23	18	9	9	4	1		2	1				1																					
23	397	1	8	19	45	49	53	74	43	43	20	12	8	8	4	4	2	1	1	1			1																				
24	377		10	12	33	34	40	67	40	49	34	18	15	10	7	3	1	1	1								2																
25	318		7	14	23	33	27	51	35	34	30	24	15	9	5	4	3		1		1			1			1																
26	293		2	12	22	20	26	38	34	31	33	21	22	6	13	5	6	2																									
27	319	1	9	10	13	22	25	36	40	25	37	27	20	14	12	10	2	7	1		3	2	1	1	1																		
28	246	2	3	4	12	12	13	39	20	22	20	22	15	16	19	12	9	2		1	2														1								
29	227		1	9	13	11	21	24	25	22	19	12	11	19	8	10	8	1	6	3		1				2								1									
30	186	1		4	6	8	9	19	21	14	13	21	10	15	10	9	8	5	5	1	2	2	1			1	1																	
31	126	1	1	4	2	6	2	12	12	8	7	12	11	8	7	6	8	4	3	4	1	1	1	3	1																		1
32	116			1	2	6	4	7	7	13	14	9	3	8	5	7	5	2	6	3	4	4	3	1	1	1																	
33	103			5	3	4	7	6	3	8	8	6	9	6	12	3	3	5	3	3	1	1			4			1		1		1											
34	85				5	8	3	4	3	3	8	3	8	6	1	8	7	3	1	1	4	1	1	3		1						1	1				1						
35	69			2	1	1	1	8	5	6	4	4	3	6	4	5	2	4	3	1	2	1	3	2	1																		
36	50			1	3	2	1	6	5	2	3	2	4	5	3	1		2	2	1		2	1	1	1			2															
37	63				3		2	5	4	2	4	4	4	6	5	3	6	2	3	3	2		1	1		1	1		1														
38	44				3	1	3	2		2	2	5	3	3	3		3	1	1	1	2	1	3	1	1	2											1						
39	41					1		2	2		3	4	2		2	3	4	3	1	2	4		1	3	2	1		1															
40	39								1	3	2	2	1	2	1	2	3	3	2	4	2	1	1	3	1			3	1					1									
41	38					1		2	1	1	3	4	3	2	1	2	3	1	2	2	1	1	3	2	1	1	1																
42	28						1	2	3	4	1	1				1	1		1	2	2	2	2			1			1	1							1	1					
43	28						2	1	4	2			2			1	2	2	1	1	2	1			3		1	1			1						1						
44	15				1				1		2		1							2		1	1	2	1	1	1			1													
45	27						1		1	1	1	3		1	1	1	3		2	1	1	1	2		1							4		2									
46	12							1	1					1	1					1						1		1	1		1	1		1		1							
47	16				1		1						1		1	2	1	2				1			1		1			1	1		1				1						
48	14					1		1		1							1	1			1			2			1		1		1		1	1		1							
49	10							1						1			1		2	1							3										1						
50–54	60							3			2	3	3	1	2		4	2	2	1	2	1		1	4	1	3	3	3	4	2	1	1	2			6	1	2				
55–59	36								1		1						2	1	1			1			1	1	1			1		2	1	1	1	2	7	5	4	1	1		
60–64	37				1				1		1		1		1	1				3			1	2		2		1			1	1	2	2	1	1	6	5	3				
65–69	16									1										1							1	1	1				1	2			1	1	3	2	1		
70–74	15															1			1					1								1		1			3	1	2	2	2		
75–79	2																																						1	1			
80 and over	1																																							1			
Not stated																																											
Total brides	4337	21	80	201	323	357	364	553	397	332	302	236	188	157	131	104	102	59	52	44	39	27	27	30	25	17	18	12	11	9	7	12	8	14	3	5	29	14	15	7	4		1

TABLE XLIII— MARRIAGES—BIRTHPLACE OF BRIDEGROOMS AND BRIDES, NOVA SCOTIA 1937.

Birthplace of Bridegroom	Total Grooms	Birthplace of bride: CANADA										British Isles					British Possessions		EUROPE														ASIA					
		Prince Edward Island	Nova Scotia	New Brunswick	Quebec	Ontario	Manitoba	Saskatchewan	Alberta	British Columbia	Prov. not Specified	England	Ireland	Scotland	Wales	Other	Newfoundland	Other	Austria	Belgium	Denmark	Finland	France	Germany	Holland	Hungary	Italy	Norway	Poland	Roumania	Russia (1)	Sweden	Other	China	Japan	Other	United States	Various	Not Specified
Canada	3892	20	3513	72	24	25	3	6	5	5	..	36	....	14	1	...	82	5	....	....	2	....	....	....	1	....	....	....	1	....	....	1	2	...	...	1	56	1	16
Prince Edward Island	37	5	26	2	....	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1
Nova Scotia	3660	14	3337	48	21	21	2	6	4	3	....	34	....	14	1	....	77	5	....	....	1	....	....	....	1	....	....	....	1	....	....	1	2	....	....	1	51	1	14
New Brunswick	105	1	76	17	....	1	....	....	....	1	....	....	....	....	....	....	3	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	4	....	1
Quebec	24		21	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Ontario	37	....	26	5	....	3	1	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Manitoba	4	....	3	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Saskatchewan	5	....	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Alberta	8	....	8	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
British Columbia	9	....	8	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Province not specified	3	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
British Isles	135	1	100	4	2	1	2	....	....	1	....	11	1	3	....	....	6	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	1
England	95	1	73	1	2	....	1	....	....	....	....	10	....	....	....	....	6	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
Ireland	4	....	2	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Scotland	34	....	23	2	....	1	....	....	....	1	....	1	1	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....
Wales	2	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Other	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
British Possessions	126	....	89	3	....	1	....	1	....	....	1	....	1	1	....	....	26	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1
Newfoundland	114	....	81	2	....	1	....	....	....	....	....	....	1	1	....	....	26	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1
Other	12	....	8	1	....	....	....	1	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Europe	46	....	33	2	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	1	....	....	2	....	2	....	....	....	....	....	2	....	....
Austria	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Belgium	2	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Denmark	2	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Finland	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
France	2	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Germany	7	....	5	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE XLIII—Continued

Birthplace of Bridegroom	Total Grooms	Birthplace of Bride: CANADA										British Isles					British Possessions		EUROPE															Asia						
		Prince Edward Island	Nova Scotia	New Brunswick	Quebec	Ontario	Manitoba	Saskatchewan	Alberta	British Columbia	Prov. not Specified	England	Ireland	Scotland	Wales	Other	Newfoundland	Other	Austria	Belgium	Denmark	Finland	France	Germany	Holland	Hungary	Italy	Norway	Poland	Roumania	Russia (1)	Sweden	Other	China	Japan	Other	United States	Various	Not Specified
Holland	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Hungary	3	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
Italy	2	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....
Norway	2	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Poland	13	....	9	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	....	1	....	....	....	....	....	....	....	....
Roumania	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Russia (1)	4	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	1	....	....
Sweden	2	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Other	5	....	4	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Asia	7	....	6	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
China	2	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Japan	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Other	5	....	4	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
United States	121	1	104	2	1	....	....	....	....	....	....	3	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	6	....	1
Various	2	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Not specified	8	....	7	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
Total Brides	4337	22	3854	83	292	7	5	8	5	6	1	50	2	18	1	....	115	6	....	....	2	....	1	1	1	1	....	....	3	....	2	1	3	1	....	2	66	1	20

(1) Including the Ukraine.

TABLE XLIV—MARRIAGES—DENOMINATIONS OF CONTRACTING PARTIES, NOVA SCOTIA 1937.

Denomination of Groom	Total Grooms	Denomination of Bride																											
		Adventists	Anglicans	Baptists	Brethren	Christians	Christian Science	Church of Christ	Disciples	Evangelicals	Friends	Greek Catholics	Greek Orthodox	Holiness Movement	Jews	Lutherans	Mennonites	Mormons	Pentecostal	Presbyterians	Protestants	Roman Catholics	Salvation Army	Unitarians	United Brethren	United Church	Oriental Religions	No Religion	Other Sects	Not stated
Adventists	10	2	1	6																1										
Anglicans	759	2	371	97	1	2		2								13			2	41		90	5	1		128		1	2	1
Baptists	767	3	96	467	1	2		1	2							12			1	30		18	4			126			2	2
Brethren	4			1	2															1										
Christians	9		1	5		2																				1				
Christian Science	1																									1				
Church of Christ	4			1				3																						
Disciples	1			1																										
Evangelicals	1			1																										
Friends																														
Greek Catholics	8		1									5										2								
Greek Orthodox	4		1										2									1								
Holiness Movement																														
Jews	14														13											1				
Lutherans	54		5	8												28				3		1				9				
Mennonites																														

TABLE XLIV—Continued

Denomination of Groom	Total Grooms	Denomination of Bride																										
		Adventists	Anglican	Baptists	Brethren	Christians	Christian Science	Church of Christ	Disciples	Evangelicals	Friends	Greek Catholics	Greek Orthodox	Holiness Movement	Jews	Lutherans	Mennonites	Mormons	Pentecostal	Presbyterians	Protestants	Roman Catholics	Salvation Army	Unitarians	United Brethren	United Church	Oriental Religions	No Religions	Other Sects	Not Stated
Mormons																														
Pentecostal	13		1																10							2				
Presbyterians	395		50	24												2				202		38				79				
Protestants	8																				3	3				1			1	
Roman Catholics	1314		63	16					1											17		1177				39			1	
Salvation Army	9		2																1				2			3			1	
Unitarians																														
United Brethren																														
United Church	936	1	145	102				1	2							10				58	1	62	3	2		544			4	1
Oriental Religions (1)	1			1																										
No Religion	4		1					1	1																			1		
Other Sects	17		3	3		1			1							1				1		1				3			3	
Not stated	4			1																		1				1				1
Total brides	4,337	8	741	734	4	7		8	7			5	2		13	66			14	354	4	1394	14	3		938		2	14	5

(1) (Includes Buddhists, Confucians, Mohammedans, Shintos, Sikhs, Hindus).

TABLE XLV—MARRIAGES—LITERACY OF BRIDEGROOMS AND BRIDES IN NOVA SCOTIA, CLASSIFIED BY BIRTHPLACE, 1937

BIRTHPLACE	Bridegrooms			Brides		
	Total	Illiterate	Per cent Illiterate	Total	Illiterate	Per cent Illiterate
Total	4337	66	1.5	4337	31	0.7
Canada	3892	58	1.5	4040	26	0.6
Prince Edward Island	37	2	5.4	22	.....	.....
Nova Scotia	3660	55	1.5	3854	25	0.6
New Brunswick	105	1	1.0	83	1	1.2
Quebec	24	.....	.....	29	.....	.....
Ontario	37	.....	.....	27	.....	.....
Manitoba	4	.....	.....	5	.....	.....
Saskatchewan	5	.....	.....	8	.....	.....
Alberta	8	.....	.....	5	.....	.....
British Columbia	9	.....	.....	6	.....	.....
Province not Specified	3	.....	.....	1	.....	.....
British Isles	135	.....	.....	71	.....	.....
England	95	.....	.....	50	.....	.....
Ireland	4	.....	.....	2	.....	.....
Scotland	34	.....	.....	18	.....	.....
Wales	2	.....	.....	1	.....	.....
Other	.....	.....	.....	.....	.....	.....
British Possessions	126	6	4.8	121	3	2.5
Newfoundland	114	6	5.3	115	3	2.6
Other	12	.....	.....	6	.....	.....
Europe	46	1	2.2	15	1	6.7
Austria	1	.....	.....	.....	.....	.....
Belgium	2	1	50.0	.....	.....	.....
Denmark	2	.....	.....	2	.....	.....
Finland	.....	.....	.....	.....	.....	.....
France	2	.....	.....	1	.....	.....
Germany	7	.....	.....	1	.....	.....
Holland	1	.....	.....	1	.....	.....
Hungary	3	.....	.....	1	.....	.....
Italy	2	.....	.....	.....	.....	.....
Norway	2	.....	.....	.....	.....	.....
Poland	13	.....	.....	3	.....	.....
Roumania	.....	.....	.....	.....	.....	.....
Russia (1)	4	.....	.....	2	1	50.0
Sweden	2	.....	.....	1	.....	.....
Other	5	.....	.....	3	.....	.....
Asia	7	.....	.....	3	.....	.....
China	2	.....	.....	1	.....	.....
Japan	.....	.....	.....	.....	.....	.....
Other	5	.....	.....	2	.....	.....
United States	121	1	0.8	66	1	1.5
Various	2	.....	.....	1	.....	.....
Not Specified	8	.....	.....	20	.....	.....

(1) Including the Ukraine.

WELLCOME INSTITUTE LIBRARY